

Contact

Cables for Energy Networks Phone: 01908 250839

sales.energynetworks@nexans.com

BS7870 - 4.10 19/33kv Single Core Un-armoured

19/33kV Single Core un-armoured XLPE insulated cables

Description

Important Note: this information is for general guidance only, based on standard design options. Exact data will vary based upon the options required, and therefore a full data sheet for the exact design should be requested prior to any order.

Voltage Rating:

• 19/33 (36) kV

Typical Constructions:

Conductors

- · Stranded Copper or
- Stranded Aluminium
- Option water swellable powders or tapes

Conductor Screen

SC XLPE

Insulation

XLPE

Insulation Screen

- Bonded SC XLPE
- Option cold strippable SC XLPE

Paper separation Tapes

• Option - water swellable tapes

Copper Wire Screen

- · Number and diameter of wires dependant upon required earth fault rating
- Option copper equalising tapes applied helically

Sheath

- Black MDPE
- Option LSOH material
- Sheath embossed or indented with year of manufacture, size and type of conductor and voltage in accordance with design standard employed
- · Option sequential metre marking



Standards

International IEC 60502 National BS 7870-4.10



Contact

Cables for Energy Networks Phone: 01908 250839

sales.energynetworks@nexans.com

BS7870 - 4.10 19/33kv Single Core Un-armoured

Typical Data for cables with Copper conductors

| Nominal cross-sectional area | mm² | 70 | 95 | 120 | 150 | 185 | 240 | 300 | 400 | 500 | 630 | 800 | 1000 |
|---|-----------|--------|-------|-------|-------|--------|--------|--------|-------|--------|--------|--------|--------|
| Approximate diameter over conductor | mm | 9.8 | 11.5 | 12.8 | 14.3 | 15.9 | 18.4 | 20.5 | 23.2 | 26.2 | 30.3 | 34.7 | 38 |
| Approximate diameter over insulation | mm | 27 | 28.7 | 30 | 31.5 | 33.1 | 35.6 | 38.1 | 41.2 | 44.2 | 48.3 | 52.7 | 57.3 |
| Approximate overall diameter | mm | 34.1 | 36.1 | 37.5 | 39.3 | 41 | 43.8 | 46.6 | 50.2 | 53.4 | 58 | 66 | 71 |
| Approximate weight of Cable | kg/m | 1560 | 1880 | 2160 | 2480 | 2860 | 3530 | 4220 | 5150 | 6250 | 7740 | 9630 | 12200 |
| Minimum bending radius (static) | mm | 340 | 360 | 380 | 390 | 420 | 440 | 470 | 500 | 540 | 580 | 660 | 710 |
| Maximum pulling tension on Cable | kg | 350 | 475 | 600 | 750 | 925 | 1200 | 1500 | 2000 | 2500 | 3150 | 4000 | 5000 |
| Maximum DC resistance (R) @ 20°C | W/km | 0.268 | 0.193 | 0.153 | 0.124 | 0.0991 | 0.0754 | 0.0601 | 0.047 | 0.0366 | 0.0283 | 0.0221 | 0.0176 |
| Maximum AC resistance (R') @ 90°C | W/km | 0.342 | 0.247 | 0.196 | 0.159 | 0.128 | 0.098 | 0.079 | 0.063 | 0.051 | 0.042 | 0.035 | 0.03 |
| Inductance (L) @ 50Hz @ 90°C | mH/km | 0.43 | 0.41 | 0.4 | 0.38 | 0.37 | 0.36 | 0.36 | 0.33 | 0.32 | 0.31 | 0.3 | 0.29 |
| Approximate Capacitance (C) | μF/km | 0.14 | 0.16 | 0.17 | 0.18 | 0.2 | 0.22 | 0.25 | 0.26 | 0.29 | 0.32 | 0.35 | 0.38 |
| Short circuit ratings | | | | | | | | | | | | | |
| 1 Second Short Circuit Rating of Conductor (90 to 250°C) | kA | 9.7 | 13.5 | 17.1 | 21 | 26.3 | 34.6 | 43.4 | 57.7 | 72.1 | 90.7 | 115.1 | 143.8 |
| 1 Second Short Circuit Rating of a 35mm2 Copper wire screen (80 to 250°C) | kA | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 |
| 1 Second Short Circuit Rating of a 50mm2 Copper wire screen (80 to 250°C) | kA | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 |
| Current Carrying Capacity (cables | laid in t | refoil |) | | | | | | | | | | |
| Direct Buried | Α | 270 | 320 | 360 | 410 | 460 | 530 | 600 | 690 | 760 | 850 | 930 | 1010 |
| Single way ducts | Α | 270 | 320 | 360 | 405 | 445 | 520 | 570 | 630 | 700 | 780 | 860 | 920 |
| In Air | Α | 320 | 390 | 445 | 510 | 580 | 680 | 770 | 890 | 1020 | 1160 | 1290 | 1430 |

Values for minimum bending radius are multiplied by two for cables being laid (dynamic)

Ampacity Values based on:

- · Depth of cover = 800mm,
- · Thermal resistivity of soil = 1.2K.m/W,
- · Soil temperature = 15°C
- · Ambient Air temperature = 25°C
- · Maximum conductor temperature = 90°C

Typical Data for cables with Aluminium conductors

| Nominal cross-sectional area | mm² | 70 | 95 | 120 | 150 | 185 | 240 | 300 | 400 | 500 | 630 | 800 | 1000 | 1200 |
|--------------------------------------|------|-------|------|-------|-------|-------|-------|------|--------|--------|--------|--------|--------|--------|
| Approximate diameter over conducto | mm | 9.8 | 11.4 | 12.9 | 14 | 16.2 | 18 | 20.5 | 23.3 | 26.4 | 30 | 34.7 | 38 | 41.2 |
| Approximate diameter over insulation | mm | 27 | 28.6 | 30.1 | 31.2 | 33.4 | 35.2 | 38.1 | 41.3 | 44.4 | 48 | 52.7 | 57.3 | 60.2 |
| Approximate overall diameter | mm | 34.1 | 36 | 37.6 | 39 | 41.3 | 43.4 | 46.6 | 50.2 | 53.7 | 57.6 | 66 | 71 | 74 |
| Approximate weight of Cable | kg/m | 1140 | 1290 | 1430 | 1550 | 1760 | 1990 | 2330 | 2740 | 3200 | 3770 | 4720 | 5480 | 6090 |
| Minimum bending radius (static) | mm | 340 | 360 | 380 | 390 | 420 | 440 | 470 | 500 | 540 | 580 | 660 | 710 | 740 |
| Maximum pulling tension on Cable | kg | 210 | 285 | 360 | 450 | 555 | 720 | 900 | 1200 | 1500 | 1890 | 2400 | 3000 | 3600 |
| Maximum DC resistance (R) @ 20°C | W/km | 0.443 | 0.32 | 0.253 | 0.206 | 0.164 | 0.125 | 0.1 | 0.0778 | 0.0605 | 0.0469 | 0.0367 | 0.0291 | 0.0247 |



Contact

Cables for Energy Networks Phone: 01908 250839

sales.energynetworks@nexans.com

BS7870 - 4.10 19/33kv Single Core Un-armoured

| Maximum AC resistance (R') @ 90°C | W/km | 0.568 | 0.411 | 0.325 | 0.265 | 0.211 | 0.162 | 0.13 | 0.102 | 0.081 | 0.064 | 0.052 | 0.044 | 0.039 |
|---|-------|-------|-------|-------|-------|-------|-------|------|-------|-------|-------|-------|-------|-------|
| Inductance (L) @ 50Hz @ 90°C | mH/km | 0.43 | 0.41 | 0.4 | 0.38 | 0.37 | 0.36 | 0.36 | 0.33 | 0.32 | 0.31 | 0.3 | 0.29 | 0.29 |
| Approximate Capacitance (C) | μF/km | 0.14 | 0.16 | 0.17 | 0.18 | 0.2 | 0.22 | 0.25 | 0.26 | 0.29 | 0.32 | 0.35 | 0.38 | 0.41 |
| Short circuit ratings | | | | | | | | | | | | | | |
| 1 Second Short Circuit Rating of Conductor (90 to 250°C) | kA | 6.8 | 9.2 | 11.6 | 14.5 | 17.8 | 23.1 | 28.8 | 38.3 | 47.8 | 60.2 | 76.4 | 95.4 | 114.4 |
| 1 Second Short Circuit Rating of a 35mm2 Copper wire screen (80 to 250°C) | kA | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 | 4.8 |
| 1 Second Short Circuit Rating of a 50mm2 Copper wire screen (80 to 250°C) | kA | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 |
| Current Carrying Capacity (cables laid in trefoil) | | | | | | | | | | | | | | |
| Direct Buried | Α | 210 | 250 | 280 | 320 | 360 | 415 | 475 | 550 | 610 | 690 | 780 | 860 | 920 |
| Single way ducts | Α | 210 | 250 | 280 | 320 | 350 | 415 | 460 | 520 | 570 | 650 | 770 | 800 | 980 |
| In Air | Α | 250 | 305 | 345 | 400 | 450 | 530 | 600 | 700 | 820 | 940 | 1070 | 1210 | 1325 |

Values for minimum bending radius are multiplied by two for cables being laid (dynamic)

Ampacity Values based on :

- · Depth of cover = 800mm,
- · Thermal resistivity of soil = 1.2K.m/W,
- · Soil temperature = 15°C
- · Ambient Air temperature = 25°C
- · Maximum conductor temperature = 90°C