594D



Vishay Sprague

Solid Tantalum Chip Capacitors, TANTAMOUNT[®], Conformal Coated, Maximum CV, Low ESR


*** -----.... 80 59 866666666666666 00 000 999999999999 00

FEATURES

- Large capacitance rating range
- Mounting: Surface mount
- Lowest ESR for a surface mount tantalum chip capacitor
- RoHS Terminations: 100 % tin (2) standard; tin/lead available
- 8 mm, 12 mm tape and reel packaging available per EIA 481 and reeling per IEC 60286-3.
 7" [178 mm] standard. 13" [330 mm] available.
- Case code compatibility with EIA 535BAAC and CECC 30801
- Material categorization: For definitions of compliance please see <u>www.vishay.com/doc?99912</u>
- Note
- This datasheet provides information about parts that are RoHS-compliant and/or parts that are non-RoHS-compliant. For example, parts with lead (Pb) terminations are not RoHS-compliant. Please see the information/tables in this datasheet for details.

Capacitance Tolerance: ± 10 %, ± 20 % standard Voltage Rating: 4 V_{DC} to 50 V_{DC}

Equivalent Series Resistance: ESR readings measured at 100 kHz, + 25 °C from 3500 m Ω to 30 m Ω



Note

Preferred tolerances and reel sizes are in bold. We reserve the right to supply higher voltage ratings and tighter capacitance tolerance capacitors in the same case size.

| DIMENSION | DIMENSIONS in inches [millimeters] | | | | | | | | |
|-----------|------------------------------------|---|---|------------------------------|------------------------------|-------------------|-------------------|--|--|
| | | | | | | | | | |
| CASE CODE | L _{MAX.} | W | Н | Α | В | D _{REF.} | J _{MAX.} | | |
| В | 0.157 [4.0] | 0.110 + 0.012/- 0.016 [2.8 + 0.3/- 0.4] | 0.075 + 0.012/- 0.024 [1.9 + 0.3/- 0.6] | 0.031 ± 0.012 [0.8 ± 0.3] | 0.098 ± 0.016 [2.5 ± 0.4] | 0.138 [3.5] | 0.004 [0.1] | | |
| С | 0.280 [7.1] | $\begin{array}{c} 0.126 \pm 0.012 \\ [3.2 \pm 0.3] \end{array}$ | $\begin{array}{c} 0.098 \pm 0.012 \\ [2.5 \pm 0.3] \end{array}$ | 0.051 ± 0.012 [1.3 ± 0.3] | 0.181 ± 0.024 [4.6 ± 0.6] | 0.236 [6.0] | 0.004 [0.1] | | |
| D | 0.295 [7.5] | 0.169 + 0.012/- 0.024 [4.3 + 0.3/- 0.6] | 0.110 ± 0.012 [2.8 ± 0.3] | 0.051 ± 0.012 [1.3 ± 0.3] | 0.181 ± 0.024 [4.6 ± 0.6] | 0.252 [6.4] | 0.004 [0.1] | | |
| R | 0.283 [7.2] | 0.236 + 0.012/- 0.024 [6.0 + 0.3/- 0.6] | 0.138 + 0.012/- 0.016 [3.5 + 0.3/- 0.4] | 0.051 ± 0.012 [1.3 ± 0.3] | 0.181 ± 0.024 [4.6 ± 0.6] | 0.244 [6.2] | 0.004 [0.1] | | |

The anode termination (D less B) will be a minimum of 0.012" [0.3 mm]

Revision: 20-Jan-14



PERFORMANCE CHARACTERISTICS www.vishay.com/doc?4008 Operating Temperature: - 55 °C to + 125 °C (above 85 °C, voltage derating is required) Capacitance Range: 1.0 µF to 1500 µF

For technical questions, contact: tantalum@vishay.com THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishav.com/doc?91000

Vishay Sprague

594D

| μF | 4 V | 6.3 V | 10 V | 16 V | 20 V | 25 V | 35 V | 50 V |
|------|-----|-------|-------|------|------|------|------|------|
| 1.0 | | | | | | | | В |
| 2.2 | | | | | | | В | |
| 3.3 | | | | | | В | | |
| 4.7 | | | | | В | | В | С |
| 6.8 | | | | | В | | С | C/D |
| 10 | | | | | В | В | | |
| 15 | | | В | В | | С | C/D | R |
| 22 | | В | В | В | B/C | С | D/R | |
| 33 | В | | В | B/C | | D | R | |
| 47 | | | В | B/C | C/D | D/R | R | |
| 68 | | В | B/C | C/D | D | D/R | | |
| 100 | В | В | B/C | C/D | C/D | R | | |
| 120 | | С | С | R | R | | | |
| 150 | B/C | | C/D | D | D | | | |
| 180 | | | D | R | | | | |
| 220 | | C/D | C/D/R | D/R | | | | |
| 270 | D | | | | | | | |
| 330 | С | C/D | D/R | R | | | | |
| 390 | | R | | | | | | |
| 470 | C/R | D/R | R | | | | | |
| 680 | D | R | R | | | | | |
| 1000 | | R | | | | | | |
| 1500 | R | | | | | | | |

| CAPACITANCE (µF) | CASE CODE | PART NUMBER | MAX. DCL AT + 25 °C (μΑ) | MAX. DF AT + 25 °C 120 Hz (%) | MAX. ESR AT + 25 °C 100 kHz (Ω) | MAX. RIPPLE 100 kHz I _{RMS} (A) |
|---------------------|-----------|-----------------------------|--------------------------------|--|--|---|
| | | 4 V _{DC} AT+ 85 °C | C, 2.7 V _{DC} AT + 12 | 5 °C | | |
| 33 | В | 594D336(1)004B(2)(3) | 1.30 | 6 | 0.380 | 0.47 |
| 100 | В | 594D107(1)004B(2)(3) | 4.00 | 8 | 0.300 | 0.53 |
| 150 | В | 594D157(1)004B(2)(3) | 6.00 | 8 | 0.250 | 0.58 |
| 150 | С | 594D157(1)004C(2)(3) | 6.00 | 8 | 0.080 | 1.17 |
| 270 | D | 594D277(1)004D(2)(3) | 10.80 | 8 | 0.060 | 1.58 |
| 330 | С | 594D337(1)004C(2)(3) | 13.20 | 8 | 0.080 | 1.17 |
| 470 | С | 594D477(1)004C(2)(3) | 18.80 | 10 | 0.075 | 1.21 |
| 470 | R | 594D477(1)004R(2)(3) | 18.80 | 10 | 0.045 | 2.36 |
| 680 | D | 594D687(1)004D(2)(3) | 27.20 | 12 | 0.060 | 1.58 |
| 1500 | R | 594D158(1)004R(2)(3) | 60.00 | 20 | 0.030 | 2.89 |
| | | 6.3 V _{DC} AT + 85 | °C, 4 V _{DC} AT + 12 | 5 °C | | |
| 22 | В | 594D226(1)6R3B(2)(3) | 1.40 | 6 | 0.380 | 0.47 |
| 68 | В | 594D686(1)6R3B(2)(3) | 4.30 | 6 | 0.319 | 0.52 |
| 100 | В | 594D107(1)6R3B(2)(3) | 6.30 | 8 | 0.250 | 0.58 |

Note

• Part number definitions:

(1) Tolerance: For 10 % tolerance, specify "X9"; for 20 % tolerance, change to "X0"

(2) Termination: For 100 % tin specify "2", for gold plated specify "4", for solder plated 60/40 specify "8"

(3) Packaging code: For 7" reels specify "T", for 13" reels specify "W".

Revision: 20-Jan-14

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>

Vishay Sprague

594D

| CAPACITANCE | | | MAX. DCL | MAX. DF AT + 25 °C | MAX. ESR AT + 25 °C | MAX. RIPPLE 100 kHz |
|---------------------|-----------|--|---------------------------------------|-----------------------|------------------------|------------------------|
| CAPACITANCE (μF) | CASE CODE | PART NUMBER | AT + 25 °C (μΑ) | 120 Hz | 100 kHz | I _{RMS} |
| | | | | (%) | (Ω) | (A) |
| 120 | С | | °C, 4 V _{DC} AT + 12 7.60 | | 0.085 | 1.14 |
| | | 594D127(1)6R3C(2)(3) | | 8 | | |
| 220 220 | С | 594D227(1)6R3C(2)(3) 594D227(1)6R3D(2)(3) | 13.90 | 8 8 | 0.080 0.065 | 1.17 |
| | D | | 13.90 | | | 1.52 |
| 330 | С | 594D337(1)6R3C(2)(3) | 20.80 | 8 | 0.080 | 1.17 |
| 330 | D | 594D337(1)6R3D(2)(3) | 20.80 | 8 | 0.060 | 1.58 |
| 390 | R | 594D397(1)6R3R(2)(3) | 24.60 | 8 | 0.045 | 2.36 |
| 470 | D | 594D477(1)6R3D(2)(3) | 29.60 | 8 | 0.060 | 1.58 |
| 470 | R | 594D477(1)6R3R(2)(3) | 29.60 | 10 | 0.050 | 2.24 |
| 680 | R | 594D687(1)6R3R(2)(3) | 42.80 | 10 | 0.045 | 2.36 |
| 1000 | R | 594D108(1)6R3R(2)(3) | 63.00 | 16 | 0.030 | 2.89 |
| 45 | | | °C, 7 V _{DC} AT + 12 | | 0.500 | 0.44 |
| 15 | В | 594D156(1)010B(2)(3) | 1.50 | 6 | 0.500 | 0.41 |
| 22 | В | 594D226(1)010B(2)(3) | 2.20 | 6 | 0.500 | 0.41 |
| 33 | В | 594D336(1)010B(2)(3) | 3.30 | 6 | 0.500 | 0.41 |
| 47 | В | 594D476(1)010B(2)(3) | 4.70 | 6 | 0.400 | 0.46 |
| 68 | В | 594D686(1)010B(2)(3) | 6.80 | 6 | 0.350 | 0.49 |
| 68 | С | 594D686(1)010C(2)(3) | 6.80 | 6 | 0.100 | 1.05 |
| 100 | В | 594D107(1)010B(2)(3) | 10.00 | 12 | 0.250 | 0.58 |
| 100 | С | 594D107(1)010C(2)(3) | 10.00 | 8.0 | 0.095 | 1.08 |
| 120 | С | 594D127(1)010C(2)(3) | 12.00 | 7.0 | 0.095 | 1.08 |
| 150 | С | 594D157(1)010C(2)(3) | 15.00 | 8.0 | 0.090 | 1.11 |
| 150 | D | 594D157(1)010D(2)(3) | 15.00 | 8 | 0.075 | 1.41 |
| 180 | D | 594D187(1)010D(2)(3) | 18.00 | 7 | 0.090 | 1.29 |
| 220 | С | 594D227(1)010C(2)(3) | 22.00 | 8 | 0.100 | 1.05 |
| 220 | D | 594D227(1)010D(2)(3) | 22.00 | 8 | 0.065 | 1.52 |
| 220 | R | 594D227(1)010R(2)(3) | 22.00 | 8 | 0.065 | 1.96 |
| 330 | D | 594D337(1)010D(2)(3) | 33.00 | 8 | 0.065 | 1.52 |
| 330 | R | 594D337(1)010R(2)(3) | 33.00 | 8 | 0.045 | 2.36 |
| 470 | R | 594D477(1)010R(2)(3) | 47.00 | 8 | 0.045 | 2.36 |
| 680 | R | 594D687(1)010R(2)(3) | 68.00 | 14 | 0.045 | 2.36 |
| | | 16 V _{DC} AT + 85 | °C, 10 V _{DC} AT + 12 | 25 °C | | |
| 15 | В | 594D156(1)016B(2)(3) | 2.40 | 6 | 0.550 | 0.39 |
| 22 | В | 594D226(1)016B(2)(3) | 3.50 | 6 | 0.500 | 0.41 |
| 33 | В | 594D336(1)016B(2)(3) | 5.30 | 6 | 0.500 | 0.41 |
| 33 | С | 594D336(1)016C(2)(3) | 5.30 | 6 | 0.150 | 0.86 |
| 47 | В | 594D476(1)016B(2)(3) | 7.50 | 6 | 0.720 | 0.34 |
| 47 | С | 594D476(1)016C(2)(3) | 7.50 | 6 | 0.110 | 1.00 |
| 68 | С | 594D686(1)016C(2)(3) | 10.90 | 6 | 0.123 | 0.95 |
| 68 | D | 594D686(1)016D(2)(3) | 10.90 | 6 | 0.095 | 1.26 |
| 100 | С | 594D107(1)016C(2)(3) | 16.00 | 8 | 0.080 | 1.17 |
| 100 | D | 594D107(1)016D(2)(3) | 16.00 | 8 | 0.075 | 1.41 |
| 120 | R | 594D127(1)016R(2)(3) | 19.20 | 8 | 0.080 | 1.77 |
| 150 | D | 594D157(1)016D(2)(3) | 24.00 | 8 | 0.085 | 1.33 |
| 180 | R | 594D187(1)016R(2)(3) | 28.80 | 8 | 0.055 | 2.13 |
| 220 | D | 594D227(1)016D(2)(3) | 35.20 | 12 | 0.080 | 1.37 |
| 220 | R | 594D227(1)016R(2)(3) | 35.20 | 8 | 0.055 | 2.13 |
| 330 | R | 594D337(1)016R(2)(3) | 52.80 | 14 | 0.055 | 2.13 |

Note

• Part number definitions:

(1) Tolerance: For 10 % tolerance, specify "X9"; for 20 % tolerance, change to "X0"

(2) Termination: For 100 % tin specify "2", for gold plated specify "4", for solder plated 60/40 specify "8"

(3) Packaging code: For 7" reels specify "T", for 13" reels specify "W".

594D

| Vishay | / Sprague |
|--------|-----------|
| | |

| STANDARD | RATINGS | | | | | |
|---------------------|-----------|----------------------------|--------------------------------|--|--|---|
| CAPACITANCE (µF) | CASE CODE | PART NUMBER | MAX. DCL AT + 25 °C (μΑ) | MAX. DF AT + 25 °C 120 Hz (%) | MAX. ESR AT + 25 °C 100 kHz (Ω) | MAX. RIPPLE 100 kHz I _{RMS} (A) |
| | | 20 V _{DC} AT + 85 | °C, 13 V _{DC} AT + 12 | 25 °C | | |
| 4.7 | В | 594D475(1)020B(2)(3) | 0.90 | 6 | 0.900 | 0.31 |
| 6.8 | В | 594D685(1)020B(2)(3) | 1.40 | 6 | 0.900 | 0.31 |
| 10 | В | 594D106(1)020B(2)(3) | 2.00 | 6 | 0.850 | 0.32 |
| 22 | В | 594D226(1)020B(2)(3) | 4.40 | 6 | 0.600 | 0.38 |
| 22 | С | 594D226(1)020C(2)(3) | 4.40 | 6 | 0.150 | 0.86 |
| 47 | С | 594D476(1)020C(2)(3) | 9.40 | 6 | 0.140 | 0.89 |
| 47 | D | 594D476(1)020D(2)(3) | 9.40 | 6 | 0.095 | 1.26 |
| 68 | D | 594D686(1)020D(2)(3) | 13.60 | 6 | 0.132 | 1.07 |
| 100 | С | 594D107(1)020C(2)(3) | 20.00 | 12 | 0.120 | 0.96 |
| 100 | D | 594D107(1)020D(2)(3) | 20.00 | 8 | 0.085 | 1.33 |
| 120 | R | 594D127(1)020R(2)(3) | 24.00 | 8 | 0.080 | 1.77 |
| 150 | D | 594D157(1)020D(2)(3) | 30.00 | 12 | 0.100 | 1.22 |
| | | 25 V _{DC} AT + 85 | °C, 17 V _{DC} AT + 12 | 25 °C | | |
| 3.3 | В | 594D335(1)025B(2)(3) | 0.80 | 6 | 1.500 | 0.24 |
| 10 | В | 594D106(1)025B(2)(3) | 2.50 | 6 | 0.900 | 0.31 |
| 15 | С | 594D156(1)025C(2)(3) | 3.80 | 6 | 0.220 | 0.71 |
| 22 | С | 594D226(1)025C(2)(3) | 5.50 | 6 | 0.200 | 0.74 |
| 33 | D | 594D336(1)025D(2)(3) | 8.30 | 6 | 0.130 | 1.07 |
| 47 | D | 594D476(1)025D(2)(3) | 11.80 | 6 | 0.130 | 1.07 |
| 47 | R | 594D476(1)025R(2)(3) | 11.80 | 6 | 0.099 | 1.59 |
| 68 | D | 594D686(1)025D(2)(3) | 17.00 | 8 | 0.200 | 0.87 |
| 68 | R | 594D686(1)025R(2)(3) | 17.00 | 6 | 0.095 | 1.62 |
| 100 | R | 594D107(1)025R(2)(3) | 25.00 | 8 | 0.090 | 1.67 |
| | | 35 V _{DC} AT + 85 | °C, 23 V _{DC} AT + 12 | 25 °C | | |
| 2.2 | В | 594D225(1)035B(2)(3) | 0.80 | 6 | 1.700 | 0.22 |
| 4.7 | В | 594D475(1)035B(2)(3) | 1.60 | 6 | 1.400 | 0.25 |
| 6.8 | С | 594D685(1)035C(2)(3) | 2.40 | 6 | 0.430 | 0.51 |
| 15 | С | 594D156(1)035C(2)(3) | 5.30 | 6 | 0.400 | 0.52 |
| 15 | D | 594D156(1)035D(2)(3) | 5.30 | 6 | 0.270 | 0.75 |
| 22 | D | 594D226(1)035D(2)(3) | 7.70 | 6 | 0.270 | 0.75 |
| 22 | R | 594D226(1)035R(2)(3) | 7.70 | 6 | 0.220 | 1.07 |
| 33 | R | 594D336(1)035R(2)(3) | 11.60 | 6 | 0.200 | 1.12 |
| 47 | R | 594D476(1)035R(2)(3) | 16.60 | 6 | 0.200 | 1.12 |
| | | 50 V _{DC} AT + 85 | °C, 33 V _{DC} AT + 12 | 25 °C | | |
| 1.0 | В | 594D105(1)050B(2)(3) | 0.50 | 4 | 3.500 | 0.16 |
| 4.7 | С | 594D475(1)050C(2)(3) | 2.40 | 6 | 0.800 | 0.37 |
| 6.8 | С | 594D685(1)050C(2)(3) | 3.40 | 6 | 0.800 | 0.37 |
| 6.8 | D | 594D685(1)050D(2)(3) | 3.40 | 6 | 0.450 | 0.58 |
| 15 | R | 594D156(1)050R(2)(3) | 7.50 | 6 | 0.350 | 0.85 |

Note

• Part number definitions:

(1) Tolerance: For 10 % tolerance, specify "X9"; for 20 % tolerance, change to "X0"

(2) Termination: For 100 % tin specify "2", for gold plated specify "4", for solder plated 60/40 specify "8"

(3) Packaging code: For 7" reels specify "T", for 13" reels specify "W".


For technical questions, contact: <u>tantalum@vishay.com</u> THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>



594D

Vishay Sprague

| RECOMMENDED VOLTAGE DERATING GUIDELINES (for temperature below + 85 °C) STANDARD CONDITIONS. FOR EXAMPLE: OUTPUT FILTERS | | | | | |
|--|-------------------|--|--|--|--|
| Capacitor Voltage Rating | Operating Voltage | | | | |
| 4.0 | 2.5 | | | | |
| 6.3 | 3.6 | | | | |
| 10 | 6.0 | | | | |
| 16 | 10 | | | | |
| 20 | 12 | | | | |
| 25 | 15 | | | | |
| 35 | 24 | | | | |
| 50 | 28 | | | | |
| SEVERE CONDITIONS. FOR EXAMPLE: INPUT FILTERS | | | | | |
| Capacitor Voltage Rating | Operating Voltage | | | | |
| 4.0 | 2.5 | | | | |
| 6.3 | 3.3 | | | | |
| 10 | 5.0 | | | | |
| 16 | 8.0 | | | | |
| 20 | 10 | | | | |
| 25 | 12 | | | | |
| 35 | 15 | | | | |
| 50 | 24 | | | | |



Revision: 20-Jan-14

5 For technical questions, contact: <u>tantalum@vishav.com</u> Document Number: 40006

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>



 POWER DISSIPATION

 CASE CODE
 MAXIMUM PERMISSIBLE POWER DISSIPATION AT + 25 °C (W) IN FREE AIR

 B
 0.085

 C
 0.110

 D
 0.150

 R
 0.250

| STANDARD PACKAGING QUANTITY | | | | | |
|-----------------------------|----------------|----------|--|--|--|
| CASE CODE | UNITS PER REEL | | | | |
| CASE CODE | 7" REEL | 13" REEL | | | |
| В | 2000 | 8000 | | | |
| С | 500 | 3000 | | | |
| D | 500 | 3000 | | | |
| R | 600 | n/a | | | |

| PRODUCT INFORMATION | | | | |
|--------------------------------|--------------------------|--|--|--|
| Conformal Coated Guide | | | | |
| Pad Dimensions | www.vishay.com/doc?40150 | | | |
| Packaging Dimensions | | | | |
| Moisture Sensitivity | www.vishay.com/doc?40135 | | | |
| SELECTOR GUIDES | | | | |
| Solid Tantalum Selector Guide | www.vishay.com/doc?49053 | | | |
| Solid Tantalum Chip Capacitors | www.vishay.com/doc?40091 | | | |
| FAQ | | | | |
| Frequently Asked Questions | www.vishay.com/doc?40110 | | | |



Typical Performance Characteristics Tantalum Capacitors

| ITEM | PERFORMANCE CHARACTERISTICS | | | | | |
|-----------------------------------|---|--|---------------------------|----------------------|--|--|
| Category temperature range | -55 °C to +85 °C (to +125 °C with voltage derating) | | | | | |
| Capacitance tolerance | \pm 20 %, \pm 10 % (at 120 Hz) 2 V_{RMS} (max.) at +25 °C using a capacitance bridge | | | | | |
| Dissipation factor | Limit per Standard Ratings table. Tested via bridge method, at 25 °C, 120 Hz | | | | | |
| ESR | Limit per Standard Ratin | gs table. Tested via bridge | method, at 25 °C, 100 kHz | | | |
| Leakage current | 1 kΩ resistor in series wi 0.5 μ A, whichever is greater than the series of the ser | After application of rated voltage applied to capacitors for 5 min using a steady source of power with 1 k Ω resistor in series with the capacitor under test, leakage current at 25 °C is not more than 0.01 CV or 0.5 µA, whichever is greater. Note that the leakage current varies with temperature and applied voltage. See graph below for the appropriate adjustment factor. | | | | |
| Capacitance change by temperature | +12 % max. (at +125 °C) +10 % max. (at +85 °C) -10 % max. (at -55 °C) | | | | | |
| Reverse voltage | Capacitors are capable of withstanding peak voltages in the reverse direction equal to: 10 % of the DC rating at +25 °C 5 % of the DC rating at +85 °C Vishay does not recommend intentional or repetitive application of reverse voltage | | | | | |
| Temperature derating | If capacitors are to be used at temperatures above +25 °C, the permissible RMS ripple current or shall be calculated using the derating factors: 1.0 at +25 °C 0.9 at +85 °C 0.4 at +125 °C | | | | | |
| Operating temperature | +8 | 5 °C | +125 °C | | | |
| | RATED VOLTAGE (V) | SURGE VOLTAGE (V) | RATED VOLTAGE (V) | SURGE VOLTAGE (V) | | |
| | 4 | 5.2 | 2.7 | 3.4 | | |
| | 6.3 | 8 | 4 | 5 | | |
| | 10 | 13 | 7 | 8 | | |
| | 16 | 20 | 10 | 12 | | |
| | 20 | 26 | 13 | 16 | | |
| | 25 | 32 | 17 | 20 | | |
| | 35 | 46 | 23 | 28 | | |
| | 50 | 65 | 33 | 40 | | |
| | | 00 | 33 | 40 | | |
| | 50 ⁽¹⁾ | 60 | 55 | 40 | | |
| | 63 | 76 | 42 | 50 | | |

Notes


• All information presented in this document reflects typical performance characteristics.

 $^{(1)}\,$ Capacitance values 15 μF and higher.

⁽²⁾ For 293D and TR3 only.



TYPICAL LEAKAGE CURRENT FACTOR RANGE



Notes

- At +25 °C, the leakage current shall not exceed the value listed in the Standard Ratings table.
- At +85 °C, the leakage current shall not exceed 10 times the value listed in the Standard Ratings table.
- At +125 °C, the leakage current shall not exceed 12 times the value listed in the Standard Ratings table.

| CAPACITOR PE | RFORMANCE CHARACTERIST | ICS | | | |
|----------------------|---|---|--|--|--|
| ITEM | PERFORMANCE CHARACTERISTICS | | | | |
| Surge voltage | Post application of surge voltage (as specified in the table above) in series with a 33 Ω resistor at the rate of 30 s ON, 30 s OFF, for 1000 successive test cycles at 85 °C, capacitors meet the characteristics requirements listed below. | | | | |
| | Capacitance change Dissipation factor Leakage current | Within ± 10 % of initial value Initial specified value or less Initial specified value or less | | | |
| Surge current | After subjecting parts in series with a 1 Ω resistor at the rate of 3 s CHARGE, 3 s DISCHARGE, and a cap bank of 100K µF for 3 successive test cycles at 25 °C, capacitors meet the characteristics requirements listed below. | | | | |
| | Capacitance change Dissipation factor Leakage current | Within ± 10 % of initial value Initial specified value or less Initial specified value or less | | | |
| Life test at +85 °C | Capacitors meet the characteristic requir | ements listed below. After 2000 h application of rated voltage at 85 °C. | | | |
| | Capacitance change Leakage current | Within \pm 10 % of initial value Shall not exceed 125 % of initial value | | | |
| Life test at +125 °C | Capacitors meet the characteristic requirements listed below. After 1000 h application 2/3 of rated voltage at 125 °C | | | | |
| | Capacitance change for parts with cap. \leq 600 μ F for parts with cap. > 600 μ F Leakage current | Within \pm 10 % of initial value Within \pm 20 % of initial value Shall not exceed 125 % of initial value | | | |



| CAPACITOR ENV | RONMENTAL CHARACTERISTICS | | |
|---------------------|---|---|--|
| ITEM | CONDITION | ENVIRONMENTAL CI | HARACTERISTICS |
| Humidity tests | At 40 °C/90 % RH 1000 h, no voltage applied. | Capacitance change Cap. \leq 600 μ F Cap. $>$ 600 μ F Dissipation factor | Within \pm 10 % of initial value Within \pm 20 % of initial value Not to exceed 150 % of initial +25 °C requirement |
| Temperature cycles | At -55 °C/+125 °C, 30 min each, for 5 cycles. | $\begin{array}{l} Capacitance \ change \\ Cap. \leq 600 \ \mu F \\ Cap. > 600 \ \mu F \\ Dissipation \ factor \\ Leakage \ current \end{array}$ | Within \pm 10 % of initial value Within \pm 20 % of initial value Initial specified value or less Initial specified value or less |
| Moisture resistance | MIL-STD-202, method 106 at rated voltage, 42 cycles. | $\begin{array}{l} Capacitance \ change \\ Cap. \leq 600 \ \mu F \\ Cap. > 600 \ \mu F \\ Dissipation \ factor \\ Leakage \ current \end{array}$ | Within \pm 10 % of initial value Within \pm 20 % of initial value Initial specified value or less Initial specified value or less |
| Thermal shock | Capacitors are subjected to 5 cycles of the following: -55 °C (+0 °C, -5 °C) for 30 min, then +25 °C (+10 °C, -5 °C) for 5 min, then +125 °C (+3 °C, -0 °C) for 30 min, then +25 °C (+10 °C, -5 °C) for 5 min | Capacitance change Cap. $\leq 600 \ \mu F$ Cap. $> 600 \ \mu F$ Dissipation factor Leakage current | Within \pm 10 % of initial value Within \pm 20 % of initial value Initial specified value or less Initial specified value or less |

| TEST CONDITION | CONDITION | POST TEST PERFORMANCE | | |
|---------------------------|--|--|--|--|
| Shear test | Apply a pressure load of 5 N for 10 s \pm 1 s horizontally to the center of capacitor side body. | Capacitance changeWithin ± 10 % of initial valueDissipation factorInitial specified value or lesLeakage currentInitial specified value or les | | |
| | | There shall be no mechanical or visual damage capacitors post-conditioning. | | |
| Substrate bend | With parts soldered onto substrate test board, apply force to the test board for a deflection of 3 mm, for a total of 3 bends at a rate of 1 mm/s. | Capacitance changeWithin ± 10 % of initial valueDissipation factorInitial specified value or lesLeakage currentInitial specified value or les | | |
| Vibration | MIL-STD-202, method 204, condition D, 10 Hz to 2000 Hz, 20 <i>g</i> peak | Capacitance changeWithin ± 10 % of initial valueDissipation factorInitial specified value or lesLeakage currentInitial specified value or les | | |
| | | There shall be no mechanical or visual damage capacitors post-conditioning. | | |
| Shock | MIL-STD-202, method 213B shock (specified pulse), condition I, 100 <i>g</i> peak | Capacitance changeWithin ± 10 % of initial valueDissipation factorInitial specified value or lesLeakage currentInitial specified value or les | | |
| | | There shall be no mechanical or visual damage capacitors post-conditioning. | | |
| Resistance to solder heat | Recommended reflow profiles temperatures and durations are located within the Capacitor Series Guides | Capacitance change Within ± 10 % of initial value Dissipation factor Initial specified value or les Leakage current Initial specified value or les | | |
| | Pb-free and lead-bearing series caps are backward and forward compatible | There shall be no mechanical or visual damage capacitors post-conditioning. | | |
| Solderability | MIL-STD-2002, method 208, ANSI/J-STD-002, test B. Applies only to solder and tin plated terminations. | Capacitance change Within ± 10 % of initial value Dissipation factor Initial specified value or les Leakage current Initial specified value or les | | |
| | Does not apply to gold terminations. | There shall be no mechanical or visual damage to capacitors post-conditioning. | | |
| Resistance to solvents | MIL-STD-202, method 215 | Capacitance changeWithin ± 10 % of initial valuDissipation factorInitial specified value or lesLeakage currentInitial specified value or les | | |
| | | There shall be no mechanical or visual damage capacitors post-conditioning. | | |
| Flammability | Encapsulent materials meet UL 94 V-0 with an oxygen index of 32 %. | | | |

Revision: 03-Feb-14

3 For technical questions, contact: <u>tantalum@vishay.com</u> Document Number: 40088

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishay.com/doc?91000



Guide for Conformal Coated Tantalum Capacitors

INTRODUCTION

Tantalum electrolytic capacitors are the preferred choice in applications where volumetric efficiency, stable electrical parameters, high reliability, and long service life are primary considerations. The stability and resistance to elevated temperatures of the tantalum/tantalum oxide/manganese dioxide system make solid tantalum capacitors an appropriate choice for today's surface mount assembly technology.

Vishay Sprague has been a pioneer and leader in this field, producing a large variety of tantalum capacitor types for consumer, industrial, automotive, military, and aerospace electronic applications.

Tantalum is not found in its pure state. Rather, it is commonly found in a number of oxide minerals, often in combination with Columbium ore. This combination is known as "tantalite" when its contents are more than one-half tantalum. Important sources of tantalite include Australia, Brazil, Canada, China, and several African countries. Synthetic tantalite concentrates produced from tin slags in Thailand, Malaysia, and Brazil are also a significant raw material for tantalum production.

Electronic applications, and particularly capacitors, consume the largest share of world tantalum production. Other important applications for tantalum include cutting tools (tantalum carbide), high temperature super alloys, chemical processing equipment, medical implants, and military ordnance.

Vishay Sprague is a major user of tantalum materials in the form of powder and wire for capacitor elements and rod and sheet for high temperature vacuum processing.

THE BASICS OF TANTALUM CAPACITORS

Most metals form crystalline oxides which are non-protecting, such as rust on iron or black oxide on copper. A few metals form dense, stable, tightly adhering, electrically insulating oxides. These are the so-called "valve" metals and include titanium, zirconium, niobium, tantalum, hafnium, and aluminum. Only a few of these permit the accurate control of oxide thickness by electrochemical means. Of these, the most valuable for the electronics industry are aluminum and tantalum.

Capacitors are basic to all kinds of electrical equipment, from radios and television sets to missile controls and automobile ignitions. Their function is to store an electrical charge for later use.

Capacitors consist of two conducting surfaces, usually metal plates, whose function is to conduct electricity. They are separated by an insulating material or dielectric. The dielectric used in all tantalum electrolytic capacitors is tantalum pentoxide.

Tantalum pentoxide compound possesses high-dielectric strength and a high-dielectric constant. As capacitors are being manufactured, a film of tantalum pentoxide is applied to their electrodes by means of an electrolytic process. The film is applied in various thicknesses and at various voltages and although transparent to begin with, it takes on different colors as light refracts through it. This coloring occurs on the tantalum electrodes of all types of tantalum capacitors.

Rating for rating, tantalum capacitors tend to have as much as three times better capacitance/volume efficiency than aluminum electrolytic capacitors. An approximation of the capacitance/volume efficiency of other types of capacitors may be inferred from the following table, which shows the dielectric constant ranges of the various materials used in each type. Note that tantalum pentoxide has a dielectric constant of 26, some three times greater than that of aluminum oxide. This, in addition to the fact that extremely thin films can be deposited during the electrolytic process mentioned earlier, makes the tantalum capacitor extremely efficient with respect to the number of microfarads available per unit volume. The capacitance of any capacitor is determined by the surface area of the two conducting plates, the distance between the plates, and the dielectric constant of the insulating material between the plates.

COMPARISON OF CAPACITOR DIELECTRIC CONSTANTS

| | - |
|--------------------|--------------------------|
| DIELECTRIC | e DIELECTRIC CONSTANT |
| Air or vacuum | 1.0 |
| Paper | 2.0 to 6.0 |
| Plastic | 2.1 to 6.0 |
| Mineral oil | 2.2 to 2.3 |
| Silicone oil | 2.7 to 2.8 |
| Quartz | 3.8 to 4.4 |
| Glass | 4.8 to 8.0 |
| Porcelain | 5.1 to 5.9 |
| Mica | 5.4 to 8.7 |
| Aluminum oxide | 8.4 |
| Tantalum pentoxide | 26 |
| Ceramic | 12 to 400K |

In the tantalum electrolytic capacitor, the distance between the plates is very small since it is only the thickness of the tantalum pentoxide film. As the dielectric constant of the tantalum pentoxide is high, the capacitance of a tantalum capacitor is high if the area of the plates is large:

$$C = \frac{eA}{t}$$

where

C = Capacitance

- e = Dielectric constant
- A = Surface area of the dielectric
- t = Thickness of the dielectric

Tantalum capacitors contain either liquid or solid electrolytes. In solid electrolyte capacitors, a dry material (manganese dioxide) forms the cathode plate. A tantalum lead is embedded in or welded to the pellet, which is in turn connected to a termination or lead wire. The drawings show the construction details of the surface mount types of tantalum capacitors shown in this catalog.



SOLID ELECTROLYTE TANTALUM CAPACITORS

Solid electrolyte capacitors contain manganese dioxide, which is formed on the tantalum pentoxide dielectric layer by impregnating the pellet with a solution of manganous nitrate. The pellet is then heated in an oven, and the manganous nitrate is converted to manganese dioxide.


The pellet is next coated with graphite, followed by a layer of metallic silver, which provides a conductive surface between the pellet and the can in which it will be enclosed. After assembly, the capacitors are tested and inspected to assure long life and reliability. It offers excellent reliability and high stability for consumer and commercial electronics with the added feature of low cost.


Surface mount designs of "Solid Tantalum" capacitors use lead frames or lead frameless designs as shown in the accompanying drawings.

TANTALUM CAPACITORS FOR ALL DESIGN CONSIDERATIONS


Solid electrolyte designs are the least expensive for a given rating and are used in many applications where their very small size for a given unit of capacitance is of importance. They will typically withstand up to about 10 % of the rated DC working voltage in a reverse direction. Also important are their good low temperature performance characteristics and freedom from corrosive electrolytes.


Vishay Sprague patented the original solid electrolyte capacitors and was the first to market them in 1956. Vishay Sprague has the broadest line of tantalum capacitors and has continued its position of leadership in this field. Data sheets covering the various types and styles of Vishay Sprague capacitors for consumer and entertainment electronics, industry, and military applications are available where detailed performance characteristics must be specified.






Vishay Sprague







Revision: 03-Apr-14

For technical questions, contact: <u>tantalum@vishay.com</u> THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>



COMMERCIAL PRODUCTS

| SOLID TANTALUM CAPACITORS - CONFORMAL COATED | | | | | | |
|--|--|---|-------------------------------------|------------------------------|------------------------|--|
| SERIES | 592W | 592D | 591D | 595D | 594D | |
| PRODUCT IMAGE | | | Ì | | | |
| TYPE | | Surface mount | : TANTAMOUNT [®] chip, cor | nformal coated | | |
| FEATURES | Low profile, robust design for use in pulsed applications | Low profile, maximum CV | Low profile, low ESR, maximum CV | Maximum CV | Low ESR, maximum CV | |
| TEMPERATURE RANGE | - 55 °C to + 125 °C (above 40 °C, voltage deratig is required) | - 55 °C to + 125 °C (above 85 °C, voltage derating is required) | | | | |
| CAPACITANCE RANGE | 330 μF to 2200 μF | 1 μF to 2200 μF | 1 μF to 1500 μF | 0.1 μF to 1500 μF | 1 μF to 1500 μF | |
| VOLTAGE RANGE | 6 V to 10 V | 4 V to 50 V | 4 V to 50 V | 4 V to 50 V | 4 V to 50 V | |
| CAPACITANCE TOLERANCE | ± 20 % | ± 10 %, ± 20 % | ± 10 %, ± 20 % | ± 10 %, ± 20 % | ± 10 %, ± 20 % | |
| LEAKAGE CURRENT | | 0.01 CV or 0.5 μA, whichever is greater | | | | |
| DISSIPATION FACTOR | 14 % to 45 % | 4 % to 50 % | 4 % to 50 % | 4 % to 20 % | 4 % to 20 % | |
| CASE CODES | C, M, X | S, A, B, C, D, R, M, X | A, B, C, D, R, M | T, S, A, B, C, D, G, M, R | B, C, D, R | |
| TERMINATION | 100 % matte tin | 100 % | matte tin standard, tin/ | lead and gold plated av | ailable | |

| SOLID TANTAL | UM CAPACITOR | S - CONFORMAL | COATED | | |
|--------------------------|---|---|---|---|---|
| SERIES | 597D | 572D | 695D | 195D | 194D |
| PRODUCT IMAGE | | | | | |
| TYPE | | TANTAN | IOUNT [®] chip, conformal | coated | |
| FEATURES | Ultra low ESR, maximum CV, multi-anode | Low profile, maximum CV | Pad compatible with 194D and CWR06 | US and European case sizes | Industrial version of CWR06/CWR16 |
| TEMPERATURE RANGE | | - 55 °C to + 125 °C | (above 85 °C, voltage c | lerating is required) | |
| CAPACITANCE RANGE | 10 μF to 1500 μF | 2.2 μF to 220 μF | 0.1 μF to 270 μF | 0.1 μF to 330 μF | 0.1 μF to 330 μF |
| VOLTAGE RANGE | 4 V to 75 V | 4 V to 35 V | 4 V to 50 V | 2 V to 50 V | 4 V to 50 V |
| CAPACITANCE TOLERANCE | | | ± 10 %, ± 20 % | | |
| LEAKAGE CURRENT | | 0.01 CV | ′ or 0.5 µA, whichever is | greater | |
| DISSIPATION FACTOR | 6 % to 20 % | 6 % to 26 % | 4 % to 8 % | 4 % to 8 % | 4 % to 10 % |
| CASE CODES | V, D, E, R, F, Z, M, H | P, Q, S, A, B, T | A, B, D, E, F, G, H | C, S, V, X, Y, Z, R, A, B, D, E, F, G, H | A, B, C, D, E, F, G, H |
| TERMINATION | 100 % matte tin standard, tin/lead solder plated available | 100 % matte tin standard, gold plated available | 100 % matte tin standard, tin/lead and gold plated available | | Gold plated standard; tin/lead solder plated and hot solder dipped available |




HIGH RELIABILITY PRODUCTS

| SOLID TANTALUM CAPACITORS - CONFORMAL COATED | | | | | | |
|--|------------------------------|---|----------------------------------|------------------------------|------------------|--|
| SERIES | CWR06 | CWR16 | CWR26 | 13008 | 14002 | |
| PRODUCT IMAGE | | | | | | |
| ТҮРЕ | | Τανταμ | OUNT [®] chip, conforma | l coated | | |
| FEATURES | MIL-PRF-55365/4 qualified | | | | | |
| TEMPERATURE RANGE | | - 55 °C to + 125 °C | (above 85 °C, voltage | derating is required) | | |
| CAPACITANCE RANGE | 0.10 μF to 100 μF | 0.33 µF to 330 µF | 10 µF to 100 µF | 10 μF to 1500 μF | 4.7 μF to 680 μF | |
| VOLTAGE RANGE | 4 V to 50 V | 4 V to 35 V | 15 V to 35 V | 4 V to 63 V | 4 V to 50 V | |
| CAPACITANCE TOLERANCE | ± 5 %, ± 10 %, ± 20 % | ± 5 %, ± 10 %, ± 20 % | ± 5 %, ± 10 %, ± 20 % | ± 10 %, ± 20 % | ± 10 %, ± 20 % | |
| LEAKAGE CURRENT | 0.01 CV | 0.01 CV or 1.0 μA, whichever is greater 0.01 CV or 0.5 μA, whichever is greater | | | | |
| DISSIPATION FACTOR | 6 % to 10 % | 6 % to 10 % | 6 % to 12 % | 6 % to 20 % | 6 % to 14 % | |
| CASE CODES | A, B, C, D, E, F, G, H | A, B, C, D, E, F, G, H | F, G, H | V, E, F, R, Z, D, M, H, N | B, C, D, R | |
| TERMINATION | Gold plate | d; tin/lead; tin/lead so | older fused | Tin/I | lead | |

| SOLID TANTALUM CA | PACITORS - CONFO | ORMAL COATED | | | | |
|-----------------------|---|-------------------------------------|--|---|--|--|
| SERIES | T95 | T96 | T97 | Т98 | | |
| PRODUCT IMAGE | | | | | | |
| ТҮРЕ | | TANTAMOUNT [®] chip, Hi-Re | COTS, conformal coated | | | |
| FEATURES | High reliability | High reliability, built in fuse | High reliability, ultra low ESR, multi-anode | High reliability, ultra low ESR, built in fuse, multi-anode | | |
| TEMPERATURE RANGE | - 55 | °C to + 125 °C (above 85 ° | °C, voltage derating is requi | ired) | | |
| CAPACITANCE RANGE | 0.15 μF to 680 μF | 10 μF to 680 μF | 10 μF to 1500 μF | 10 μF to 1500 μF | | |
| VOLTAGE RANGE | 4 V to 50 V | 4 V to 50 V | 4 V to 75 V | 4 V to 75 V | | |
| CAPACITANCE TOLERANCE | ± 10 %, ± 20 % | ± 10 %, ± 20 % | ± 10 %, ± 20 % | ± 10 %, ± 20 % | | |
| LEAKAGE CURRENT | 0.01 CV or 0.5 μA, whichever is greater | | | | | |
| DISSIPATION FACTOR | 4 % to 14 % | 6 % to 14 % | 6 % to 20 % | 6 % to 10 % | | |
| CASE CODES | A, B, C, D, R, S, V, X, Y, Z | R | V, E, F, R, Z, D, M, H, N | V, E, F, R, Z, M, H | | |
| TERMINATION | | 100 % matte | e tin, tin/lead | | | |





Notes

- Metric dimensions will govern. Dimensions in inches are rounded and for reference only.
- (1) A₀, B₀, K₀, are determined by the maximum dimensions to the ends of the terminals extending from the component body and/or the body dimensions of the component. The clearance between the ends of the terminals or body of the component to the sides and depth of the cavity (A₀, B₀, K₀) must be within 0.002" (0.05 mm) minimum and 0.020" (0.50 mm) maximum. The clearance allowed must also prevent rotation of the component within the cavity of not more than 20°.
- ⁽²⁾ Tape with components shall pass around radius "R" without damage. The minimum trailer length may require additional length to provide "R" minimum for 12 mm embossed tape for reels with hub diameters approaching N minimum.
- ⁽³⁾ This dimension is the flat area from the edge of the sprocket hole to either outward deformation of the carrier tape between the embossed cavities or to the edge of the cavity whichever is less.
- (4) This dimension is the flat area from the edge of the carrier tape opposite the sprocket holes to either the outward deformation of the carrier tape between the embossed cavity or to the edge of the cavity whichever is less.
- ⁽⁵⁾ The embossed hole location shall be measured from the sprocket hole controlling the location of the embossement. Dimensions of embossement location shall be applied independent of each other.
- ⁽⁶⁾ B₁ dimension is a reference dimension tape feeder clearance only.



| CARRIER TAPE DIMENSIONS in inches [millimeters] | | | | | | |
|---|--|----------------------|-------------------|--------------------------------|-------------------|----------------------|
| TAPE WIDTH | W | D ₀ | P ₂ | F | E ₁ | E _{2 min} . |
| 8 mm | 0.315 + 0.012/- 0.004 [8.0 + 0.3/- 0.1] | | 0.078 ± 0.0019 | 0.14 ± 0.0019 [3.5 ± 0.05] | | 0.246 [6.25] |
| 12 mm | 0.479 + 0.012/- 0.004 [12.0 + 0.3/- 0.1] | 0.059 + 0.004/- 0 | [2.0 ± 0.05] | 0.216 ± 0.0019 [5.5 ± 0.05] | 0.324 ± 0.004 | 0.403 [10.25] |
| 16 mm | 0.635 + 0.012/- 0.004 [16.0 + 0.3/- 0.1] | [1.5 + 0.1/- 0] | 0.078 ± 0.004 | 0.295 ± 0.004 [7.5 ± 0.1] | [1.75 ± 0.1] | 0.570 [14.25] |
| 24 mm | 0.945 ± 0.012 [24.0 ± 0.3] | | [2.0 ± 0.1] | 0.453 ± 0.004 [11.5 ± 0.1] | | 0.876 [22.25] |

| CARRIER T | APE DIMENSIONS in | inches [millimeters | s] | | |
|--------------|-------------------|--------------------------|--------------------------------|---------------------|---------------------|
| ТҮРЕ | CASE CODE | TAPE WIDTH W IN mm | P ₁ | K _{0 max.} | B _{1 max.} |
| | А | 8 | 0.157 ± 0.004 | 0.058 [1.47] | 0.149 [3.78] |
| | В | 12 | [4.0 ± 0.10] | 0.088 [2.23] | 0.166 [4.21] |
| | С | 12 | | 0.088 [2.23] | 0.290 [7.36] |
| | D | 12 | 0.315 ± 0.004 | 0.088 [2.23] | 0.300 [7.62] |
| 592D 592W | М | 16 | [8.0 ± 0.10] | 0.091 [2.30] | 0.311 [7.90] |
| 591D | R | 12 | | 0.088 [2.23] | 0.296 [7.52] |
| | S | 8 | 0.157 ± 0.004 | 0.058 [1.47] | 0.139 [3.53] |
| | Т | 12 | [4.0 ± 0.10] | 0.088 [2.23] | 0.166 [4.21] |
| | х | 24 | 0.472 ± 0.004 [12.0 ± 0.10] | 0.011 [2.72] | 0.594 [15.1] |
| | A | 8 | 0.157 ± 0.004 [4.0 ± 0.10] | 0.063 [1.60] | 0.152 [3.86] |
| | В | 12 | | 0.088 [2.23] | 0.166 [4.21] |
| | С | 12 | 0.315 ± 0.004 [8.0 ± 0.10] | 0.118 [2.97] | 0.290 [7.36] |
| | D | 12 | | 0.119 [3.02] | 0.296 [7.52] |
| | G | 12 | | 0.111 [2.83] | 0.234 [5.95] |
| 595D | Н | 12 | | 0.098 [2.50] | 0.232 [5.90] |
| 594D | М | 12 | 0.157 ± 0.004 [4.0 ± 0.10] | 0.085 [2.15] | 0.152 [3.85] |
| | R | 12 | 0.315 ± 0.004 [8.0 ± 0.10] | 0.148 [3.78] | 0.296 [7.52] |
| | S | 8 | 0.157 ± 0.004 | 0.058 [1.47] | 0.149 [3.78] |
| | Т | 8 | [4.0 ± 0.10] | 0.054 [1.37] | 0.093 [2.36] |
| | A | 8 | | 0.058 [1.47] | 0.139 [3.53] |
| | В | 12 | 0.157 ± 0.004 | 0.059 [1.50] | 0.189 [4.80] |
| | D | 12 | [4.0 ± 0.10] | 0.063 [1.62] | 0.191 [4.85] |
| | E | 12 | | 0.074 [1.88] | 0.239 [6.07] |
| 695D | F | 12 | 0.315 ± 0.004 [8.0 ± 0.10] | 0.075 [1.93] | 0.259 [6.58] |
| | G | 12 | 0.157 ± 0.004 [4.0 ± 0.10] | 0.109 [2.77] | 0.301 [7.65] |
| | н | 16 | 0.315 ± 0.004 [8.0 ± 0.10] | 0.124 [3.15] | 0.31 [7.87] |

Revision: 03-Apr-14

Conformal Coated Guide



www.vishay.com

Vishay Sprague

| CARRIER TAP | E DIMENSIONS in | inches [millimeters | ;] | | |
|---------------|------------------|---------------------|--|------------------------------|------------------------------|
| | | TAPE WIDTH | | | |
| ТҮРЕ | CASE CODE | W IN mm | P ₁ | K _{0 max} . | B _{1 max} . |
| | A | 8 | | 0.058 [1.47] | 0.139 [3.53] |
| | В | 12 | 0.457 0.004 | 0.059 [1.50] | 0.189 [4.80] |
| | С | 8 | 0.157 ± 0.004 [4.0 ± 0.10] | 0.054 [1.37] | 0.093 [2.36] |
| | D | 12 | [4.0 ± 0.10] | 0.067 [1.70] | 0.179 [4.55] |
| | E | 12 | | 0.074 [1.88] | 0.239 [6.07] |
| | F | 12 | $\begin{array}{c} 0.315 \pm 0.004 \\ [8.0 \pm 0.10] \end{array}$ | 0.076 [1.93] | 0.259 [6.58] |
| 195D | G | 12 | 0.157 ± 0.004 [4.0 ± 0.10] | 0.109 [2.77] | 0.301 [7.65] |
| 1000 | H ⁽¹⁾ | 12 | 0.472 ± 0.004 [12.0 ± 0.1] | 0.122 [3.11] | 0.163 [4.14] |
| | R | 12 | $\begin{array}{c} 0.315 \pm 0.004 \\ [8.0 \pm 0.10] \end{array}$ | 0.149 [3.78] | 0.296 [7.52] |
| | S | 8 | | 0.058 [1.47] | 0.149 [3.78] |
| | V | 8 | 0.157 ± 0.004 | 0.060 [1.52] | 0.150 [3.80] |
| | X | 12 | $[4.0 \pm 0.10]$ | 0.069 [1.75] | 0.296 [7.52] |
| | Y | 12 | [] | 0.089 [2.26] | 0.296 [7.52] |
| | <u>Z</u> | 12 | | 0.114 [2.89] | 0.288 [7.31] |
| | <u>A</u> | 8 | | 0.058 [1.47] | 0.149 [3.78] |
| | В | 12 | | 0.087 [2.20] | 0.166 [4.21] |
| 572D | <u>Р</u> Р | 8 | 0.157 ± 0.004 [4.0 ± 0.10] | 0.043 [1.10] 0.052 [1.32] | 0.102 [2.60] 0.106 [2.70] |
| | | | | | |
| | Q S | 8 | | 0.054 [1.37] 0.058 [1.47] | 0.140 [3.55] 0.149 [3.78] |
| | <u>5</u> | 12 | | 0.061 [1.55] | 0.164 [4.16] |
| | A | 8 | | 0.069 [1.75] | 0.139 [3.53] |
| | B | 12 | 0.157 ± 0.004 [4.0 ± 0.10] | 0.073 [1.85] | 0.189 [4.80] |
| | C | 12 | | 0.069 [1.75] | 0.244 [6.20] |
| 194D CWR06 | D | 12 | | 0.068 [1.72] | 0.191 [4.85] |
| CWR16 | E | 12 | | 0.074 [1.88] | 0.239 [6.07] |
| CWR26 | F | 12 | | 0.091 [2.31] | 0.262 [6.65] |
| | G | 16 | 0.315 ± 0.004 | 0.134 [3.40] | 0.289 [7.34] |
| | Н | 16 | [8.0 ± 0.10] | 0.129 [3.28] | 0.319 [8.10] |
| | D | 16 | 0.317 ± 0.004 | 0.150 [3.80] | 0.313 [7.95] |
| | E | 16 | [8.0 ± 0.10] | 0.173 [4.40] | 0.343 [8.70] |
| | F | 16 | | 0.205 [5.20] | 0.309 [7.85] |
| | Н | 16 | 0.476 ± 0.004 | 0.224 [5.70] | 0.313 [7.95] |
| 597D | M | 16 | $[12.0 \pm 0.1]$ | 0.193 [4.90] | 0.339 [8.60] |
| T97 13008 | N | 16 | [.=] | 0.283 [7.20] | 0.323 [8.20] |
| 10000 | R | 16 | 0.017 0.001 | 0.159 [4.05] | 0.313 [7.95] |
| | V | 12 | $\begin{array}{c} 0.317 \pm 0.004 \\ [8.0 \pm 0.10] \end{array}$ | 0.088 [2.23] | 0.300 [7.62] |
| | Z | 16 | 0.476 ± 0.004 [12.0 ± 0.1] | 0.239 [6.06] | 0.311 [7.90] |
| | <u>A</u> | 8 | 0.157 ± 0.004 | 0.063 [1.60] | 0.152 [3.86] |
| | В | 12 | $[4.0 \pm 0.10]$ | 0.088 [2.23] | 0.166 [4.21] |
| | С | 12 | | 0.117 [2.97] | 0.290 [7.36] |
| | D | 12 | 0.317 ± 0.004 | 0.119 [3.02] | 0.296 [7.52] |
| T95 | R | 12 | [8.0 ± 0.10] | 0.149 [3.78] | 0.296 [7.52] |
| | S V | 8 | 4 | 0.058 [1.47] | 0.149 [3.78] 0.150 [3.80] |
| | X | 8 | 0.157 ± 0.004 | 0.060 [1.52] | 0.150 [3.80] |
| | Y | 12 | [4.0 ± 0.10] | 0.089 [1.75] | 0.296 [7.52] |
| | Z | 12 | { } | 0.114 [2.89] | 0.288 [7.31] |
| | B | 12 | 0.157 ± 0.004 | 0.088 [2.23] | 0.166 [4.21] |
| | C | 12 | $[4.0 \pm 0.10]$ | 0.117 [2.97] | 0.290 [7.36] |
| 14002 | D | 12 | 0.317 ± 0.004 | 0.119 [3.02] | 0.296 [7.52] |
| | R | 12 | $[8.0 \pm 0.10]$ | 0.149 [3.78] | 0.296 [7.52] |
| T96 | R | 16 | $\begin{array}{c} 0.476 \pm 0.004 \\ [12.0 \pm 0.1] \end{array}$ | 0.159 [4.05] | 0.313 [7.95] |
| | F | 16 | | 0.239 [6.06] | 0.311 [7.90] |
| | | | 0.476 ± 0.004 | | |
| Т98 | М | 16 | $[12.0 \pm 0.1]$ | 0.193 [4.90] | 0.339 [8.60] |

Note

⁽¹⁾ H case only, packaging code T: Lengthwise orientation at capacitors in tape.

Revision: 03-Apr-14

Document Number: 40150



| PAD DIMENSIONS in inches [millimeters] | | | | | |
|--|--------------|--|----------------|--|--|
| CASE CODE | WIDTH (A) | A → PAD METALLIZATION (B) | SEPARATION (C) | | |
| 592D/W - 591D | | I I | | | |
| А | 0.075 [1.9] | 0.050 [1.3] | 0.050 [1.3] | | |
| В | 0.118 [3.0] | 0.059 [1.5] | 0.059 [1.5] | | |
| С | 0.136 [3.5] | 0.090 [2.3] | 0.122 [3.1] | | |
| D | 0.180 [4.6] | 0.090 [2.3] | 0.134 [3.4] | | |
| М | 0.256 [6.5] | Anode pad: 0.095 [2.4] Cathode pad: 0.067 [1.7] | 0.138 [3.5] | | |
| R | 0.240 [6.1] | Anode pad: 0.095 [2.4] Cathode pad: 0.067 [1.7] | 0.118 [3.0] | | |
| S | 0.067 [1.7] | 0.032 [0.8] | 0.043 [1.1] | | |
| Х | 0.310 [7.9] | 0.120 [3.0] | 0.360 [9.2] | | |
| 595D - 594D | | | | | |
| Т | 0.059 [1.5] | 0.028 [0.7] | 0.024 [0.6] | | |
| S | 0.067 [1.7] | 0.032 [0.8] | 0.043 [1.1] | | |
| А | 0.820 [2.1] | 0.050 [1.3] | 0.050 [1.3] | | |
| В | 0.118 [3.0] | 0.059 [1.5] | 0.059 [1.5] | | |
| С | 0.136 [3.5] | 0.090 [2.3] | 0.122 [3.1] | | |
| D | 0.180 [4.6] | 0.090 [2.3] | 0.134 [3.4] | | |
| G | 0.156 [4.05] | 0.090 [2.3] | 0.082 [2.1] | | |
| М | 0.110 [2.8] | 0.087 [2.2] | 0.134 [3.4] | | |
| R | 0.248 [6.3] | 0.090 [2.3] | 0.140 [3.6] | | |
| 195D | | | | | |
| A | 0.067 [1.7] | 0.043 [1.1] | 0.028 [0.7] | | |
| В | 0.063 [1.6] | 0.047 [1.2] | 0.047 [1.2] | | |
| С | 0.059 [1.5] | 0.031 [0.8] | 0.024 [0.6] | | |
| D | 0.090 [2.3] | 0.055 [1.4] | 0.047 [1.2] | | |
| E | 0.090 [2.3] | 0.055 [1.4] | 0.079 [2.0] | | |
| F | 0.140 [3.6] | 0.063 [1.6] | 0.087 [2.2] | | |
| G | 0.110 [2.8] | 0.059 [1.5] | 0.126 [3.2] | | |
| Н | 0.154 [3.9] | 0.063 [1.6] | 0.140 [3.6] | | |
| N | 0.244 [6.2] | 0.079 [2.0] | 0.118 [3.0] | | |
| R | 0.248 [6.3] | 0.090 [2.3] | 0.140 [3.6] | | |
| S | 0.079 [2.0] | 0.039 [1.0] | 0.039 [1.0] | | |
| V | 0.114 [2.9] | 0.039 [1.0] | 0.039 [1.0] | | |
| Х | 0.118 [3.0] | 0.067 [1.7] | 0.122 [3.1] | | |
| Y | 0.118 [3.0] | 0.067 [1.7] | 0.122 [3.1] | | |
| Z | 0.118 [3.0] | 0.067 [1.7] | 0.122 [3.1] | | |

Revision: 03-Apr-14

8 For technical questions, contact: <u>tantalum@vishay.com</u> Document Number: 40150

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT www.vishay.com/doc?91000



| PAD DIMENSIONS in inch | nes [millimeters] | | |
|----------------------------|--------------------------------------|-----------------------|----------------|
| | ▲ B ↓ C ↓ ▲ B ↓ | — A | |
| CASE CODE | WIDTH (A) | PAD METALLIZATION (B) | SEPARATION (C) |
| CWR06/CWR16/CWR26 - 194D - | 695D | i | |
| A | 0.065 [1.6] | 0.50 [1.3] | 0.040 [1.0] |
| В | 0.065 [1.6] | 0.70 [1.8] | 0.055 [1.4] |
| С | 0.065 [1.6] | 0.70 [1.8] | 0.120 [3.0] |
| D | 0.115 [2.9] | 0.70 [1.8] | 0.070 [1.8] |
| E | 0.115 [2.9] | 0.70 [1.8] | 0.120 [3.0] |
| F | 0.150 [3.8] | 0.70 [1.8] | 0.140 [3.6] |
| G | 0.125 [3.2] | 0.70 [1.8] | 0.170 [4.3] |
| Н | 0.165 [4.2] | 0.90 [2.3] | 0.170 [4.3] |
| T95 | | · · · · | |
| В | 0.120 [3.0] | 0.059 [1.5] | 0.059 [1.5] |
| С | 0.136 [3.5] | 0.090 [2.3] | 0.120 [3.1] |
| D | 0.180 [4.6] | 0.090 [2.3] | 0.136 [3.47] |
| R | 0.248 [6.3] | 0.090 [2.3] | 0.140 [3.6] |
| S | 0.080 [2.03] | 0.040 [1.02] | 0.040 [1.02] |
| V | 0.114 [2.9] | 0.040 [1.02] | 0.040 [1.02] |
| X, Y, Z | 0.114 [2.9] | 0.065 [1.65] | 0.122 [3.1] |
| 14002 | | · | |
| В | 0.120 [3.0] | 0.059 [1.5] | 0.059 [1.5] |
| С | 0.136 [3.5] | 0.090 [2.3] | 0.120 [3.1] |
| D | 0.180 [4.6] | 0.090 [2.3] | 0.136 [3.47] |
| R | 0.248 [6.3] | 0.090 [2.3] | 0.140 [3.6] |
| T96 | | | |
| R | 0.248 [6.3] | 0.090 [2.3] | 0.140 [3.6] |
| 597D - T97 - T98 - 13008 | | | |
| D, E, V | 0.196 [4.9] | 0.090 [2.3] | 0.140 [3.6] |
| F, R, Z | 0.260 [6.6] | 0.090 [2.3] | 0.140 [3.6] |
| M, H, N | 0.284 [7.2] | 0.090 [2.3] | 0.140 [3.6] |

| PAD DIMENSION | S in inches [millime | eters] | | |
|---------------|-----------------------------|---|-------------------------------------|----------------|
| | | A B ↓ A C ↓ A B ₁ ↓ A A → | | |
| CASE CODE | WIDTH (A) | PAD METALLIZATION (B) | PAD METALLIZATION (B ₁) | SEPARATION (C) |
| 572D | | | | |
| А | 0.079 [2.0] | 0.039 [1.0] | 0.035 [0.9] | 0.047 [1.2] |
| Q | 0.079 [2.0] | 0.039 [1.0] | 0.035 [0.9] | 0.047 [1.2] |
| S | 0.079 [2.0] | 0.039 [1.0] | 0.035 [0.9] | 0.047 [1.2] |
| В | 0.110 [2.8] | 0.039 [1.0] | 0.035 [0.9] | 0.055 [1.4] |
| Р | 0.055 [1.4] | 0.024 [0.6] | 0.024 [0.6] | 0.035 [0.9] |
| | 0.110 [2.8] | 0.035 [0.9] | 0.031 [0.8] | 0.055 [1.4] |

Revision: 03-Apr-14

Document Number: 40150

For technical questions, contact: <u>tantalum@vishay.com</u> THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>

Conformal Coated Guide



Vishay Sprague

| Capacitors should withstand Reflow profile a | as per J-STD-020 standard | | | |
|---|--|---|--|--|
| T _p Max. ramp-up rate = 3 °C/s Max. ramp-down rate = 6 °C/s T _L T _s max. Preheat area t_s t_s Time 25 °C to peak TIME (s) | | | | |
| 1- | | | | |
| PROFILE FEATURE | | LEAD (Pb)-FREE ASSEMBLY | | |
| Preheat/soak | TIME (s) | · · · · | | |
| Preheat/soak Temperature min. (T _{s min.}) | TIME (s) SnPb EUTECTIC ASSEMBLY 100 °C | 150 °C | | |
| Preheat/soak Temperature min. (T _{s min.}) Temperature max. (T _{s max.}) | TIME (s) | · · · · | | |
| | TIME (s) SnPb EUTECTIC ASSEMBLY 100 °C | 150 °C | | |
| Preheat/soak Temperature min. (T _{s min.}) Temperature max. (T _{s max.}) Time (t _s) from (T _{s min.} to T _{s max.}) | TIME (s) SnPb EUTECTIC ASSEMBLY 100 °C 150 °C | 150 °C 200 °C | | |
| Preheat/soak Temperature min. (T _{s min.}) Temperature max. (T _{s max.}) Time (t _s) from (T _{s min.} to T _{s max.}) Ramp-up | TIME (s) SnPb EUTECTIC ASSEMBLY 100 °C 150 °C | 150 °C 200 °C | | |
| Preheat/soak Temperature min. (T _{s min.}) Temperature max. (T _{s max.}) | TIME (s) SnPb EUTECTIC ASSEMBLY 100 °C 150 °C 60 s to 120 s | 150 °C 200 °C 60 s to 120 s | | |
| Preheat/soak Temperature min. (T _{s min.}) Temperature max. (T _{s max.}) Time (t _s) from (T _{s min.} to T _{s max.}) Ramp-up Ramp-up rate (T _L to T _p) | TIME (s) SnPb EUTECTIC ASSEMBLY 100 °C 150 °C 60 s to 120 s 3 °C/s max. | 150 °C 200 °C 60 s to 120 s 3 °C/s max. | | |
| Preheat/soak Temperature min. $(T_{s min.})$ Temperature max. $(T_{s max.})$ Time (t_s) from $(T_{s min.}$ to $T_{s max.})$ Ramp-up Ramp-up rate $(T_L \text{ to } T_p)$ Liquidous temperature (T_L) Time (t_L) maintained above T_L | TIME (s) SnPb EUTECTIC ASSEMBLY 100 °C 150 °C 60 s to 120 s 3 °C/s max. 183 °C 60 s to 150 s | 150 °C 200 °C 60 s to 120 s 3 °C/s max. 217 °C | | |
| Preheat/soak Temperature min. $(T_{s min.})$ Temperature max. $(T_{s max.})$ Time (t_s) from $(T_{s min.} \text{ to } T_{s max.})$ Ramp-up Ramp-up rate $(T_L \text{ to } T_p)$ Liquidous temperature (T_L) | TIME (s) SnPb EUTECTIC ASSEMBLY 100 °C 150 °C 60 s to 120 s 3 °C/s max. 183 °C 60 s to 150 s | 150 °C 200 °C 60 s to 120 s 3 °C/s max. 217 °C 60 s to 150 s | | |
| Preheat/soak Temperature min. $(T_{s min.})$ Temperature max. $(T_{s max.})$ Time (t _s) from (T _{s min.} to T _{s max.}) Ramp-up Ramp-up rate (T _L to T _p) Liquidous temperature (T _L) Time (t _L) maintained above T _L Peak package body temperature (T _p) Time (t _p)* within 5 °C of the specified | TIME (s) SnPb EUTECTIC ASSEMBLY 100 °C 150 °C 60 s to 120 s 3 °C/s max. 183 °C 60 s to 150 s Depends on type and | 150 °C 200 °C 60 s to 120 s 3 °C/s max. 217 °C 60 s to 150 s d case – see table below | | |
| Preheat/soak Temperature min. $(T_{s min.})$ Temperature max. $(T_{s max.})$ Time (t_s) from $(T_{s min.} \text{ to } T_{s max.})$ Ramp-up Ramp-up rate $(T_L \text{ to } T_p)$ Liquidous temperature (T_L) Time (t_L) maintained above T_L Peak package body temperature (T_p) Time (t_p)* within 5 °C of the specified classification temperature (T_c) | TIME (s) SnPb EUTECTIC ASSEMBLY 100 °C 150 °C 60 s to 120 s 3 °C/s max. 183 °C 60 s to 150 s Depends on type and | 150 °C 200 °C 60 s to 120 s 3 °C/s max. 217 °C 60 s to 150 s d case – see table below | | |

| | PEAK PACKAGE BODY TEMPERATURE (Tp) | | |
|---|------------------------------------|------------------------|--|
| TYPE/CASE CODE | SnPb EUTECTIC PROCESS | LEAD (Pb)-FREE PROCESS | |
| 591D/592D - all cases, except X25H, M and R cases | 235 °C | 260 °C | |
| 591D/592D - X25H, M and R cases | 220 °C | 250 °C | |
| 594D/595D - all cases except C, D, and R | 235 °C | 260 °C | |
| 594D/595D - C, D, and R case | 220 °C | 250 °C | |
| 572D all cases | n/a | 260 °C | |
| T95 B, S, V, X, Y cases | 235 °C | 260 °C | |
| T95 B, S, V, X, Y cases | 235 °C | 260 °C | |
| T95 B, S, V, X, Y cases | 235 °C | 260 °C | |
| T95 C, D, R, and Z cases | 220 °C | 250 °C | |
| 14002 B case | 235 °C | n/a | |
| 14002 C, D, and R cases | 220 °C | n/a | |
| T96 R case | 220 °C | 250 °C | |
| 195D all cases, except G, H, R, and Z | 235 °C | 260 °C | |
| 195D G, H, R, and Z cases | 220 °C | 250 °C | |
| 695D all cases, except G and H cases | 235 °C | 260 °C | |
| 695D G, H cases | 220 °C | 250 °C | |
| 597D, T97, T98 all cases, except V case | 220 °C | 250 °C | |
| 597D, T97, T98 V case | 230 °C | 260 °C | |
| 194D all cases, except H and G cases | 235 °C | 260 °C | |
| 194D H and G cases | 220 °C | 250 °C | |

Revision: 03-Apr-14

10

Document Number: 40150

For technical questions, contact: <u>tantalum@vishay.com</u> THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. THE PRODUCTS DESCRIBED HEREIN AND THIS DOCUMENT ARE SUBJECT TO SPECIFIC DISCLAIMERS, SET FORTH AT <u>www.vishay.com/doc?91000</u>

GUIDE TO APPLICATION

1. **AC Ripple Current:** The maximum allowable ripple current shall be determined from the formula:

$$I_{RMS} = \sqrt{\frac{P}{R_{ESR}}}$$

where,

- P = Power dissipation in W at + 25 °C as given in the tables in the product datasheets (Power Dissipation).
- R_{ESR} = The capacitor equivalent series resistance at the specified frequency
- 2. **AC Ripple Voltage:** The maximum allowable ripple voltage shall be determined from the formula:

$$V_{RMS} = I_{RMS} \times Z$$

or, from the formula:

$$V_{RMS} = Z_{\sqrt{\frac{P}{R_{ESR}}}}$$

where,

- P = Power dissipation in W at + 25 °C as given in the tables in the product datasheets (Power Dissipation).
- R_{ESR} = The capacitor equivalent series resistance at the specified frequency
- Z = The capacitor impedance at the specified frequency
- 2.1 The sum of the peak AC voltage plus the applied DC voltage shall not exceed the DC voltage rating of the capacitor.
- 2.2 The sum of the negative peak AC voltage plus the applied DC voltage shall not allow a voltage reversal exceeding 10 % of the DC working voltage at +25 °C.
- Reverse Voltage: Solid tantalum capacitors are not intended for use with reverse voltage applied. However, they have been shown to be capable of withstanding momentary reverse voltage peaks of up to 10 % of the DC rating at 25 °C and 5 % of the DC rating at + 85 °C.
- 4. **Temperature Derating:** If these capacitors are to be operated at temperatures above + 25 °C, the permissible RMS ripple current or voltage shall be calculated using the derating factors as shown:

| TEMPERATURE | DERATING FACTOR |
|-------------|-----------------|
| + 25 °C | 1.0 |
| + 85 °C | 0.9 |
| + 125 °C | 0.4 |

Vishay Sprague

5. **Power Dissipation:** Power dissipation will be affected by the heat sinking capability of the mounting surface. Non-sinusoidal ripple current may produce heating effects which differ from those shown. It is important that the equivalent I_{RMS} value be established when calculating permissible operating levels. (Power dissipation calculated using derating factor (see paragraph 4)).

6. Attachment:

- 6.1 **Soldering:** Capacitors can be attached by conventional soldering techniques, convection, infrared reflow, wave soldering and hot plate methods. The soldering profile chart shows typical recommended time/temperature conditions for soldering. Preheating is recommended to reduce thermal stress. The recommended maximum preheat rate is 2 °C/s. Attachment with a soldering iron is not recommended due to the difficulty of controlling temperature and time at temperature. The soldering iron must never come in contact with the capacitor.
- 7. **Recommended Mounting Pad Geometries:** The nib must have sufficient clearance to avoid electrical contact with other components. The width dimension indicated is the same as the maximum width of the capacitor. This is to minimize lateral movement.
- 8. **Cleaning (Flux Removal) After Soldering:** TANTAMOUNT[®] capacitors are compatible with all commonly used solvents such as TES, TMS, Prelete, Chlorethane, Terpene and aqueous cleaning media. However, CFC/ODS products are not used in the production of these devices and are not recommended. Solvents containing methylene chloride or other epoxy solvents should be avoided since these will attack the epoxy encapsulation material.



Vishay

Disclaimer

ALL PRODUCT, PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE TO IMPROVE RELIABILITY, FUNCTION OR DESIGN OR OTHERWISE.

Vishay Intertechnology, Inc., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Vishay"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any datasheet or in any other disclosure relating to any product.

Vishay makes no warranty, representation or guarantee regarding the suitability of the products for any particular purpose or the continuing production of any product. To the maximum extent permitted by applicable law, Vishay disclaims (i) any and all liability arising out of the application or use of any product, (ii) any and all liability, including without limitation special, consequential or incidental damages, and (iii) any and all implied warranties, including warranties of fitness for particular purpose, non-infringement and merchantability.

Statements regarding the suitability of products for certain types of applications are based on Vishay's knowledge of typical requirements that are often placed on Vishay products in generic applications. Such statements are not binding statements about the suitability of products for a particular application. It is the customer's responsibility to validate that a particular product with the properties described in the product specification is suitable for use in a particular application. Parameters provided in datasheets and/or specifications may vary in different applications and performance may vary over time. All operating parameters, including typical parameters, must be validated for each customer application by the customer's technical experts. Product specifications do not expand or otherwise modify Vishay's terms and conditions of purchase, including but not limited to the warranty expressed therein.

Except as expressly indicated in writing, Vishay products are not designed for use in medical, life-saving, or life-sustaining applications or for any other application in which the failure of the Vishay product could result in personal injury or death. Customers using or selling Vishay products not expressly indicated for use in such applications do so at their own risk. Please contact authorized Vishay personnel to obtain written terms and conditions regarding products designed for such applications.

No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Vishay. Product names and markings noted herein may be trademarks of their respective owners.

Material Category Policy

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as RoHS-Compliant fulfill the definitions and restrictions defined under Directive 2011/65/EU of The European Parliament and of the Council of June 8, 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment (EEE) - recast, unless otherwise specified as non-compliant.

Please note that some Vishay documentation may still make reference to RoHS Directive 2002/95/EC. We confirm that all the products identified as being compliant to Directive 2002/95/EC conform to Directive 2011/65/EU.

Vishay Intertechnology, Inc. hereby certifies that all its products that are identified as Halogen-Free follow Halogen-Free requirements as per JEDEC JS709A standards. Please note that some Vishay documentation may still make reference to the IEC 61249-2-21 definition. We confirm that all the products identified as being compliant to IEC 61249-2-21 conform to JEDEC JS709A standards.