

APPROVAL SHEET

RBBPF Series - 3225(1210)- RoHS Compliance

MULTILAYER CERAMIC BAND PASS FILTER

Halogens Free Product

1125 ~ 1675 MHz RF Application

50 ohm impedance with DC blocking caps in I/O pins

P/N: RBBPF3225180C67B1U

*Contents in this sheet are subject to change without prior notice.

FEATURES

- 1. Miniature footprint: 3.2 X 2.5 X 1.8 mm³
- 2. Low Insertion Loss
- 3. High Rejection
- 4. LTCC process
- 5. Internal DC blocking capacitor at input/ output port


APPLICATIONS

- 1. 1125 ~ 1675 MHz working frequency
- 2. For Docsis MoCA application

CONSTRUCTION

Top view

P1 P2 P3



PIN	Connection		
1	Input port		
2	GND		
3	Output port		

DIMENSIONS


Figure			Symbol	Dimension (mm)
			L	3.20 ± 0.20
	Top view Side view		W	2.50 ± 0.20
Top view ≥			Т	1.8 max.
		Side view	А	0.95 ± 0.20
	C D E T	В	0.60 ± 0.20	
Bottom view	A A	С	0.30 ± 0.15	
		<u>m</u>	D	0.70 ± 0.15
			E	1.20 ± 0.15
			F	2.00 ± 0.15




ELECTRICAL CHARACTERISTICS

RBBPF3225180C67B1U	Specification	
Frequency range	1125~1675 MHz	
Insertion Loss	2.0 dB max.	
Attenuation	40 dB min. @ 1~900 MHz 25 dB min. @ 900~1002 MHz 35 dB min. @ 2000~2500 MHz 27 dB min. @ 2500~5900 MHz	
Return Loss	12 dB min.	
Characteristics Impedance	50 Ω	
In Band Insertion Loss Ripple Group Delay Ripple Bu	Any 25MHz difference 0.5 dB max Any ripple within band 5 nsec max DC blocking caps	
Operation Temperature Range	-40°C ~ +85°C	
Moisture sensitivity levels	LEVEL 1 (Refer to : IPC/JEDEC J-STD-020)	
Tunical Floatrical Chart		

Typical Electrical Chart



SOLDER LAND PATTERN





RELIABILITY TEST

Test item	Test condition / Test method	Specification
Solderability	*Solder bath temperature: 235 ± 5°C	At least 95% of a surface of each terminal
JIS C 0050-4.6	*Immersion time : 2 ± 0.5 sec	electrode must be covered by fresh solder.
JESD22-B102D	Solder : Sn3Ag0.5Cu for lead-free	
Leaching	*Solder bath temperature : 260 ± 5°C	Loss of metallization on the edges of each
(Resistance to	*Leaching immersion time : 30 ± 0.5 sec	electrode shall not exceed 25%.
dissolution of	Solder : SN63A	
metallization) IEC 60068-2-58		
Resistance to soldering		
heat	*Preheating temperature : 120~150°C,	No mechanical damage.
JIS C 0050-5.4	1 minute.	Electrical specification shall satisfy the
	*Solder temperature: 270±5°C	descriptions in electrical characteristics under
	*Immersion time: 10±1 sec	the operational temperature range within -40
	Colder : Cr2A ro FC: for load from	~ 85℃.
	Solder : Sn3Ag0.5Cu for lead-free	Loss of metallization on the edges of each
	Measurement to be made after keeping at	electrode shall not exceed 25%.
	room temperature for 24±2 hrs	
Drop Test	*Height: 75 cm	No mechanical damage.
JIS C 0044	*Test Surface : Rigid surface of concrete or	Electrical specification shall satisfy the
Customer's specification.	steel.	descriptions in electrical characteristics under
	*Times: 6 surfaces for each units; 2 times	the operational temperature range within -40
	for each side.	~ 85℃.
Vibration	*Frequency: 10Hz~55Hz~10Hz(1min)	No mechanical damage.
JIS C 0040	*Total amplitude: 1.5mm	Electrical specification shall satisfy the
	*Test times: 6hrs.(Two hrs each in three	descriptions in electrical characteristics under
	mutually perpendicular directions)	the operational temperature range within -40
		~ 85℃.
Adhesive Strength	*Pressurizing force :	No remarkable damage or removal of the
of Termination	5N(≤0603) ; 10N(>0603)	termination.
JIS C 0051- 7.4.3	*Test time: 10±1 sec	
Bending test	The middle part of substrate shall be	No mechanical damage.
JIS C 0051- 7.4.1	pressurized by means of the pressurizing rod	Electrical specification shall satisfy the
	at a rate of about 1 mm/s per second until the	descriptions in electrical characteristics under
	deflection becomes 1mm/s and then pressure	the operational temperature range within -40
	shall be maintained for 5±1 sec.	~ 85℃.
	Measurement to be made after keeping at	
	room temperature for 24±2 hours	

Approvar sneet		
Temperature cycle JIS C 0025	 30±3 minutes at -40°C±3°C, 10~15 minutes at room temperature, 30±3 minutes at +85°C±3°C, 10~15 minutes at room temperature, Total 100 continuous cycles Measurement to be made after keeping at room temperature for 24±2 hrs 	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85℃.
High temperature JIS C 0021 Humidity (steady conditions) JIS C 0022	*Temperature: 85°C±2°C *Test duration: 1000+24/-0 hours Measurement to be made after keeping at room temperature for 24±2 hrs *Humidity: 90% to 95% R.H. *Temperature: 40±2°C *Time: 1000+24/-0 hrs.	No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under the operational temperature range within -40 ~ 85℃. No mechanical damage. Electrical specification shall satisfy the descriptions in electrical characteristics under
Low temperature JIS C 0020	Measurement to be made after keeping at room temperature for 24±2 hrs ** 500hrs measuring the first data then 1000hrs data *Temperature : -40°C±2°C *Test duration : 1000+24/-0 hours	the operational temperature range within -40 ~ 85°C. No mechanical damage. Electrical specification shall satisfy the
	Measurement to be made after keeping at room temperature for 24±2 hrs	descriptions in electrical characteristics under the operational temperature range within -40 ~ 85℃.

SOLDERING CONDITION

Typical examples of soldering processes that provide reliable joints without any damage are given in Fig 2,





Fig 2. Infrared soldering profile

ORDERING CODE

RB	BPF	322518	0	С	67B1U
Walsin	Product Code	Dimension code	Unit of	Application	Specification
RB device	BPF:	Per 2 digits of Length,	dimension	C: 1350 ~ 1675 MHz	Design code
with DC	Band Pass Filter	Width, Thickness:	0 : 0.1 mm		
block		e.g. :	1 : 1.0 mm		
		322518 =			
		Length 32,			
		Width 25,			
		Thickness 18			

Minimum Ordering Quantity: 2000 pcs per reel.

PACKAGING




Plastic Tape specifications (unit :mm)

Index	Ao	Во	ΦD	Т	W
Dimension (mm)	2.72 ± 0.10	3.60 ± 0.10	1.55 + 0.10	2.10 ± 0.10	8.0 ± 0.10
Index	E	F	Po	P1	P2
Dimension (mm)	1.75 ± 0.10	3.50 ± 0.05	4.00 ± 0.10	4.00 ± 0.10	2.00 ± 0.10



Reel dimensions



Index	А	В	С
Dimension (mm)	Ф178.0	Ф60.0	Ф13.0

Taping Quantity: 2000 pieces per 7" reel

CAUTION OF HANDLING

Limitation of Applications

Please contact us before using our products for the applications listed below which require especially high reliability for the prevention of defects, which might directly cause damage to the third party's life, body or property.

- (1) Aircraft equipment
- (2) Aerospace equipment
- (3) Undersea equipment
- (4) Medical equipment
- (5) Disaster prevention / crime prevention equipment
- (6) Traffic signal equipment
- (7) Transportation equipment (vehicles, trains, ships, etc.)
- (8) Applications of similar complexity and /or reliability requirements to the applications listed in the above.

Storage condition

- (1) Products should be used in 6 months from the day of WALSIN outgoing inspection, which can be confirmed.
- (2) Storage environment condition.
 - Products should be storage in the warehouse on the following conditions.

■ Temperature : -10 to +40°C

Humidity : 30 to 70% relative humidity

- Don't keep products in corrosive gases such as sulfur. Chlorine gas or acid or it may cause oxidization of electrode, resulting in poor solderability.
- Products should be storage on the palette for the prevention of the influence from humidity, dust and son on.
- Products should be storage in the warehouse without heat shock, vibration, direct sunlight and so on.
- Products should be storage under the airtight packaged condition.