

**CATALOG
AG-3**

ABBOTT
ABBOTT
ABBOTT
ABBOTT
ABBOTT
ABBOTT
ABBOTT
ABBOTT



**ABBOTT RUBBER
COMPANY, INC.**

PUMP AND SPRAY HOSE SELECTOR GUIDE



ULTRA DYNAMIC® BRAND AGRICULTURAL HOSE PRODUCTS

ABBOTT RUBBER
COMPANY, INC.

WORLD CLASS SOLUTIONS
in

**Agricultural Hose
& Industrial Rubber Products**



SERVING THE AGRICULTURAL INDUSTRY SINCE 1951

1700 NICHOLAS BLVD. ELK GROVE VILLAGE, IL 60007

(847) 952-1800 (800) 852-1855 FAX (847) 952-0156

E-MAIL sales@abbotrubber.com WEBSITE www.WorldClassHose.com

INDEX

PVC WATER SUCTION/TRANSFER HOSE & ASSEMBLIES	3
EPDM RUBBER/PLASTIC FERTILIZER SOLUTION HOSE	3
EPDM RUBBER FERTILIZER SOLUTION HOSE	4
PVC DISCHARGE HOSE & ASSEMBLIES	4
HEAVY DUTY PVC PUMP DISCHARGE HOSE	5
WATER PUMP TRANSFER HOSE KITS	5
EVA APPLICATOR TUBING	6
CLEAR PVC VINYL TUBING	6
EPDM AGRICULTURAL SPRAY HOSE	7
FARM FUEL TRANSFER HOSE ASSEMBLIES	7
AIR TOOL HOSE ASSEMBLIES	8
600/800# PVC AGRICULTURAL SPRAY HOSE	8
HYDRAULIC HOSE ASSEMBLIES	9
AGRICULTURAL HOSE COUPLINGS	10
AGRICULTURAL HOSE ACCESSORIES	11



PVC WATER SUCTION/TRANSFER HOSE

General purpose water suction and transfer hose. Will handle full vacuum.

PVC Water Suction/Transfer Hose

PART #	UPC CODE	SIZE I.D.	PRESSURE	STANDARD LENGTH
1241-1000	708289302982	1"	80#	100 Ft.
1240-1250	708289273886	1-1/4"	70#	100 Ft.
1240-1500	708289017701	1-1/2"	70#	100 Ft.
1240-2000	708289017800	2"	65#	100 Ft.
1240-3000	708289273985	3"	55#	100 Ft.
1240-4000	708289274081	4"	50#	100 Ft.

Also available in clear construction
Temperature Range: 15°F to 140°F
Do Not Use with Petroleum Based Products.



PVC Water Suction/Transfer Hose Assemblies

PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1241-1000-10	708289420402	1"	10 Ft.	Male & Female
1240-1500-20	708289003704	1-1/2"	20 Ft.	Male & Female
1240-2000-20	708289003803	2"	20 Ft.	Male & Female
1240-3000-20	708289268080	3"	20 Ft.	Male & Female
1240-4000-20	708289274289	4"	20 Ft.	Male & Female

Also available in clear construction
Temperature Range: 15°F to 140°F
Do Not Use with Petroleum Based Products.



EPDM RUBBER/PLASTIC FERTILIZER SOLUTION HOSE

General purpose water and fertilizer solution transfer hose. Will handle full vacuum.

EPDM Rubber/Plastic Fertilizer Solution Hose

PART #	UPC CODE	SIZE I.D.	PRESSURE	STANDARD LENGTH
1220-1000	708289274388	1"	50#	100 Ft.
1220-1250	708289015608	1-1/4"	50#	100 Ft.
1220-1500	708289015707	1-1/2"	50#	100 Ft.
1220-2000	708289015806	2"	50#	100 Ft.
1220-3000	708289274487	3"	45#	100 Ft.
1220-4000	708289274586	4"	40#	100 Ft.

Temperature Range: -40°F to 140°F
Do Not Use with Petroleum Based Products.





Ultra Dynamic Agricultural Hose Products

ABBOTT RUBBER
COMPANY, INC.
www.WorldClassHose.com

EPDM RUBBER FERTILIZER SOLUTION HOSE

Heavy duty fertilizer or water suction/
transfer hose. Will handle agricultural
chemicals including Lasso®.
Rated for full vacuum.



EPDM Rubber Fertilizer Solution Hose

PART #	UPC CODE	SIZE I.D.	PRESSURE	STANDARD LENGTH
1210-1250	708289274685	1-1/4"	125#	100 Ft.
1210-1500	708289274784	1-1/2"	125#	100 Ft.
1210-2000	708289274883	2"	125#	100 Ft.
1210-3000	708289274982	3"	100#	100 Ft.
1210-4000	708289275088	4"	75#	100 Ft.

Temperature Range: -20°F to 180°F
Do Not Use with Petroleum Based Products.



Ultra Dynamic Agricultural Hose Products

ABBOTT RUBBER
COMPANY, INC.
www.WorldClassHose.com

PVC PUMP DISCHARGE HOSE

General purpose reinforced PVC lay-flat
water discharge/transfer hose.



PVC Pump Discharge Hose - Packaged

PART #	UPC CODE	SIZE I.D.	PRESSURE	STANDARD LENGTH
1147-1000-100	708289295581	1"	70#	100 Ft.
1147-1500-100	708289013109	1-1/2"	65#	100 Ft.
1147-2000-100	708289013208	2"	65#	100 Ft.
1147-3000-100	708289295680	3"	60#	100 Ft.
1147-4000-100	708289295789	4"	50#	100 Ft.

Temperature Range: -10°F to 150°F
Do Not Use with Petroleum Based Products.



PVC Pump Discharge Hose Assemblies - Packaged

PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1147-1000-25	708289420501	1"	25 Ft	Male & Female
1147-1500-25	708289001304	1-1/2"	25 Ft.	Male & Female
1147-1500-50	708289275583	1-1/2"	50 Ft.	Male & Female
1147-2000-25	708289001502	2"	25 Ft.	Male & Female
1147-2000-50	708289275682	2"	50 Ft.	Male & Female
1147-3000-25	708289275781	3"	25 Ft.	Male & Female
1147-3000-50	708289667005	3"	50 Ft.	Male & Female
1147-4000-25	708289302883	4"	25 Ft.	Male & Female
1147-4000-50	708289275880	4"	50 Ft.	Male & Female

Temperature Range: -10°F to 150°F
Do Not Use with Petroleum Based Products.



Ultra Dynamic Agricultural Hose Products

ABBOTT RUBBER
COMPANY, INC.
www.WorldClassHose.com

HEAVY DUTY PVC PUMP DISCHARGE HOSE

Heavy duty medium pressure reinforced PVC lay-flat hose for water transfer.

Heavy-Duty PVC Pump Discharge Hose - Packaged

PART #	UPC CODE	SIZE I.D.	PRESSURE	STANDARD LENGTH
1150-1500	708289275989	1-1/2"	150#	100 Ft.
1150-2000	708289276085	2"	150#	100 Ft.
1150-3000	708289276184	3"	125#	100 Ft.
1150-4000	708289276283	4"	100#	100 Ft.

Temperature Range: -10°F to 150°F
Do Not Use with Petroleum Based Products.



Ultra Dynamic Agricultural Hose Products

ABBOTT RUBBER
COMPANY, INC.
www.WorldClassHose.com

SUCTION/TRANSFER PUMP HOSE KIT

Hose kits that contain everything you need to connect to your pump for your application.

Fertilizer Solution Pump Suction/Transfer Hose Kit - Boxed

SIZE	PART #	UPC CODE	QTY	EACH KIT CONTAINS
2"	KIT-200A	708289303088	1	PVC Suction Hose x 20 Ft. Assembly w/ 'C' & 'CN'
			1	PVC Discharge Hose x 25 Ft. Assembly w/ 'C' & 'E'
			1	Poly Strainer 'SPS'
			1	Poly Pump Adapter 'F'
			1	90° Poly Pump Adapter 'F'
			2	Aluminum Pump Adapter 'A'

Temperature Range: 15°F to 140°F
Do Not Use with Petroleum Based Products.



Water Pump Suction/Transfer Hose Kit - Boxed

SIZE	PART #	UPC CODE	QTY	EACH KIT CONTAINS
1-1/2"	1240-1500-20-KIT	708289295888	1	PVC Suction Hose x 20 Ft. Assembly w/ 'C' & 'CN'
2"	1240-2000-20-KIT	708289295987	1	PVC Discharge Hose x 50 Ft. Assembly w/ 'SU'
3"	1240-3000-20-KIT	708289296083	1	Steel Strainer 'SRHS'
4"	1240-4000-20-KIT	708289296182	1	Spanner Wrench 'SW'
			1	Aluminum Pump Adapter 'A'

Temperature Range: 15°F to 140°F
Do Not Use with Petroleum Based Products.





Ultra Dynamic Agricultural Hose Products

ABBOTT RUBBER
COMPANY, INC.

www.WorldClassHose.com

EVA APPLICATOR TUBING

Suitable for use with aqueous-based agricultural chemicals including anhydrous ammonia, aqua ammonia, ammonium nitrate, herbicides, phosphates and liquid fertilizers.



EVA Applicator Tubing - Packaged

PART #	UPC CODE	SIZE I.D.	LENGTH
3110-0254-25	708289385954	1/4"	25 Ft.
3110-0384-25	708289111607	3/8"	25 Ft.
3110-0384-50	708289111706	3/8"	50 Ft.
3110-0384-100	708289386005	3/8"	100 Ft.
3110-0504-25	708289111805	1/2"	25 Ft.
3110-0504-50	708289111904	1/2"	50 Ft.
3110-0504-100	708289386104	1/2"	100 Ft.
3110-0634-50	708289295383	5/8"	50 Ft.
3110-0754-25	708289112901	3/4"	25 Ft.
3110-0754-50	708289295482	3/4"	50 Ft.

Open End Applications Only
Temperature Range: -20°F to 150°F
Do Not Use with Petroleum Based Products.



Braid Reinforced EVA Tubing - Boxed

PART #	UPC CODE	SIZE I.D.	PRESSURE	STANDARD LENGTH
3120-0375-100	708289296281	3/8"	250#	100 Ft.
3120-0500-100	708289296380	1/2"	250#	100 Ft.
3120-0750-100	708289396489	3/4"	150#	100 Ft.
3120-1000-100	708289296588	1"	150#	100 Ft.

Temperature Range: -20°F to 150°F
Do Not Use with Petroleum Based Products.



Ultra Dynamic Agricultural Hose Products

ABBOTT RUBBER
COMPANY, INC.

www.WorldClassHose.com

CLEAR PVC VINYL TUBING

Crystal clear heavy wall flexible tubing used as a sight gauge and other agricultural applications.



Clear PVC Vinyl Tubing - Boxed

PART #	UPC CODE	SIZE	STANDARD LENGTH
3010-0254	708289276382	1/4" I.D. x 1/8" Wall	100 Ft.
3010-0384	708289276481	3/8" I.D. x 1/8" Wall	100 Ft.
3010-0504	708289276580	1/2" I.D. x 1/8" Wall	100 Ft.
3010-0754	708289276689	3/4" I.D. x 1/8" Wall	100 Ft.
3010-1004	708289276788	1" I.D. x 1/8" Wall	100 Ft.

Open End Applications Only
Temperature Range: 25°F to 150°F



EPDM AGRICULTURAL SPRAY HOSE

Suitable for use with aqueous-based agricultural chemicals, including Lasso®. Black cover - Red cover also available.

EPDM Agricultural Spray Hose - Packaged

PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
1110-0251-10	708289384803	1/4"	150#	10 Ft.
1110-0251-25	708289296687	1/4"	150#	25 Ft.
1110-0381-10	708289384902	3/8"	150#	10 Ft.
1110-0381-25	708289385305	3/8"	150#	25 Ft.
1110-0381-50	708289385701	3/8"	150#	50 Ft.
1110-0501-10	708289385008	1/2"	150#	10 Ft.
1110-0501-25	708289385404	1/2"	150#	25 Ft.
1110-0501-50	708289385800	1/2"	150#	50 Ft.
1110-0631-25	708289296783	5/8"	150#	25 Ft.
1110-0751-10	708289385107	3/4"	150#	10 Ft.
1110-0751-25	708289385503	3/4"	150#	25 Ft.
1110-0751-50	708289385909	3/4"	150#	50 Ft.
1110-1002-10	708289385206	1"	150#	10 Ft.
1110-1002-25	708289385602	1"	150#	25 Ft.
1110-1252-25	708289296885	1-1/4"	150#	25 Ft.
1110-1502-25	708289296984	1-1/2"	150#	25 Ft.
1110-2002-25	708289297080	2"	150#	25 Ft.

Temperature Range: -20°F to 190°F
Do Not Use with Petroleum Based Products.



EPDM Agricultural Spray Hose - Reels

PART #	UPC CODE	SIZE I.D.	PRESSURE	REEL
1110-0251	708289302685	1/4"	150#	500 Ft.
1110-0381	708289276887	3/8"	150#	500 Ft.
1110-0501	708289276986	1/2"	150#	500 Ft.
1110-0631	708289272087	5/8"	150#	500 Ft.
1110-0751	708289277082	3/4"	150#	500 Ft.
1110-1002	708289302784	1"	150#	450 Ft.
1110-1252	708289277181	1-1/4"	150#	350 Ft.
1110-1502	708289277280	1-1/2"	150#	300 Ft.
1110-2002	708289287189	2"	150#	200 Ft.

Temperature Range: -20°F to 190°F
Do Not Use with Petroleum Based Products.



FARM FUEL TRANSFER HOSE ASSEMBLIES

Oil and gasoline resistant tube and cover. Designed to deliver low pressure or gravity feed fuel to agricultural and construction equipment.

Farm Fuel Transfer Hose - Packaged

PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1729-0750-10	708289297288	3/4"	10 Ft.	Male & Male
1729-0750-12	708289297387	3/4"	12 Ft.	Male & Male
1729-0750-15	708289297486	3/4"	15 Ft.	Male & Male
1729-0750-20	708289297585	3/4"	20 Ft.	Male & Male
1729-1000-10	708289297684	1"	10 Ft.	Male & Male
1729-1000-12	708289297783	1"	12 Ft.	Male & Male
1729-1000-15	708289297882	1"	15 Ft.	Male & Male
1729-1000-20	708289297981	1"	20 Ft.	Male & Male

Temperature Range: -30°F to 150°F





Ultra Dynamic Agricultural Hose Products

ABBOTT RUBBER
COMPANY, INC.
www.WorldClassHose.com

AIR TOOL HOSE ASSEMBLIES

Low and medium pressure air hose assemblies in PVC, Rubber and Low-Temp constructions.



300 PSI PVC Air Tool Hose Assembly - Packaged

PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1048-0250B-25-4MM	708289277389	1/4"	25 Ft.	1/4" NPT Brass Males
1048-0250B-50-4MM	708289277488	1/4"	50 Ft.	1/4" NPT Brass Males
1048-0375B-25-4MM	708289271486	3/8"	25 Ft.	1/4" NPT Brass Males
1048-0375B-50-4MM	708289271585	3/8"	50 Ft.	1/4" NPT Brass Males

Temperature Range: 25°F to 150°F
Do Not Use with Petroleum Based Products.



250 PSI Rubber Air Tool Hose Assembly - Packaged

PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1010-02525-25-4MM	708289277587	1/4"	25 Ft.	1/4" NPT Brass Males
1010-02525-50-4MM	708289277686	1/4"	50 Ft.	1/4" NPT Brass Males
1010-03825-25-4MM	708289277785	3/8"	25 Ft.	1/4" NPT Brass Males
1010-03825-50-4MM	708289277884	3/8"	50 Ft.	1/4" NPT Brass Males

Temperature Range: -20°F to 190°F
Do Not Use with Petroleum Based Products.



300 PSI Low-Temp Air Tool Hose Assembly - Packaged

PART #	UPC CODE	SIZE I.D.	LENGTH	COUPLED
1044-0250Y-25-4MM	708289298087	1/4"	25 Ft.	1/4" NPT Brass Males
1044-0250Y-50-4MM	708289298186	1/4"	50 Ft.	1/4" NPT Brass Males
1044-0375Y-25-4MM	708289298285	3/8"	25 Ft.	1/4" NPT Brass Males
1044-0375Y-50-4MM	708289298384	3/8"	50 Ft.	1/4" NPT Brass Males

Temperature Range: -40°F to 150°F
Features Oil Resistant Tube and Non-marking Cover



Ultra Dynamic Agricultural Hose Products

ABBOTT RUBBER
COMPANY, INC.
www.WorldClassHose.com

600/800 PVC AGRICULTURAL SPRAY HOSE

Agricultural, weed and pest control spray applications. PVC/Polyurethane blend tube for use with spray chemicals.



600/800 PSI PVC Agricultural Spray Hose

PART #	UPC CODE	SIZE I.D.	PRESSURE	LENGTH
2036-0375-300	708289298483	3/8"	600 PSI	300 Ft.
2036-0375-400	708289298582	3/8"	600 PSI	400 Ft.
2036-0500-300	708289298681	1/2"	600 PSI	300 Ft.
2036-0500-400	708289298780	1/2"	600 PSI	400 Ft.
2036-0750-300	708289298889	3/4"	600 PSI	300 Ft.
2038-0375-300	708289298988	3/8"	800 PSI	300 Ft.
2038-0375-400	708289299084	3/8"	800 PSI	400 Ft.
2038-0500-300	708289299183	1/2"	800 PSI	300 Ft.
2038-0500-400	708289299282	1/2"	800 PSI	400 Ft.
2038-0750-300	708289299381	3/4"	800 PSI	300 Ft.

Temperature Range: +15°F to 150°F



HYDRAULIC HOSE ASSEMBLIES

Hydraulic hose assemblies with
crimped steel male NPTF end fittings.
Exceeds SAE 100R2 AT specifications.



1/4" Hydraulic Hose Assemblies - 5800 PSI - Packaged

PART #	UPC CODE	DESCRIPTION
1960-0250-18	708289299480	1/4" I.D. x 18" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-24	708289299589	1/4" I.D. x 24" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-36	708289299688	1/4" I.D. x 36" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-48	708289299787	1/4" I.D. x 48" Long w/ 1/4" NPTF Solid Males Both Ends.
1960-0250-60	708289299886	1/4" I.D. x 60" Long w/ 1/4" NPTF Solid Males Both Ends.

3/8" Hydraulic Hose Assemblies - 5000 PSI - Packaged

PART #	UPC CODE	DESCRIPTION
1960-0375-12	708289299985	3/8" I.D. x 12" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-18	708289300087	3/8" I.D. x 18" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-24	708289300186	3/8" I.D. x 24" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-30	708289300285	3/8" I.D. x 30" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-36	708289300384	3/8" I.D. x 36" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-48	708289300483	3/8" I.D. x 48" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-60	708289300582	3/8" I.D. x 60" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-72	708289300681	3/8" I.D. x 72" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-84	708289300780	3/8" I.D. x 84" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-96	708289300889	3/8" I.D. x 96" Long w/ 3/8" NPTF Solid Males Both Ends.
1960-0375-120	708289300988	3/8" I.D. x 120" Long w/ 3/8" NPTF Solid Males Both Ends.

1/2" Hydraulic Hose Assemblies - 4500 PSI - Packaged


PART #	UPC CODE	DESCRIPTION
1960-0500-12	708289301086	1/2" I.D. x 12" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-18	708289301183	1/2" I.D. x 18" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-24	708289301282	1/2" I.D. x 24" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-30	708289301381	1/2" I.D. x 30" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-36	708289301480	1/2" I.D. x 36" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-42	708289301589	1/2" I.D. x 42" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-48	708289301688	1/2" I.D. x 48" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-60	708289301787	1/2" I.D. x 60" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-72	708289301886	1/2" I.D. x 72" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-84	708289301985	1/2" I.D. x 84" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-96	708289302081	1/2" I.D. x 96" Long w/ 1/2" NPTF Solid Males Both Ends.
1960-0500-120	708289302180	1/2" I.D. x 120" Long w/ 1/2" NPTF Solid Males Both Ends.

3/4" Hydraulic Hose Assemblies - 3500 PSI - Packaged

PART #	UPC CODE	DESCRIPTION
1960-0750-18	708289302289	3/4" I.D. x 18" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-24	708289302388	3/4" I.D. x 24" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-36	708289302487	3/4" I.D. x 36" Long w/ 3/4" NPTF Solid Male Both Ends.
1960-0750-48	708289302586	3/4" I.D. x 48" Long w/ 3/4" NPTF Solid Male Both Ends.



AGRICULTURAL HOSE COUPLINGS



Adapter x Female NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QA-050-DC	QA-050-PP
3/4"	QA-075-DC	QA-075-PP
1"	QA-100-DC	QA-100-PP
1-1/4"	QA-125-DC	QA-125-PP
1-1/2"	QA-150-DC	QA-150-PP
2"	QA-200-DC	QA-200-PP
3"	QA-300-DC	QA-300-PP
4"	QA-400-DC	QA-400-PP


Also Available in Stainless Steel or Nylon



Adapter x Hose Shank

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QE-050-DC	QE-050-PP
3/4"	QE-075-DC	QE-075-PP
1"	QE-100-DC	QE-100-PP
1-1/4"	QE-125-DC	QE-125-PP
1-1/2"	QE-150-DC	QE-150-PP
2"	QE-200-DC	QE-200-PP
3"	QE-300-DC	QE-300-PP
4"	QE-400-DC	QE-400-PP


Also Available in Stainless Steel or Nylon



Coupler x Male NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QB-050-DC	QB-050-PP
3/4"	QB-075-DC	QB-075-PP
1"	QB-100-DC	QB-100-PP
1-1/4"	QB-125-DC	QB-125-PP
1-1/2"	QB-150-DC	QB-150-PP
2"	QB-200-DC	QB-200-PP
3"	QB-300-DC	QB-300-PP
4"	QB-400-DC	QB-400-PP


Also Available in Stainless Steel or Nylon



Adapter x Male NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QF-050-DC	QF-050-PP
3/4"	QF-075-DC	QF-075-PP
1"	QF-100-DC	QF-100-PP
1-1/4"	QF-125-DC	QF-125-PP
1-1/2"	QF-150-DC	QF-150-PP
2"	QF-200-DC	QF-200-PP
3"	QF-300-DC	QF-300-PP
4"	QF-400-DC	QF-400-PP

Also Available in Stainless Steel or Nylon



Coupler x Hose Shank

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QC-050-DC	QC-050-PP
3/4"	QC-075-DC	QC-075-PP
1"	QC-100-DC	QC-100-PP
1-1/4"	QC-125-DC	QC-125-PP
1-1/2"	QC-150-DC	QC-150-PP
2"	QC-200-DC	QC-200-PP
3"	QC-300-DC	QC-300-PP
4"	QC-400-DC	QC-400-PP


Also Available in Stainless Steel or Nylon



Dust Cap

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QDC-050-DC	QDC-050-PP
3/4"	QDC-075-DC	QDC-075-PP
1"	QDC-100-DC	QDC-100-PP
1-1/4"	QDC-125-DC	QDC-125-PP
1-1/2"	QDC-150-DC	QDC-150-PP
2"	QDC-200-DC	QDC-200-PP
3"	QDC-300-DC	QDC-300-PP
4"	QDC-400-DC	QDC-400-PP

Also Available in Stainless Steel or Nylon



Coupler x Female NPT

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QD-050-DC	QD-050-PP
3/4"	QD-075-DC	QD-075-PP
1"	QD-100-DC	QD-100-PP
1-1/4"	QD-125-DC	QD-125-PP
1-1/2"	QD-150-DC	QD-150-PP
2"	QD-200-DC	QD-200-PP
3"	QD-300-DC	QD-300-PP
4"	QD-400-DC	QD-400-PP


Also Available in Stainless Steel or Nylon



Dust Plug

SIZE	ALUMINUM	POLYPROPYLENE
1/2"	QDP-050-DC	QDP-050-PP
3/4"	QDP-075-DC	QDP-075-PP
1"	QDP-100-DC	QDP-100-PP
1-1/4"	QDP-125-DC	QDP-125-PP
1-1/2"	QDP-150-DC	QDP-150-PP
2"	QDP-200-DC	QDP-200-PP
3"	QDP-300-DC	QDP-300-PP
4"	QDP-400-DC	QDP-400-PP

Also Available in Stainless Steel or Nylon



Pin-Lug Coupling - Set

SIZE	ALUMINUM / BRASS	NYLON
1-1/4"	SU-125-SB	SU-125-N
1-1/2"	SU-150-SB	SU-150-N
2"	SU-200-SB	SU-200-N
3"	SU-300-SB	-----
4"	SU-400-SB	-----



Combination Hose Nipple

SIZE	STEEL	POLYPROPYLENE
1/2"	CN-050-S	CN-050-PP
3/4"	CN-075-S	CN-075-PP
1"	CN-100-S	CN-100-PP
1-1/4"	CN-125-S	CN-125-PP
1-1/2"	CN-150-S	CN-150-PP
2"	CN-200-S	CN-200-PP
3"	CN-300-S	CN-300-PP
4"	CN-400-S	CN-400-PP

Also Available in Stainless Steel or Nylon



AGRICULTURAL HOSE ACCESSORIES



Brass Ball Valve

SIZE	PART #
1/4"	VFBV-025
3/8"	VFBV-038
1/2"	VFBV-050
3/4"	VFBV-075
1"	VFBV-100
1-1/2"	VFBV-150
2"	VFBV-200
3"	VFBV-300
4"	VFBV-400



Bolted Poly Full Port Ball Valve

SIZE	PART #
1-1/2"	VBV-150-PP
2"	VBV-200-PP
3"	VBV-300-PP



Single Union Poly Valve

SIZE	PART #
1"	VSU-100-PP
1-1/2"	VSU-150-PP
2"	VSU-200-PP



Poly Nozzle Ball Valve

SIZE	PART #
1-1/2"	VNV-150-PP
2"	VNV-200-PP



Steel Strainer

SIZE	PART #
1"	SRHS-100
1-1/2"	SRHS-150
2"	SRHS-200
3"	SRHS-300
4"	SRHS-400



Poly-Strainer

SIZE	PART #
1"	SPS-100
1-1/2"	SPS-150
2"	SPS-200



Rubber Washer

SIZE	PART #
1-1/4"	SRW-125
1-1/2"	SRW-150
2"	SRW-200
3"	SRW-300
4"	SRW-400

For SU Series Couplings



Rubber Gasket

SIZE	PART #
1-1/4"	QRG-125
1-1/2"	QRG-150
2"	QRG-200
3"	QRG-300
4"	QRG-400

For Cam & Groove Style Couplings



T-Bolt Clamp

SIZE	PART #
1-1/4"	HTBC-125
1-1/2"	HTBC-150
2"	HTBC-200
3"	HTBC-300
4"	HTBC-400



Spanner Wrench

SIZE	PART #
1-1/2"	SW-150
2"	SW-200
3"	SW-300
4"	SW-400



Punch-Lock Clamp Tool

PART #
BCP-P1000



Punch-Lock Clamp

SIZE	PART #
1-1/4"	BCP-6
1-1/2"	BCP-8
2"	BCP-10
3"	BCP-14
4"	BCP-18



ULTRA DYNAMIC® BRAND AGRICULTURAL HOSE PRODUCTS

ABBOTT RUBBER COMPANY, INC.

1700 NICHOLAS BLVD. ELK GROVE VILLAGE, IL 60007

(847) 952-1800 (800) 852-1855 FAX (847) 952-0156

E-MAIL sales@abbottrubber.com WEBSITE www.WorldClassHose.com

