



PSØ9

Single Chip Solution for Strain Gauges Volume 2: CPU

5th November 2014 Document-No: DB_PSØ9_Vol2_en V1.0



Published by acam-messelectronic gmbh

©acam-messelectronic gmbh 2014

Disclaimer / Notes

"Preliminary" product information describes a product which is not in full production so that full information about the product is not available yet. Therefore, acam-messelectronic gmbh ("acam") reserves the right to modify this product without notice. The information provided by this data sheet is believed to be accurate and reliable. However, no responsibility is assumed by acam for its use, nor for any infringements of patents or other rights of third parties that may result from its use. The information is subject to change without notice and is provided "as is" without warranty of any kind (expressed or implied). Picocap is a registered trademark of acam. All other brand and product names in this document are trademarks or service marks of their respective owners.

Support / Contact

For a complete listing of Direct Sales, Distributor and Sales Representative contacts, visit the acam web site at:

http://www.acam.de/sales/distributors/

For technical support you can contact the acam support team in the headquarters in Germany or the Distributor in your country. The contact details of acam in Germany are:

support@acam.de or by phone +49-7244-74190.



Content

1 Ove	erview
1.1	General
1.2	Functional Block Diagram 1-3
2 CP	U & Memory 2-4
2.1	Block Diagram
2.2	Memory Organization
2.3	Arithmetic Logic Unit (ALU) 2-14
2.4	Status and Result Registers 2-15
3 Gei	neral Funtions
3.1	System Reset, Sleep Mode and Auto-configuration
3.2	CPU Clock Generation
3.3	Watchdog Counter and Single Conversion Counter
3.4	Timer
4 Ins	truction Set
4.1	Branch instructions
4.2	Arithmetic operations
5 As	sembly Programs
5.1	Directives
5.2	Sample Code
6 Mis	scellaneous
6.1	Bug Report
6.2	Document History




1 Overview

1.1 General

The PSØ9 is a system-on-chip for ultra low-power and high resolution applications. It was designed especially for weight scales but fits also to any kind of force or torque measurements based on metal strain gages. It takes full advantage of the digital measuring principle of PICOSTRAIN. Thus, it combines the performance of a 28-Bit signal converter with a 24-Bit microprocessor. This volume 2 datasheet describes the PSØ9 CPU and the instruction set for programming the CPU. In stand-alone operation it is mandatory to have a program running in the CPU, but also in front-end mode, when operated as pure resistance-to-digital converter, the CPU might be used to implement additional data post-processing on chip.

For a general description of the converter front-end, configuration and electrical characteristics please refer to datasheet volume 1.



1.2 Functional Block Diagram

Figure 1-1: PSØ9 block diagram

2 CPU & Memory

acam designed its own proprietary 24-bit central processing unit. It combines calculation power with ultro-low power operation. Only this special design made it possible to build a system that runs with a few μ A current only, but offers complex post-processing of the high-resolution measurement data.


The program itself is stored in an 8k OTP. During development it can be stored alternatively in an external EEPROM.

For effective programming, acam implemented already some special functions like the 48-bit ultiplication and division in ROM code.

2.1 Block Diagram

Figure 2-1: Block Diagram

2-4





2.2 Memory Organization

FFFF h	65535 	ROM Program memory	4k	
F000 h	61440			
EFFF h	61439			
		Reserved		
2000 h	8192			
1FFF h	8191			
		User program Memory 8192 bytes of OTP / External EEPROM	8k	
2F h	47			
 0000 h	 O	Configuration, optional (mirrored to RAM)		

Figure 2-2: PSØ9 Memory Organization

2.2.1 OTP

The user program memory in PSØ9 available for user programming is 8 kbyte in size. This 8 kB user program memory is implemented by an on-chip one time programmable ROM, the OTP. As the name suggests, this memory is writable only once. Hence for development of the user program, the PSØ9 supports an erasable and re-programmable external EEPROM, maximum 8 kB in size. Once the application program development is complete with the external EEPROM, then the same program can be downloaded into the OTP and it will function in the same manner with the OTP.


(Except prolonged code execution time as described further in 2.2.3).

The first 48 bytes of the OTP from location O – 47 are reserved for the configuration data. In order to enable programming of the OTP, an external programming voltage of 6.5 V must be available on pin VPP_OTP of the PSØ9.

The following flow diagram shows how the OTP is generally handled, details follow in subsequent sections.

PICOSTRAIN[®]

Figure 2-3: Using the OTP



2.2.1.1 Writing to the OTP


The OTP needs an external voltage of 6.5 V on the VPP_OTP pin of the PSØ9 in order to enable programming. In addition to enabling the OTP, there are op codes to enable and disable the PROG (Enable Programming) signal of the OTP.

The following is a flowchart that shows the SPI command sequence to write a byte to the OTP.





Figure 2-4: Writing to the OTP




For a list of all op codes pertaining to accessing the OTP through the SPI / IIC interface, refer to Vol.1, Chapter 4, section 4.5.3.3 OTP Access.


2.2.1.2 Reading the OTP

On power on reset, the OTP is by default read protected. An un-programmed OTP content is all Os. To enable the OTP, the Address 8143, called the Fuse Address must be read first. When the content of the Fuse address is all Os indicating an un-programmed OTP, then the OTP is enabled for reading, i.e. the OTP is unprotected. Hence this de-protection is the first step in working with the OTP.



The following is a flowchart that shows the general sequence of sending SPI commands to read a byte from the OTP. This is the sequence to be used when controlling the PS \emptyset 9 by an external microcontroller, through the SPI / IIC interface.





 \ast the Dummy byte (0x00) is required to be sent as it is needed because of timing purposes

For a list of values of all op codes for accessing the OTP through the SPI / IIC interface, refer to Vol.1, Chapter 4, section 4.5.3.3 OTP Access.

2.2.1.3 Read protecting the OTP

Once the OTP has been programmed with the user program and when the code development is complete, the code can be read protected with the Fuse address. For read protecting the OTP, the fuse address 8143 must be written with a non-zero value. The read protection process is completed by reading the address 8143 after writing it with the non-zero value.

2.2.2 External EEPROM

An external EEPROM of up to 8 kB size is supported as user program memory by the PSØ9 with the sole purpose of supporting user program development. The final program will be written to the on-chip OTP. It is to be noted that the program will be executed in



exactly the same manner, irrespective of whether the user program memory is the OTP or the external EEPROM.

The programming sequence to write a byte into the external EEPROM and to read a byte from the external EEPROM through the SPI / IIC interface can be found under Vol.1, Chapter 4, section 4.5.3.4 External EEPROM Access.


Remark: If no EEPROM is connected, pin 8 (EE_DATA) must be terminated with a capacitance of 100 pF to GND.

2.2.3 User Program development using the external EEPROM

This section describes how the program can be developed by the user using the external EEPROM as the program memory.

As already stated, basically a user program is executed in the same manner, irrespective of whether the user program memory used is the OTP or the external EEPROM. However the PSØ9 has to know, which of the two has to be used as the user program memory. For this purpose, as a standard operation on power-up, the PSØ9 checks for the presence of an external EEPROM by reading address O of the external EEPROM. When OO or FF is read back from address O of the EEPROM, then the PSØ9 takes the internal OTP as the user program memory and executes the code from the OTP. When a value other than OO and FF is read from the Address O of the external EEPROM, then the EEPROM is considered to be the user program memory by the chip and user code in the external EEPROM is executed.


The content of address OO corresponds to value of the bits 23:16 of Configuration register O (tdc_conv_cnt).



Once the user program development is completed using the external EEPROM then, the final program is ready to be written to the OTP. Then the external EEPROM is either removed physically or it is made inactive to the PSØ9 by writing the address OO of the external EEPROM with OO or FF. The following flowchart gives an overview of how the user program is developed using the EEPROM and transferred to the OTP finally.

PICOSTRAIN[®]

Figure 2-7: User Programm Development



The PSØ9 Assembler Software which is used for user program development supports downloading the developed program to the external EEPROM or to the on chip OTP. The target for downloading the program can be selected from a drop down list on the Download page of the assembler.

The lower 48 bytes in the user program memory are reserved for an automatic configuration of the PSØ9 during a power-on reset. 3 successive bytes are added to a 24 bit word. So there are 16 words of 24 bit each that are used for configuration register 0 to 15. During a power- on reset they are copied into RAM addresses 48 to 63.

Generally the code execution from the external EEPROM takes longer than from the internal OTP. This fact needs to be considered when delay routines are realized using incr/decr opcodes in loops as the delay will be longer when executed from the EEPROM in comparison with the OTP. The code execution from the external EEPROM is approx. 10 to 15 times slower than from the internal OTP.



2.2.4 **ROM Program memory**

In PSØ9, 4 kbytes is reserved for the ROM starting at address FOOO h. All computation routines needed for the PICOSTRAIN measuring method reside here. The program can jump back from the ROM to the OTP/external EEPROM.

2.2.5 User EEPROM

The user EEPROM in PSØ9 is 128 bytes of 8 bits each. This user EEPROM can be used to store calibration data that can be accessed from the user program. The processor can write to and read from this EEPROM, byte-wise using the putepr and getepr op-codes. This EEPROM hangs on the same address bus as the RAM. Hence the RAM address pointer is used to address both the user EEPROM and the RAM. See section 2.2.7 to get more details with code snippets on how the RAM address pointer is used to address both the user EEPROM and the RAM.

2.2.6 RAM Organization

Table 2-1: RAM address organization

255 240	Status and Result registers in stand-alone mode (same content as 31 – 16) (e.g. using the DSP Instruction Set)			
239 208	System RAM			
207	User RAM 207			
 96	 User RAM 96			
95 92	Reserved			
91 86	UART Config / status reg			
85 81	Internal registers			
80	UART Config / status reg			
79 64	Reserved for internal use			
63	Config reg 15			
 48	 Config reg O			
47	User RAM 47			
 32	 User RAM 32			
31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16	Modrspan result Timer I/O status – falling, rising and pressed status of the 8 GPIO s Status of the 24 Multi Input keys, Pressed or Released Status : rising edge on the 24 Multi Input keys Status : falling edge on the 24 Multi Input keys UBATT CAL HB1+ Status flags TMP HB0 = 1/4 * (HB1+HB2+HB3+HB4) HB4 = (G-H) / (G+H) * HB3 = (E-F) / (E+F) * HB2 = (C-D) / (C+D) * HB1 = (A-B) / (A+B) *	User RAM 31 16 Status and Result registers in front end mode; (e.g. using external µC)		
15	User RAM 15	1		
 O	 User RAM O			


* Parameters A..H represent the discharging times at the different ports, see section 2.4.1 Result Registers for more details



2.2.7 RAM Address Pointer

The RAM has its own address bus with 256 addresses. The width of 24 bit corresponds to the register width of the ALU. By means of the RAM address pointer a single RAM address is mapped into the ALU. It then acts as a fourth accumulator register. Changing the RAM address pointer does not affect the content of the addressed RAM. The RAM address pointer itself is modified by separate opcodes (ramadr, incramadr, ...). As explained in the previous section, the RAM address bus is additionally used to address 128 bytes of user EEPROM with particular op codes.

Figure 2-8: RAM Address Pointer



When the RAM address pointer is set to a value and op codes putepr and getepr are used, the RAM address pointer points to the respective byte in the user EEPROM. Hence operations are carried out with the respective user EEPROM byte. All other op codes like move r, x set the RAM address pointer to point to the RAM, hence the operation is performed in the RAM.


The following sample code illustrates how the RAM address pointer is used to access the user EEPROM and the RAM, based on the op code used.

Sample code:				
Ramadr	3	<pre>// Sets the RAM address pointer to address 3</pre>		
Move	r, x	<pre>// Moves the content of the X accumulator to the RAM address 3</pre>		
		<pre>// RAM Address Pointer is pointing to the RAM</pre>		

Ramadr	4	<pre>// Sets the RAM address pointer to address 4</pre>
Getepr	x	<pre>// Gets the content of the user EEPROM address 4 into the X</pre>
		// accumulator
		<pre>// RAM Address Pointer is pointing to the user EEPROM</pre>
Ramadr	3	<pre>// Sets the RAM address pointer to address 3</pre>
Putepr	x	<pre>// Moves the content of the X accumulator to the user EEPROM</pre>
		// address 3
		<pre>// RAM Address Pointer is pointing to the user EEPROM</pre>
Clear	r	<pre>// Clears the content of RAM address 3</pre>
		<pre>// RAM Address Pointer is pointing to the RAM</pre>

2.3 Arithmetic Logic Unit (ALU)

Figure 2-9: ALU block diagram





2.3.1 Accumulators

The ALU has three 24-Bit accumulators, X, Y and Z. The RAM is addressed by the RAM address pointer and the addressed RAM cell is used as forth accumulator. A single RAM address is mapped into the ALU by the ram address pointer. So in total there are 4 accumulators. All transfer operations (move, swap) and arithmetic-operations (shift, add, mult24, ...) can be applied to all accumulators.

2.3.2 Flags

The processor controls 4 flags with each operation. Not-Equal and Sign flags are set with each write access to one of the accumulators (incl. RAM). Additionally, the Carry and Overflow flags are set in case of a calculation (Add / Sub / shiftR). It is possible to query each flag in a jump instruction.

2.3.2.1 Carry

Shows the carry over in an addition or subtraction. With shift operations (shiftL, rotR, etc.) it shows the bit that has been shifted out.

2.3.2.2 Not-Equal zero

This flag is set to zero in case a new result not equal to zero is written into an accumulator (add, sub, move ,swap, etc.).

2.3.2.3 Sign

The sign is set when a new result is written into an accumulator (add, sub, move, swap, etc.) and the highest bit (MSB) is 1.

2.3.2.4 Overflow

Indicates an overflow during an addition or subtraction of two numbers in two's complement representation.

2.4 Status and Result Registers

2.4.1 Result Registers

Content of the RAM result registers at the end of a measurement:

ram = 16 :	HB1 = (A-B) / (A+B)	HB1 un-compensated
ram = 17 :	HB2 = (C-D) / (C+D)	HB2 un-compensated
ram = 18 :	HB3 = (E-F) / (E+F)	HB3 un-compensated
ram = 19 :	HB4 = (G-H) / (G+H)	HB4 un-compensated
ram = 20 :	HBO = 1/4 * (HB1+HB2	+HB3+HB4)
		HBO compensated sum
ram = 21 :	TMP = RTemp / Rsg	Temperature measurement value,
		see Vol.1, Chapter 3, Section 3.5.10
		Internal Temp. Measurement
ram = 22 :	Status flags	See section 2.4.2 Status Register
ram = 23 :	HB1+	Time measurement TDC at SG_A1, Pin11

PSØ9 DSP

ram = 24 :	CAL	Resolution TDC
ram = 25 :	UBATT	Measured supply voltage
ram = 26 :	Status_Multi_F	Indicates falling edge occurrence on 24 possible
		Multi Input keys
ram = 27 :	Status_Multi_R	Indicates rising edge occurrence on 24 possible
		Multi Input keys
ram = 28 :	Status_Multi_P	Status of the 24 Multi Input keys, Pressed or Released
ram = 29 :	Status_10	Falling, Rising and Current Status of 8 GPIO pins
ram = 30 :	Timer	Status of the timer on measurement completion
ram = 31 :	Modrspan	Rspan value on measurement completion.
		For load cells with Rspan, the ratio Rspan/Rsg when bit
		mod_rspan = 1 in Config_reg1.

Descriptions:

A :	Discharge time measurement at SG_A1
В:	Discharge time measurement at SG_A2
C :	Discharge time measurement at SG_B1
D :	Discharge time measurement at SG_B2
E :	Discharge time measurement at SG_C1
F :	Discharge time measurement at SG_C2
G :	Discharge time measurement at SG_D1
H :	Discharge time measurement at SG_D2
RTemp :	Discharge time measurement through the combination of Integrated Rspan
	and strain gage resistor at SG_D1 and SG_C2
Rsg :	Discharge time measurement at SG_D1 SG_C2
ats:	
HB1 :	Result in $1/_{100} ppm$

Formats:

HB1 :	Result in $1/_{100} ppm$	
HB2 :	Result in $1/_{100} ppm$	
HB3 :	Result in $1/_{100} ppm$	
HB4 :	Result in $1/_{100} ppm$	
HBO :	Result in $1/_{100} ppm$	
TMP :	current ratio CR by $1 + \frac{TMP}{2^{20}}$	
Status :	See above	
HB1+ :	Result in 250 * $SG_{A1}/_{2^{14}}$ ns	@ 4 MHz clock
CAL :	Calculation of Resolution by $\frac{250,000}{CAL}$ ps	@ 4 MHz clock
UBATT :	Calculation of Supply Voltage by $2.0 + 1.6 * Ul$	$BATT/_{64} V$





HB1, HB2, HB3, HB4, HBO and TMP are given as two's complement. MSB = 1 indicates a negative value. To get the positive value calculate $2^{24} - X$.

Explanation:

Based on a standard extension of a load cell (2 mV/V) the resistance variation is 0.2 %, e.g. 2 Ω at a 1000 Ω load cell. The change of 0.2 % corresponds to 2000 ppm. For reasons of internal calculations and accuracy, the result is given in x100 of 2000 ppm (= 200,000 ppm). Please note that the value in this register depends not only on the load cell's sensitivity but also on the Mult_HBx setting in PSØ9. This explanation is based on Mult_HBx = 1.

Examples:

1.5 mV/V load cell, PICOSTRAIN wiring, Mult_HBx = 1:

1.5 mV/V = 1500 ppm \rightarrow result in PSØ9 at maximum strain: 150,000 (0x0249F0)

2 mV/V load cell, Wheatstone wiring, $Mult_HBx = 1$:

2 mV/V means 1.333 mV/V in Wheatstone = 1333 ppm (due to a reduction in strain) \rightarrow result in PSØ9 at maximum strain: 133,333 (0x0208D5)

1 mV/V load cell, PICOSTRAIN wiring, Mult_HBx = 4:

1 mV/V = 1000 ppm \rightarrow result in PSØ9 at maximum strain: 400,000 (0x061A80)

2.4.2 Status Register

Table 2-2: Status Register (RAM Address 246)

Bit	Description
Status[23] = flg_status_cport4	Status flag of capacitive port 4
Status[22] = flg_status_cport3	Status flag of capacitive port 3
Status[21] = flg_status_cport2	Status flag of capacitive port 2
Status[20] = flg_status_cport1	Status flag of capacitive port 1
Status[19] = flg_rstpwr	1 = Power-on reset caused jump into OTP / ext. EEPROM
Status[18] = flg_rstssn	1 = Pushed button caused jump into OTP / ext. EEPROM
Status[17] = flg_wdtalt	1 = Watchdog interrupt caused jump into OTP / ext. EEPROM
Status[16] = flg_endavg	1 = End of measurement caused jump into OTP / ext. EEPROM
Status[15] = flg_intavO	1 = Jump into OTP / ext. EEPROM in sleep mode
Status[14] = flg_ub_low	1 = Low voltage
Status[13] = flg_errtdc	1 = TDC error
Status[12] = reserved	1 = reserved
Status[11] = flg_err_cport	1 = Error at capacitive ports
Status[10] = flg_errprt	1 = Error at strain gauge ports
Status[09] = flg_timout	1 = Timeout TDC
Status[08] = flg_ext_interrupt	1 = DSP start by external interrupt
Status[07] = flg_cport4_r	1 = Rising edge at capacitive port 4, 0 = no edge
Status[06] = flg_cport3_r	1 = Rising edge at capacitive port 3, 0 = no edge
Status[05] = flg_cport2_r	1 = Rising edge at capacitive port 2, 0 = no edge
Status[04] = flg_cport1_r	1 = Rising edge at capacitive port 1, O = no edge
Status[03] = flg_cport4_f	1 = Falling edge at capacitive port 4, O = no edge
Status[02] = flg_cport3_f	1 = Falling edge at capacitive port 3, 0 = no edge
Status[01] = flg_cport2_f	1 = Falling edge at capacitive port 2, 0 = no edge
Status[00] = flg_cport1_f	1 = Falling edge at capacitive port 1, O = no edge

The status of the inputs can be queried from the status registers at RAM address 250 to 252. Please see Vol.1, Chapter 4, Section 4.3.3 Multi-input keys for more details.



3 General Funtions

3.1 System Reset, Sleep Mode and Auto-configuration

ALU activity is requested by a reset (power-on, watchdog), the end of measurement or in sleep mode the end of the conversion counter. A reset has priority over the other two items. First the ALU jumps into the ROM code starting with address FOOO h. There a first check is done whether the ALU was activated after a reset or not.

In case of a reset, the flag otp_pwr_cfg is checked to decide whether the autoconfiguration data from the OTP/external EEPROM have to be copied into the RAM or not.

Subsequently, the flag otp_pwr_prg is checked to decide whether OTP/ external EEPROM user code (starting at address 48) ought to be executed. In stand-alone operation this is reasonable and otp_pwr_cfg bit should be 1. In front end operation this is unlikely and with otp_pwr_cfg = 0 the μ P is stopped.

In case the ALU is started not by a reset the TDC unit starts a measurement or, in sleep mode, the conversion counter is started without a measurement. Afterwards the flag otp_usr_prg is checked to decide whether a jump into the user code in OTP/external EEPROM (address 48) must be performed or not. Again, in stand-alone operation otp_usr_prg =1 is reasonable, in front-end operation otp_usr_prg = 0 will be more likely.

In the user code in the OTP / external EEPROM first the flag flg_rstpwr should be checked to see whether the reason for the jump was a reset. If yes, a detailed check is recommended to see whether the reset comes from a power-on reset, a pushed button, the watchdog interrupt.

Otherwise a check of flag flg_intavO will indicate if the chip is still in sleep mode or if an active strain measurement is running.

At the end the ALU is stopped. This implements a complete reset of the ALU including the start flags. Also the program stack is reset. Only the RAM data remain unchanged.

3.1.1 Power-On Reset

When applying the supply voltage to the chip a power-on reset is generated. The whole chip is reset, only the RAM remains unchanged.

In case otp_pwr_prg = 1 the user code at EEPROM address 48 is started.

3.1.2 Watchdog Reset

A power-on reset can also be triggered by the watchdog timer. This happens in case the microprocessor is started four times without being reset by the opcode "clrwdt". Status bit flg_wdtalt in register 224+22; bit 17 indicates a timeout of the watchdog timer.

In case otp_pwr_prg = 1 the user code at EEPROM address 48 is started.

PICOSTRAIN[®]

3.1.3 External Reset on Pin 6

In stand-alone mode (if Mode pin is unconnected) it is possible to apply an external poweron at pin 6 (SPI_CSN_RST). This can be used as a reset button. The status of the button can be requested from status bit flg_rstssn in register 224+22, bit 18.

In case otp_pwr_prg = 1 the user code at EEPROM address 48 is started.

3.1.4 Sleep Mode

In sleep mode only the 10 kHz oscillator is running. At regular intervals the microprocessor is waked up but without doing a measurement. In this phase it can check the I/Os. A start-up of the microprocessor from sleep mode is indicated by status bit flg_intavO in register 224+22, bit 22.

Configuration:	tdc_sleepmode	Register 1, Bit 17
	tdc_conv_cnt [7:0]	Register O, Bits 23 to 16

Note : The sleep mode works only in combination with Single_conversion = 1 in Configreg_02

Sleep mode is activated by setting tdc_sleepmode = 1. This is equivalent to set avrate = 0.

In sleep mode the conversion counter tdc_cnv_cnt is running to the end and then immediately starting the user program beginning at address 48 in the EEPROM.


After running in sleep mode the TDC has to be reinitialized for measurements.

3.2 CPU Clock Generation

The basic clock for the system is the internal, low-current 10 kHz oscillator. It is used to trigger measurements in single conversion mode for the TDC unit in measurement range 2 as pre-counter as basis for the cycle time in stretched modes.



Figure 3-1: Clock Generation



3.3 Watchdog Counter and Single Conversion Counter

The TDC conversion counter starts a measurement in single conversion mode. It is running continuously. The single conversion rate is given by 10 kHz / 64 / tdc_conv_cnt.

With the beginning of a measurement the watchdog counter is increased. The watchdog counts the conversions. At the end of a measurement the microprocessor starts to run the user code. In normal operation the watchdog has to be reset by CLRWDT before the user code ends. The watchdog causes a power-on reset in case the TDC doesn't finish its measurement because of an error or the user code does not run to end.

It is possible to switch off the watchdog when controlling the PSØ9 by the SPI interface (Mode pin is connected to O) sending SPI opcode watch_dog_off. Further the watchdog is reset by each signal edge at the SPI_CSN_RST pin.

3.4 Timer

PSØ9 has a real time counter that counts automatically after a power-on reset in periods of 12.8 ms. The value of this timer can be read out at address 254, it is updated at the end of each measurement. The counter rolls over at 2^{24} bit, which corresponds to a period of 46 hours

4 Instruction Set

The complete instruction set of the PSØ9 consists of 69 core instructions that have unique op-codes decoded by the CPU.

4.1 Branch instructions

There are 3 principles of jumping within the code:

Jump. Absolute addressing within the whole address space of 8 kB. Branch. Relative to the actual address, jump within the address range of -128 to +127. Skip. Jump ahead up to 3 op-codes (3 to 15 bytes).

The assembler puts together jump and branch into goto-instructions.

It is possible to jump into subroutines only by means of absolute jumps and without any condition.

4.2 Arithmetic operations

The RAM is organized in 24 Bit words. All instructions are based on two's complement operations. An arithmetic command combines two accumulators and writes back the result into the first mentioned accumulator. The RAM address pointer points to the RAM address that is handled in the same way as an accumulator. Each operation on the accumulator affects the four flags. The status of the flags refers to the last operation.

Simple Arithmetic	Complex Arithmetic	Shift & Rotate	RAM access
abs	div24	clrC	clear
add	divmod	rotl	decramadr
compare	mult24	rotR	incramadr
compl	mult48	setC	move
decr		shiftL	ramadr
getflag		shiftR	swap
incr			
sign			
sub			

Table 4-1: Instruction set



4-23

Logic	Bitwise	EEPROM access OTP/external EPROM
and	bitclr	equal
eor	bitinv	getepr
nor	bitset	putepr
invert		addepr
nand		
nor		
or		

Unconditional jump	Skip on Flag	Miscellaneous
skip		
goto		clk10kHz
gotoBitC	skipBitC	clrwdt
gotoBitS	skipBitS	пор
gotoCarC	skipCarC	stop
gotoCarS	skipCarS	initTDC
gotoEQ	skipEQ	пеwсус
gotoNE	skipNE	
gotoNeg	skipNeg	
gotoOvrC	skipOvrC	
gotoOvrS	skipOvrS	
gotoPos	skipPos	
jsub		
jsubret		

abs	Absolute value of register
Syntax:	abs p1
Parameters:	p1 = ACCU [x, y, z, r]
Calculus:	p1 = p1
Flags affected:	COSZ
Bytes:	2
Cycles:	2
Description:	Absolute value of register
Category:	Simple arithmetic

add	Addition
Syntax:	add p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = ACCU [x, y, z, r] or 24-Bit number
Calculus:	p1 = p1 + p2
Flags affected:	COSZ
Bytes:	1 (p2 = ACCU) 4 (p2 = number)
Cycles:	1 (p2 = ACCU) 4 (p2 = number)
Description:	Addition of two registers or addition of a constant to a register
Category:	Simple arithmetic

addepr	
Syntax:	addepr x
Parameters:	ACCU[x]
Calculus:	x = x+Value (EEprom(rampointer))
Flags:	ZSCO
Bytes:	2
Cycles:	100200
Description:	Adds the value from the content of the EEPROM register, currently addressed by the ram address pointer, to the X-Accumulator.
Category:	EEPROM access

and	Logic AND
Syntax:	and p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = ACCU [x, y, z, r] or 24-Bit number
Calculus:	p1 = p1 AND p2
Flags affected:	SZ
Bytes:	2 (p2 = ACCU)
5 (p2 = number)	
Cycles:	3 (p2 = ACCU)
6 (p2 = number)	
Description:	Logic AND of 2 registers or Logic AND of register and constant
Category:	Logic



bitclr	Clear single bit
Syntax:	bitclr p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = number 0 to 23
Calculus:	p1 = p1 and not (1< <p2)< td=""></p2)<>
Flags affected:	SZ
Bytes:	2
Cycles:	2
Description:	Clear a single bit in the destination register
Category:	Bitwise

bitinv	Invert single bit
Syntax:	bitinv p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = number 0 to 23
Calculus:	p1 = p1 eor (1< <p2)< td=""></p2)<>
Flags affected:	SZ
Bytes:	2
Cycles:	2
Description:	Invert a single bit in the destination register
Category:	Bitwise

bitset	Set single bit
Syntax:	bitset p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = number 0 to 23
Calculus:	p1 = p1 or (1< <p2)< td=""></p2)<>
Flags affected:	SZ
Bytes:	2
Cycles:	2
Description:	Set a single bit in the destination register
Category:	Bitwise

clear	Clear register
Syntax:	clear p1
Parameters:	p1 = ACCU [x, y, z, r]
Calculus:	p1 = 0
Flags affected:	SZ
Bytes:	1
Cycles:	1

Description:	Clear addressed register to O
Category:	RAM access

clk10khz	Clock source 10 kHz
Syntax:	clk10khz p1
Parameters:	p1 = number 0 or 1
Calculus:	-
Flags affected:	-
Bytes:	2
Cycles:	3
Description:	Change clock source of processor to 10 kHz. The clock of the processor is switched to the slower 10 kHz clock instead of the 40 MHz. The 10 kHz clock is still stable to variations in temperature and supply voltage. If p1 is set to 1 the 10 kHz clock is on, if p1 == 0 the 10 kHz clock is off. With the 10 kHz clock beeper application at the IO-Port may programmed with the microcontroller. Do not switch directly between CLK4MHz and CLK10kHz.
Category:	Miscellaneous

clrC	Clear flags
Syntax:	cIrC
Parameters:	-
Calculus:	-
Flags affected:	СО
Bytes:	1
Cycles:	1
Description:	Clear Carry and Overflow flags
Category:	Shift and Rotate

clrwdt	Clear watchdog
Syntax:	clrwdt
Parameters:	-
Calculus:	-
Flags affected:	-
Bytes:	2
Cycles:	
Description:	Clear watchdog. This opcode is used to clear the watchdog at the end of a program run. Apply this opcode right before ,stop'.
Category:	Miscellaneous

compare	Compare two values



Syntax:	compare p1, p2
Parameters:	p1 = ACCU [x, y, z, r]
	p2 = ACCU [x, y, z, r] or 24-Bit number
Calculus:	- = p2 - p1 only the flags are changed but not the registers
Flags affected:	COSZ
Bytes:	1 (p1 = ACCU, p2 = ACCU)
	4 (p1 = ACCU, p2 = NUMBER)
Cycles:	1 (p1 = ACCU, p2 = ACCU)
	4 (p1 = ACCU, p2 = NUMBER)
Description:	Comparison of 2 registers by subtraction. Comparison of a constant with a register by subtraction The flags are changed according to the subtraction result, but not the registers contents themselves
Category:	Simple arithmetic

compl	Complement
Syntax:	compl p1
Parameters:	p1 = ACCU [x, y, z, r]
Calculus:	p1 = -p1 = not p1 + 1
Flags affected:	SZ
Bytes:	2
Cycles:	2
Description:	two's complement of register
Category:	Simple arithmetic

decr	Decrement
Syntax:	decr p1
Parameters:	p1 = ACCU [x, y, z, r]
Calculus:	p1 = p1 - 1
Flags affected:	COSZ
Bytes:	1
Cycles:	1
Description:	Decrement register
Category:	Simple arithmetic

decramadr	Decrement RAM address pointer
Syntax:	decramadr
Parameters:	-
Calculus:	-
Flags affected:	-
Bytes:	1

Cycles:	1
Description:	Decrement RAM address pointer by one
Category:	Ram Access

div24	Signed division 24 Bit
Syntax:	div24 p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = ACCU [x, y, z, r]
Calculus:	p1 = (p1 << 24) / p2 (if p1 < p2/2)
Flags affected:	S & Z of p1
Bytes:	2
Cycles:	20
Description:	Signed division of 2 registers, 24 bits of the division of 2 registers, result is assigned to $p1$
Category:	Complex arithmetic

divmod Signed	modulo division
Syntax:	divmod p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = ACCU [x, y, z, r]
Calculus:	p1 = p1 / p2 and p2 = p1 % p2
Flags affected:	SZ
Bytes:	2
Cycles:	
Description:	Signed modulo division of 2 registers, 24 higher bits of the division of 2 registers, result is assigned to p1, the rest is placed to p2
Category:	Complex arithmetic

eor	Exclusive OR
Syntax:	eor p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = ACCU [x, y, z, r] or 24-Bit number
Calculus:	p1 = p1 xor p2, bit combination O / O and 1 / 1 returns O, bit combination O / 1 and 1 / O returns 1
Flags affected:	SZ
Bytes:	2 (p1 = ACCU, p2 = ACCU) 5 (p1 = ACCU, p2 = NUMBER)
Cycles:	3 (p1 = ACCU, p2 = ACCU) 6 (p1 = ACCU, p2 = NUMBER)
Description:	Logic XOR (exclusive OR, antivalence) of the 2 given registers Logic XOR (exclusive OR, antivalence) of register with constant



Category:

Logic

eorn	Exclusive NOR
Syntax:	eorn p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = ACCU [x, y, z, r] or 24-Bit number
Calculus:	p1 = p1 xnor p2, bit combination O / O and 1 / 1 return 1, bit combination O / 1 and 1 / O return O
Flags affected:	SZ
Bytes:	2 (p1 = ACCU, p2 = ACCU) 5 (p1 = ACCU, p2 = NUMBER)
Cycles:	3 (p1 = ACCU, p2 = ACCU) 6 (p1 = ACCU, p2 = NUMBER)
Description:	Logic XNOR (exclusive NOR, equivalence) of the 2 given registers Logic XNOR (exclusive NOR, equivalence) of register with constant
Category:	Logic
equal	Write 3 Bytes to the OTP or the external EEPROM
Syntax:	equal p1
Parameters:	p1 = 24-Bit number
Calculus:	-
Flags affected:	-
Bytes:	3
Cycles:	
Description:	Write 3 bytes (p1) to configuration register of OTP/external EEPROM. The equal opcode is used to write 3 bytes of configuration data directly to a register. Therefore the opcode is simply used 16 times in the beginning of the assembler listing, fed with the configuration data given through p1. The configuration of the OTP/ external EEPROM is done in the lower area from byte 047, combined in 16x 24bit registers. From byte 48 upwards, the user code is written. Use this opcode to provide your own configuration instead of the standard configuration.
Category:	OTP/ External EEPROM access
getepr	Get EEPROM content
Syntax:	getepr p1
Parameters:	p1 = ACCU [x, y, z, r]
Calculus:	p1 = EEPROM register content (addressed by RAM address pointer)
Flags affected:	SZ
Bytes:	1
Cycles:	6
Description:	Get EEPROM into register. The addressed register p1 gets the EEPROM



register content which is addressed by the RAM address pointer. This opcode needs temporarily a place in the program counter stack (explanation see below).

Category:

EEPROM Access

getflag	Set S and Z flags
Syntax:	getflag p1
Parameters:	p1 = ACCU [x, y, z, r]
Calculus:	signum = set if p1 < 0 notequalzero = set if p1 <> 0
Flags affected:	SZ
Bytes:	1
Cycles:	1
Description:	Set the signum and notequalzero flag according to the addressed register, content of the register is not affected
Category:	Simple arithmetic

goto	jump without condition
Syntax:	goto p1
Parameters:	p1 = JUMPLABEL
Calculus:	PC = p1
Flags affected:	-
Bytes:	2 (relative jump)
3 (absolute jump)	
Cycles:	3 (relative jump) 4 (absolute jump)
Description:	Jump without condition. Program counter is set to target address. The target address is given by using a jump label. Jump range: O< address < 8 kB See examples section for how to introduce a jump label.
Category:	Unconditional jump

gotoBitC	Jump on bit clear
Syntax:	gotoBitC p1, p2, p3
Parameters:	p1 = ACCU [x, y, z, r] p2 = NUMBER [023] p3 = JUMPLABEL
Calculus:	if (bit p2 of register p1 == 0) PC = p3
Flags affected:	-
Bytes:	3
Cycles:	4





·	Jump on bit clear. Program counter will be set to target address if selected bit in register p1 is clear. The target address is given by using a jump label. See examples section for how to introduce a jump label.
Category:	Bitwise

gotoBitS	Jump on bit set
Syntax:	gotoBitS p1, p2, p3
Parameters:	p1 = ACCU [x, y, z, r] p2 = NUMBER [023] p3 = JUMPLABEL
Calculus:	if (bit p2 of register p1 == 1) PC = p3
Flags affected:	-
Bytes:	3
Cycles:	4
Description:	Jump on bit set. Program counter will be set to target address if selected bit in register p1 is set. The target address is given by using a jump label. See examples section for how to introduce a jump label.
Category:	Bitwise

gotoCarC	Jump on carry clear
Syntax:	gotoCarC p1
Parameters:	p1 = JUMPLABEL
Calculus:	if (carry == 0) PC = p1
Flags affected:	-
Bytes:	2 (relative jump) 3 (absolute jump)
Cycles:	3 (relative jump) 4 (absolute jump)
Description:	Jump on carry clear. Program counter will be set to target address if carry is clear. The target address is given by using a jump label. See examples section for how to introduce a jump label.
Category:	Goto on flag
gotoCarS	Jump on carry set
Syntax:	gotoCarS p1
Parameters:	p1 = JUMPLABEL
Calculus:	if (carry == 1) PC = p1
Flags affected:	-
Bytes:	2 (relative jump) 3 (absolute jump)
Cycles:	3 (relative jump)


	4 (absolute jump)
Description:	Jump on carry set. Program counter will be set to target address if carry is set. The target address is given by using a jump label. See examples section for how to introduce a jump label.
Category:	Goto on flag

gotoEQ	Jump on equal zero
Syntax:	gotoEQ p1
Parameters:	p1 = JUMPLABEL
Calculus:	if (Z == 0) PC = p1
Flags affected:	-
Bytes:	2 (relative jump) 3 (absolute jump)
Cycles:	3 (relative jump) 4 (absolute jump)
Description:	Jump on equal zero. Program counter will be set to target address if the foregoing result is equal to zero. The target address is given by using a jump label. See examples section for how to introduce a jump label.
Category:	Goto on flag

gotoNE	Jump on not equal zero
Syntax:	gotoNE p1
Parameters:	p1 = JUMPLABEL
Calculus:	if (Z == 1) PC = p1
Flags affected:	-
Bytes:	2 (relative jump) 3 (absolute jump)
Cycles:	3 (relative jump) 4 (absolute jump)
Description:	Jump on not equal zero. Program counter will be set to target address if the foregoing result is not equal to zero. The target address is given by using a jump label. See examples section for how to introduce a jump label.
Category:	Goto on flag

gotoNeg	Jump on negative
Syntax:	gotoNeg p1
Parameters:	p1 = JUMPLABEL
Calculus:	if (S == 1) PC = p1
Flags affected:	-
Bytes:	2 (relative jump) 3 (absolute jump)
Cycles:	3 (relative jump)

acam messelectronic gmbh - Friedrich-List-Str.4 - 76297 Stutensee - Germany - <u>www.acam.de</u>





	4 (absolute jump)
Description:	Jump on negative. Program counter will be set to target address if the foregoing result is negative. The target address is given by using a jump label. See examples section for how to introduce a jump label.
Category:	Goto on flag

gotoOvrC	Jump on overflow clear
Syntax:	gotoOvrC p1
Parameters:	p1 = JUMPLABEL
Calculus:	if (0 == 0) PC = p1
Flags affected:	-
Bytes:	2 (relative jump) 3 (absolute jump)
Cycles:	3 (relative jump) 4 (absolute jump)
Description:	Jump on overflow clear. Program counter will be set to target address if the overflow flag of the foregoing operation is clear. The target address is given by using a jump label. See examples section for how to introduce a jump label.
Category:	Goto on flag

gotoOvrS	Jump on overflow set
Syntax:	gotoOvrS p1
Parameters:	p1 = JUMPLABEL
Calculus:	if (O == 1) PC = p1
Flags affected:	-
Bytes:	2 (relative jump) 3 (absolute jump)
Cycles:	3 (relative jump) 4 (absolute jump)
Description:	Jump on overflow set. Program counter will be set to target address if the overflow flag of the foregoing operation is set. The target address is given by using a jump label. See examples section for how to introduce a jump label.
Category:	Goto on flag

gotoPos	Jump on positive
Syntax:	gotoPos p1
Parameters:	p1 = JUMPLABEL
Calculus:	if (S == 0) PC = p1
Flags affected:	-
Bytes:	2 (relative jump) 3 (absolute jump)
Cycles:	3 (relative jump)

	4 (absolute jump)
Description:	Jump on positive. Program counter will be set to target address if the foregoing result is positive. The target address is given by using a jump label. See examples section for how to introduce a jump label.
Category:	Goto on flag

incr	Increment
Syntax:	incr p1
Parameters:	p1 = ACCU [x, y, z, r]
Calculus:	p1 = p1 + 1
Flags affected:	COSZ
Bytes:	1
Cycles:	1
Description:	Increment register
Category:	Simple arithmetic

incramadr	Increment RAM address
Syntax:	incramadr
Parameters:	-
Calculus:	-
Flags affected:	-
Bytes:	1
Cycles:	1
Description:	Increment RAM address pointer by 1
Category:	RAM access

initTDC	Initialize TDC
Syntax:	initTDC
Parameters:	-
Calculus:	-
Flags affected:	-
Bytes:	2
Cycles:	З
Description:	Initialization reset of the TDC (time-to-digital converter). Should be sent after configuration of registers. The initTDC preserves all configurations.
Category:	Miscellaneous



invert	Bitwise inversion
Syntax:	invert p1
Parameters:	p1 = ACCU [x, y, z, r]
Calculus:	p1 = not p1
Flags affected:	SZ
Bytes:	2
Cycles:	2
Description:	Bitwise inversion of register
Category:	Logic

jsub	Unconditional jump
Syntax:	jsub p1
Parameters:	p1 = JUMPLABEL
Calculus:	PC = p1
Flags affected:	COSZ
Bytes:	3
Cycles:	4
Description:	Jump to subroutine without condition. The program counter is loaded by the address given through the jump label. The subroutine is processed until the keyword ,jsubret' occurs. Then a jump back is performed and the next command after the jsub-call is executed. This opcode needs temporarily a place in the program counter stack (explanation see below). Jump range: O< address < 8 kB
Category:	Unconditional Jump

jsubret	Return from subroutine
Syntax:	jsubret
Parameters:	-
Calculus:	PC = PC from jsub-call
Flags affected:	-
Bytes:	1
Cycles:	3
Description:	Return from subroutine. A subroutine can be called via ,jsub' and exited by using jsubret. The program is continued at the next command following the jsub-call. You have to close a subroutine with jsubret - otherwise there will be no jump back.
Category:	Unconditional Jump

move	Move
Syntax:	move p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = ACCU [x, y, z, r] or 24-bit number
Calculus:	p1 = p2
Flags affected:	SZ
Bytes:	1 (p1 = ACCU, p2 = ACCU) 4 (p1 = ACCU, p2 = NUMBER)
Cycles:	1 (p1 = ACCU, p2 = ACCU) 4 (p1 = ACCU, p2 = NUMBER)
Description:	Move content of p2 to p1 (p1 = ACCU, p2 = ACCU) Move constant to p1 (p1 = ACCU, p2 = NUMBER)
Category:	RAM access

mult24	Signed 24-Bit multiplication
Syntax:	mult24 p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = ACCU [x, y, z, r]
Calculus:	p1 = (p1 * p2) >> 24
Flags affected:	S & Z of p1
Bytes:	2
Cycles:	30
Description:	Signed multiplication of 2 registers like mult48, but only the 24 higher bits of the multiplication of 2 registers, result is stored in p1
Category:	Complex arithmetic

mult48	Signed 48-Bit multiplication
Syntax:	mult48 p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = ACCU [x, y, z, r]
Calculus:	p1, p2 = p1 * p2
Flags affected:	S & Z of p1
Bytes:	2
Cycles:	30
Description:	Signed multiplication of 2 registers. Higher 24 bits of the multiplication is placed to p1 Lower 24 bits of the multiplication is placed to p2
Category:	Complex arithmetic



nand	Logic NAND
Syntax:	nand p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p1 = ACCU [x, y, z, r] or 24-Bit number
Calculus:	p1 = p1 nand p2 returns only 0 in case of bit combination 1 / 1
Flags affected:	SZ
Bytes:	2 (p1 = ACCU, p2 = ACCU) 5 (p1 = ACCU, p2 = NUMBER)
Cycles:	3 (p1 = ACCU, p2 = ACCU) 6 (p1 = ACCU, p2 = NUMBER)
Description:	Logic NAND (negated AND) of the 2 given registers Logic NAND (negated AND) of register with constant
Category:	Logic


newcyc	Start TDC
Syntax:	newcyc
Parameters:	-
Calculus:	-
Flags affected:	-
Bytes:	2
Cycles:	3
Description:	Start of TDC. This opcode can be used after configuration and initialization of the PSØ9 to start a new measurement cycle. Normally this is done by the PSØ81 ROM routines itself, but in case of custom-designed reset procedures this opcode can play a role.
Category:	Miscellaneous

nop	No operation
Syntax:	-
Parameters:	-
Calculus:	-
Flags affected:	-
Bytes:	1
Cycles:	1
Description:	Placeholder code or timing adjust (no function)
Category:	Miscellaneous

nor	Logic NOR
Syntax:	nor p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = ACCU [x, y, z, r] or 24-Bit number
Calculus:	p1 = p1 nor p2 returns only 1 in case of bit combination $O \neq O$
Flags affected:	SZ
Bytes:	2 (p1 = ACCU, p2 = ACCU) 5 (p1 = ACCU, p2 = NUMBER)
Cycles:	3 (p1 = ACCU, p2 = ACCU) 6 (p1 = ACCU, p2 = NUMBER)
Description:	Logic NOR (negated OR) of the 2 given registers Logic NOR (negated OR) of register with constant
Category:	Logic

or	Logic OR
Syntax:	or p1, p2
Parameters:	p1 = ACCU [x, y, z, r] p2 = ACCU [x, y, z, r] or 24-Bit number
Calculus:	p1 = p1 or p2 returns only O in case of bit combination $O \neq O$
Flags affected:	SZ
Bytes:	2 (p1 = ACCU, p2 = ACCU) 5 (p1 = ACCU, p2 = NUMBER)
Cycles:	3 (p1 = ACCU, p2 = ACCU) 6 (p1 = ACCU, p2 = NUMBER)
Description:	Logic OR of the 2 given registers Logic OR of register with constant
Category:	Logic

putepr	Put lower 8 bits of register to internal EEPROM
Syntax:	putepr p1
Parameters:	p1 = ACCU [x, y, z, r]
Calculus:	EEPROM register (addressed by RAM address pointer) = p1 [7:0]
Flags affected:	-
Bytes:	4
Cycles:	~12.5 ms
Description:	Put register into EEPROM. The lower 8 bits of the addressed register p1 is moved to the EEPROM (the EEPROM register address is set by the RAM address pointer). EEPROM bytes 0 to 127 are accessible via ,putepr', bysetting the RAM address pointer to addresses 0 to 127 respectively. This opcode needs temporarily a place in the program counter stack (explanation see





	below). It is recommended not to use putepr in combination with the skip opcodes due to relatively longer execution times (~30ms).
Category:	EEPROM access

ramadr	Set RAM address pointer
Syntax:	ramadr p1
Parameters:	p1 = 8-Bit number
Calculus:	-
Flags affected:	-
Bytes:	2
Cycles:	2
Description:	Set pointer to RAM address (range: 0255)
Category:	RAM access

rotL	Rotate left
Syntax:	rotL p1(, p2)
Parameters:	p1 = ACCU [x, y, z, r] p2 = 4-Bit number or none
Calculus:	p1 = p1<< 1+ carry; carry = MSB(x) (in case rotL p1, without p2) p1 = repeat (p2) rotL p1(in case rotL p1, p2)
Flags affected:	C O S Z (of the last step)
Bytes:	1 (p1 = ACCU, p2 = none) 2 (p1 = ACCU, p2 = NUMBER)
Cycles:	1 (p1 = ACCU, p2 = none) 1+p2 (p1 = ACCU, p2 = NUMBER)
Description:	Rotate p1 left \rightarrow shift p1 register to the left, fill LSB with carry, MSB is placed in carry register Rotate p1 left p2 times with carry \rightarrow shift p1 register p2 times to the left, in each step fill LSB with the carry and place the MSB in the carry
Category:	Shift and rotate


rotR	Rotate right
Syntax:	rotR p1(, p2)
Parameters:	p1 = ACCU [x, y, z, r] p2 = 4-Bit number or none
Calculus:	p1 = p1>> 1+ carry; carry: =MSB(x) (in case rotR p1, without p2) p1 = repeat (p2) rotR p1 (in case rotR p1, p2)
Flags affected:	C O S Z (of the last step)
Bytes:	1 (p1 = ACCU, p2 = none) 2 (p1 = ACCU, p2 = NUMBER)
Cycles:	1 (p1 = ACCU, p2 = none)

	1 + p2 (p1 = ACCU, p2 = NUMBER)
Description:	Rotate p1 right \rightarrow shift p1 register to the right, fill MSB with carry, LSB is placed in carry register Rotate p1 right p2 times with carry \rightarrow shift p1 register p2 times to the right, in each step fill MSB with the carry and place the LSB in the carry
Category:	Shift and rotate

round	Rounding
Syntax:	round p1, p2
Parameters:	p1 = ACCU [x] p2 = NUMBER [half scale division]
Calculus:	p1 = round (p1, p2)
Flags affected:	
Bytes:	7
Cycles:	subroutine call
Description:	Rounds the number in x. Depending on the configured ,half scale division' the number stored in x will be rounded down or up (down < 5, up $>= 5$).
Category:	Miscellaneous

setC	Set carry flag
Syntax:	setC
Parameters:	-
Calculus:	-
Flags affected:	CO
Bytes:	1
Cycles:	1
Description:	Set carry flag and clear overflow flag
Category:	Shift and Rotate

shiftL	Shift Left
Syntax:	shiftL p1(, p2)
Parameters:	p1 = ACCU [x, y, z, r] p2 = 4-Bit number or none
Calculus:	p1 = p1<< 1; carry = MSB(x) (in case rotL p1, without p2) p1 = repeat (p2) shiftL p1(in case rotL p1, p2)
Flags affected:	COSZ
Bytes:	1 (p1 = ACCU, p2 = none) 2 (p1 = ACCU, p2 = NUMBER)
Cycles:	1 (p1 = ACCU, p2 = none) 1 + p2 (p1 = ACCU, p2 = NUMBER)
Description:	Shift p1 left $ ightarrow$ shift p1 register to the left, fill LSB with O, MSB is placed in





	carry register Shift p1 left p2 times \rightarrow shift p1 register p2 times to the left, in each step fill LSB with the O and place the MSB in the carry
Category:	Shift and rotate

shiftR	Shift right
Syntax:	shiftR p1(, p2)
Parameters:	p1 = ACCU [x, y, z, r] p2 = 4-Bit number or none
Calculus:	p1 = p1>> 1; carry = MSB(x) (in case rotL p1, without p2) p1 = repeat (p2) shiftL p1 (in case rotL p1, p2)
Flags affected:	COSZ
Bytes:	1 (p1 = ACCU, p2 = none) 2 (p1 = ACCU, p2 = NUMBER)
Cycles:	1 (p1 = ACCU, p2 = none) 1 + p2 (p1 = ACCU, p2 = NUMBER)
Description:	Signed shift right of p1 \rightarrow shift p1 right, MSB is duplicated according to whether the number is positive or negative Signed shift p1 right p2 times \rightarrow shift p1 register p2 times to the right, MSB is duplicated according to whether the number is positive or negative
Category:	Shift and rotate

sign	Sign
Syntax:	sign p1
Parameters:	p1 = ACCU [x, y, z, r]
Calculus:	p1 = p1 / p1 p1 = 1 = 0x000001 if p1 >= 0 p1 = -1 = 0xFFFFFF if p1 < 0
Flags affected:	SZ
Bytes:	2
Cycles:	2
Description:	Sign of addressed register in complement of two notations. A positive value returns 1, a negative value returns -1 Zero is assumed to be positive
Category:	Simple arithmetic

skip	Skip
Syntax:	skip p1
Parameters:	p1 = NUMBER [1, 2, 3]
Calculus:	PC = PC + bytes of next p1 lines
Flags affected:	
Bytes:	1

PSØ9 DSP

Cycles:	1 + skipped commands
Description:	Skip p1 without conditions
Category:	Unconditional jump

skipBitC	Conditional skip
Syntax:	skipBitC p1, p2,p3
Parameters:	p1 = ACCU [x, y, z, r] p2 = NUMBER[023] p2 = NUMBER[1, 2, 3]
Calculus:	if (bit p2 of register p1 == 0)
	PC = PC + bytes of next p3 lines
Flags affected:	-
Bytes:	1
Cycles:	1 + skipped commands
Description:	Skip p3 commands if bit p2 of register p1 is clear
Category:	Bitwise

skipBitS	Conditional skip
Syntax:	skipBitS p1, p2,p3
Parameters:	p1 = ACCU [x, y, z, r] p2 = NUMBER[023] p3 = NUMBER[1, 2, 3]
Calculus:	if (bit p2 of register p1 == 1) PC = PC + bytes of next p3 lines
Flags affected:	-
Bytes:	1
Cycles:	1 + skipped commands
Description:	Skip p3 commands if bit p2 of register p1 is set
Category:	Bitwise

skipCarC	Skip carry clear
Syntax:	skipCarC p1
Parameters:	p1 = NUMBER [1, 2, 3]
Calculus:	if (carry == 0) PC = PC + bytes of next p1 lines
Flags affected:	-
Bytes:	1
Cycles:	1 + skipped commands
Description:	Skip p1 commands if carry clear
Category:	Skip on flag
skipCarS	Skip carry set

acam messelectronic gmbh - Friedrich-List-Str.4 - 76297 Stutensee - Germany - <u>www.acam.de</u>



Syntax:	skipCarS p1
Parameters:	p1 = NUMBER [1, 2, 3]
Calculus:	if (carry == 1) PC = PC + bytes of next p1 lines
Flags affected:	-
Bytes:	1
Cycles:	1 + skipped commands
Description:	Skip p1 commands if carry set
Category:	Skip on flag

skipEQ	Skip on zero
Syntax:	skipEQ p1
Parameters:	p1 = NUMBER[1, 2, 3]
Calculus:	if (notequalzero == 0) PC = PC + bytes of next p1 lines
Flags affected:	-
Bytes:	1
Cycles:	1 + skipped commands
Description:	Skip p1 commands if result of previous operation is equal to zero
Category:	Skip on flag

skipNE	Skip on non-zero
Syntax:	skipNE p1
Parameters:	p1 = NUMBER[1, 2, 3]
Calculus:	if (notequalzero == 1)
	PC = PC + bytes of next p1 lines
Flags affected:	-
Bytes:	1
Cycles:	1 + skipped commands
Description:	Skip p1 commands if result of previous operation is not equal to zero
Category:	Skip on flag

skipNeg	Skip on negative
Syntax:	skipNeg p1
Parameters:	p1 = NUMBER[1, 2, 3]
Calculus:	if (signum == 1) PC = PC + bytes of next p1 lines
Flags affected:	-
Bytes:	1
Cycles:	1 + skipped commands

Description:	Skip p1 commands if result of previous operation was smaller than O
Category:	Skip on flag
skipOvrC	Skip on overflow
Syntax:	skipOvrC p1
Parameters:	p1 = NUMBER[1, 2, 3]
Calculus:	if (overflow == 0)
	PC = PC + bytes of next p1 lines
Flags affected:	-
Bytes:	1
Cycles:	1 + skipped commands
Description:	Skip p1 commands if overflow is clear
Category:	Skip on flag

skipOvrS	Skip on overflow
Syntax:	skipOvrS p1
Parameters:	p1 = NUMBER[1, 2, 3]
Calculus:	if (overflow == 1) PC = PC + bytes of next p1 lines
Flags affected:	-
Bytes:	1
Cycles:	1 + skipped commands
Description:	Skip p1 commands if overflow is set
Category:	Skip on flag

skipPos	Skip on positive
Syntax:	skipPos p1
Parameters:	p1 = NUMBER[1, 2, 3]
Calculus:	if (signum == 0) PC = PC + bytes of next p1 lines
Flags affected:	-
Bytes:	1
Cycles:	1 + skipped commands
Description:	Skip p1 commands if result of previous operation was greater or equal to O
Category:	Skip on flag

stop	Stop



Syntax:	stop
Parameters:	-
Calculus:	-
Flags affected:	-
Bytes:	1
Cycles:	1
Description:	The DSP and clock generator are stopped, the converter and the EEPROM go to standby. A restart of the converter can be achieved by an external event like ,watchdog timer', ,external switch' or ,new strain measurement results'. Usually this opcode is the last command in the assembler listing.
Category:	Miscellaneous

sub	Substraction	
Syntax:	sub p1, p2	
Parameters:	p1 = NUMBER[1, 2, 3] p2 = NUMBER[1, 2, 3] or 24-Bit number	
Calculus:	p1 = p2 - p1	
Flags affected:	COSZ	
Bytes:	1 (p1 = ACCU, p2 = ACCU) 4 (p1 = ACCU, p2 = NUMBER)	
Cycles:	1 (p1 = ACCU, p2 = ACCU) 4 (p1 = ACCU, p2 = NUMBER)	
Description:	Subtraction of 2 registers Subtraction of register from constant	
Category:	Simple arithmetic	

swap	Swap	
Syntax:	swap p1, p2	
Parameters:	p1 = ACCU [x, y, r] p2 = ACCU [x, y, r]	
Calculus:	p1 = p2 and p2 = p1	
Flags affected:	-	
Bytes:	1	
Cycles:	3	
Description:	Swap of 2 registers The value of two registers is exchanged between each other. Not possible with ACCU[z]	
Category:	RAM Access	

5 Assembly Programs

The PSØ9 assembler is a multi-pass assembler that translates assembly language files into HEX files as they will be downloaded into the device. For convenience, the assembler can include header files to be then downloaded. The user can write his own header files but also integrate the library header files as they are provided by acam. The assembly program is made of many statements which contain instructions and directives. The instructions have been explained in the former section 4 of this datasheet. In the following we describe the directives and some sample code.

Each line of the assembly program can contain only one directive or instruction statement. Statements must be contained in exactly one line.

Symbols

A symbol is a name that represents a value. Symbols are composed of up to 31 characters from the following list:

A - Z, a - z, O - 9, _

Symbols are not allowed to start with numbers. The assembler is case sensitive, so care has to be taken for this.

Numbers

Numbers can be specified in hexadecimal or decimal. Decimal have no additional specifier. Hexadecimals are specified by leading "Ox".

Expressions and Operators

An expression is a combination of symbols, numbers and operators. Expressions are evaluated at assembly time and can be used to calculate values that otherwise would be difficult to be determined.

The following operators are available with the given precedence:

Level	Operator	Description
1	0	Brackets, specify order of execution
2	* /	Multiplication, Division
3	+	Addition, Subtraction



5.1 Directives

The assembler directives define the way the assembly language instructions are processed. They also provide the possibility to define constants, to reserve memory space and to control the placement of the code. Directives do not produce executable code.

The following table provides an overview of the assembler directives.

Directive	Description	Example
CONST	Constant definition, CONST [name] [value] value might be a number, a constant, a sum of bothCONST Slope 42 CONST Slope constant + 3	
LABEL:	Label for target address of jump instructions. Labels end with a colon. All rules that apply to symbol names also apply to labels.	jsub LABEL1 LABEL1: jsubret
;	Comment, lines of text that might be implemented to explain the code. It begins with a semicolon character. The semicolon and all subsequent characters in this line will be ignored by the assembler. A comment can appear on a line itself or follow an instruction.	; this is a comment
<comment> <endcomment></endcomment></comment>	Comment, lines of text that might be implemented to explain the code. It begins with <comment> directive and ends with <endcomment> directive. All subsequent characters between these directives will be ignored by the assembler.</endcomment></comment>	<comment> this is a very long comment <endcomment></endcomment></comment>
#include	Include the header or library file named in the quotation marks "". The code will be added at the line of the include command. In the quotation marks there might be just the file name in case it is in the same folder as the program, but also the complete path.	<pre>#include "rdc.h"</pre>

PICOSTRAIN[®]

5.2 Sample Code

The following code shows the basic structure of any PSØ9 program:

;-----; File:program template.asm This is a template for a standard user program that shows the various possible flags that can be read to find out what caused the DSP to jump into the user code. Some part of user code ; needs to be executed on POR, some on External interrupt etc. Those jumps that are relevant to ; the user can be retained, the rest can be commented. ; Author: VK ; ;-----#include "config.h" #include "PS09_RAM_constants.h" ramadr 224+22 skipBitC r, 19, 1 ; Checking for power on reset flag, Bit 19 - in Status register Routine_POR jsub end goto ramadr 224+22 skipBitC r, 18, 1 ; Checking for SSN RST (S6) Button Pressed : Bit 18 - in Status register Routine Button Press isub end goto ramadr 224+22 ; Checking for Watchdog reset : Bit 17 - in Status register skipBitC r, 17, 1 Routine_watchdog jsub goto end ramadr 224+22 skipBitC r, 16, 1 ; Checking for End of measurement : Bit 16 - in Status register jsub Routine measurement end goto end 224+22 ramadr skipBitC r, 15, 1 ; Checking for wakeup in Sleep mode : Bit 15 - in Status register isub Routine_sleep_mode goto end ramadr 224+22 ; Checking for DSP start due to External Pin Interrupt : Bit 08 skipBitC r, 08, 1 in Status register Routine ext interrupt jsub goto end ramadr 80 ; Check for jump into user code because of Receive Int from UART: skipBitC r, 08, 1 Bit 08 - Reg.80 jsub Routine_uart_rec_int goto end Routine POR: ;------ Insert Power on reset routine here----nop jsubret



;-----**Routine Button Press:** ;------ Insert routine to be executed on Pushed button here-----nop isubret ;-----Routine_watchdog: ;-----Insert reset routine for watchdog reset here-----Insert reset nop jsubret ;-----Routine_measurement_end: ;-----Insert routine to be executed on measurement end here ----nop jsubret ;-----Routine_sleep_mode: ;-----Insert routine for wakeup in Sleep mode here----nop isubret ;-----Routine_ext_interrupt: ;-----Insert Interrupt service routine for External Interrupt from Pin here--nop jsubret ;-----Routine_uart_rec_int: ;-----Insert interrupt routine for UART receive Interrupt here-----nop jsubret ;----end: clrwdt stop ;----end of program-----

The following example from the Assembler program shows a simple program to display results on an LCD:

;-----_____ File: simple_meas_with_LCD.asm ; Author: VK / UTG ; _____ :----;-----; Simple program to demonstrate calculation of Initial Offset after POR and after the Initial Offset is taken, it goes to measure mode. State 1: Take init offset value (ignore first 4 measurements) Then average over next 5. ; State 2: Take measurement value and substract init offset value, then scale to display ; correct weight. ;

<pre>#include "config.h" ; The other include files are included at the end of the program</pre>				
CONST CONST CONST ; To store the ; 1 - if offse	<pre>init_offset_f count_measure temp_count init_offset_s e status of in et calculation</pre>	or_measurement ments tatus it_offset, 0 - if offs	121 122 123 124 et calculation is not yet complete	
<pre>start: ; On POR conf ramadr skipBitC jsub ; To use other</pre>	igure the PS09 224+22 r, 19, 3 cfg_spi_maste r pins for the	to act as SPI master ; Checking for power r; Configures the SPI	to communicate with the Holtek driver on reset : flg_rstpwr bit master lines on GPIO0, GPIO1 and GPIO2 this include file accordingly	
ramadr skipBitS jsub goto	<pre>get_init_offs end</pre>	et	; Check status of init offset	
ramadr skipBitS goto	22+224 r, 16, 1 end	e on measurement compl ; Check for end of me		
; Reading mea. ramadr move ramadr move sub abs	<pre>surement value 224+20 x, r init_offset_f y, r x, y x</pre>	HB0 into x Akku or_measurement		
shiftL move	x, 4 z, 0x8D5E5	; HB0 * 2^4 ; With 2000 g load an by 10 seen below): Me ; (2000 / 3629) * 2^2 ; This factor is furn (500/499) * 0x8D15F =	nd no multiplication factor (& with division eas.value = 3629 20 = 0x8D15F ther corrected with again 500 g load = 0x8D5E5 2^20 factors are multiplied to adjust for the	
mult24 move divmod move jsub move	x, z z, 10 x, z y, 0 notolcd z, 0x10	; Implicit to opcode ; division by 10 to a ; Number of digits a ; Routine to convert		
jsub end: clrwdt stop ;end of p		present in notolcd.h _on_Holtek ; Disp	laying the data with the Holtek driver	
; init_values: ramadr		-Subroutines		



clear r ramadr init offset status clear ramadr temp count ; Use a temporary counter clear r jsubret get_init_offset: move x, 0xFFFF00 ; setting all the segments move y, 0xFFFFFF move z, 0 isub display text on Holtek :----- Get current measurement value and save it to x for further processing ramadr 224+20 :HB0 value move x, r ;----- Count Loops and dismiss first 4 measurements ----ramadr temp_count ; Use a temporary counter incr r compare r,4 ; Is it higher than 4? -> Ignore first 4 measurements apply_roll_avg; From the 5th measurement, perform a rolling average gotoNeg roll_avg_init5; Initalize rolling average filter with measurement value in X jsub goto end init offset apply_roll_avg: ;----- Use rolling average filter for init offset value -----rolling avg 5 ; 5 times rolling average jsub ;----- Count Loops for Initial Offset ----count measurements ramadr incr r compare r,5 ; Take 5 measurements end init offset; Is it lesser than 5?, then take more measurements else store gotoPos the offset ;---- After 5 valid measurements save filtered value to RAM as initial offset for measurementinit_offset_for_measurement ; Init offset value for measurement mode ramadr move r, x init offset status ramadr ; Set status of init_offset_status to 1 (init offset taken) incr r end_init_offset: jsubret **#include "rollavg.h"**; This file is used to calculate the rolling average of the measurement #include "cfg_spi_master.h"; These include files are used ONLY for using the Holtek LCD driver #include "cfg_ht_driver.h" #include "notolcd.h" #include "display_value_on_Holtek.h" #include "display_text_on_Holtek.h"

For details on programming with the assembler tool please refer to the PSO9-EVA-KIT datasheet, which includes a description of the assembler software.



6 Miscellaneous


6.1 Bug Report

(See Data Sheet, Volume 1 "General Data and Front-end Description")

6.2 Document History

05.11.2014 First release of Volume 2, Version 1.0





acam-messelectronic gmbh Friedrich-List-Straße 4 76297 Stutensee-Blankenloch Germany Phone +49 7244 7419 - 0 Fax +49 7244 7419 - 29 E-Mail support@acam.de