

STOCK ITEM	* LIMITED STOCK AVAILABLE	DESCRIPTION	CATALOGUE PAGE	LIST PRICE GBP	SALE PRICE GBP	SALE PRICE EURO
130-MGF-23-C40	*	DN40CF MAGNESIUM FLUORIDE VIEWPORT, 22.8mm VIEW DIAMETER	87	464	190	266
130-ZNSE-23-C40	*	DN40CF ZINC SELENIDE VIEWPORT, VIEW DIAMETER 22.8mm.	87	464	190	266
150-FFT-IR-C16	*	UHV FIBRE OPTIC ALL METAL FEEDTHROUGH ON CF16 FLANGE INCLUDES 600MICRON IR CABLE AND F-SMA COUPLERS BOTH SIDES	92	522.5	350	490
150-FFT-UV-C16	*	UHV FIBRE OPTIC ALL METAL FEEDTHROUGH ON CF16 FLANGE INCLUDES 600MICRON UV CABLE AND F-SMA COUPLERS BOTH SIDES	92	522.5	350	490
210-D09-C40		SUB-D FEEDTHROUGH 9 WAY ON CF40 FLANGE	8	195	125	175
210-D15-C40		SUB-D FEEDTHROUGH 15 WAY ON CF40 FLANGE	8	228	165	231
210-D25-C40		SUB-D FEEDTHROUGH 25 WAY ON CF40 FLANGE	8	269	199	240
211-FS15-AIR	*	SUB D 15 WAY AIR SIDE CONNECTOR	14		5	7
211-FS37-AIR	*	SUB D 37 WAY AIR SIDE CONNECTOR	14	13	6	8
211-HSG-D09-SR-AMP	*	HIGH VACUUM HOUSING INCLUDING STRAIN RELIEF CLAMP OLD STYLE VERSION	14	28	9	12
211-HSG-D50-UHV	*	SUB-D50 HOUSING WITH STRAIN RELIEF, UHV	14	80	40	56
211-MS09-UHV		SUB-D 9 WAY MALE PLUG, GLASS CERAMIC, UHV TYPE	13	148	75	105
211-MS15-UHV		SUB-D 15 WAY MALE PLUG, GLASS CERAMIC, UHV TYPE	13	173	80	112
211-MS25-UHV		SUB-D 25 WAY MALE PLUG, GLASS CERAMIC, UHV TYPE	13	182	85	120

212-PINF-15-S		FEMALE CRIMP PINS FOR SUB-D SOCKETS, SMALL VERSION, PACK OF 15	15	17.5	8	11
212-PINF-25-NH		FEMALE CRIMP PINS FOR SUB-D, SPECIAL PINS FOR USE WITHOUT SOCKETS, PACK OF 25	15	24	12	17
212-PINM-10-S		MALE PINS FOR SUB-D PLUGS, SMALL TYPE, UHV & HV. PACK OF 10	25	8	4	5
221-10AL700-4-K16		DN16KF MULTIPIN FEEDTHROUGH, 4 PINS, ALUMEL CONDUCTORS, 1.4mm PIN DIA., 700 VOLTS, 10 AMPS, INCLUDING AIR SIDE MS STYLE AIR SIDE CONNECTOR	44	148	75	105
241-BNC-C40		DN40CF FLANGE WITH 1 BNC FEEDTHROUGH, SINGLE SIDED, GROUNDED SHIELD INCLUDES AIR SIDE CONNECTOR	26	70	49	69
241-BNC-K40		DN40KF FLANGE WITH 1 BNC FEEDTHROUGH, SINGLE SIDED, GROUNDED SHIELD INCLUDES AIR SIDE CONNECTOR	26	70	49	69
241-BNC-C40-3		DN40CF FLANGE WITH 3 BNC FEEDTHROUGHS, SINGLE SIDED, GROUNDED SHIELD INCLUDES AIR SIDE CONNECTORS	26	141	70	98
241-CON-SHV10	*	AIR SIDE CONNECTOR FOR SHV 10KV FEEDTHROUGH DN40CF COAXIAL FEEDTHROUGH, MHV, 1 PIN, SINGLE SIDED, GROUNDED SHIELD, 5KV DC, 3A, AIR SIDE	38	47	23	32
241-MHV-C40-4	*	CONNECTOR INCLUDED	30	70	35	42
241-SHV-C16-NC		DN16CF SAFE HIGH VOLTAGE 5KV FEEDTHROUGH, NO AIR SIDE CONNECTOR	32	86	69	105
242-BNC50-NC		BNC FEEDTHROUGH, 50 OHM TYPE, 500V DC, 3A, GROUNDED SHIELD, SINGLE SIDED, WELDABLE, NO AIR SIDE CONNECTOR	27	102	60	97
242-BNC50-C16-NC		DN16CF FLANGE WITH BNC FEEDTHROUGH, 50 OHM TYPE, 500V DC, 3A, GROUNDED SHIELD, SINGLE SIDED, NO AIR SIDE CONNECTOR	27	143	95	133
242-BNCF50		WELDABLE BNC FEEDTHROUGH, 50 OHM, 500V DC, 3A, FLOATING SHIELD, SINGLE SIDED INCLUDES AIR SIDE CONNECTOR	27	178	99	139

242-BNCF50-C16		DN16CF BNC FEEDTHROUGH, 50 OHM, 500V DC, 3A, FLOATING SHIELD, SINGLE SIDED INCLUDES AIR SIDE CONNECTOR	27	202	129	181
245-CON-SMA-1	*	UHV 50 Ohm SMA PLUG WITH PTFE INSULATION - FITS TO FEEDTHROUGH	38	39	19	27
245-CON-SMA-S	*	SMA VACUUM SIDE CONNECTOR (PLUG), UHV, 50 Ohms, MALE, STRAIGHT, SMALL SIZE, WITH PTFE INSULATION	38	42	21	29
250-SHVE10-C16	*	DN16CF WITH SHV10K FEEDTHROUGH, EXPOSED TYPE WELDABLE, SHV-20 COAXIAL FEEDTHROUGH, 1 PIN, 20KV, 15A, GROUND SHIELD, EXPOSED, SINGLE ENDED, AIR SIDE CONNECTOR INCLUDED	34	152	75	105
250-SHVE20	*		34	152	75	105
261-13SS1K	*	WELDABLE 1KV STN STL CONDUCTOR, 1 PIN 1.3MM	40	24	12	17
261-190CU3K-K40	*	DN40KF POWER FEEDTHROUGH, 3KV 600A, 1 PIN, COPPER CONDUCTOR, 19mm DIAMETER	43	156	80	112
262-TCC-3-C16	*	DN16CF THERMOCOUPLE FEEDTHROUGH, TYPE C, 3 PAIR	54	187	95	133
262-TCK-1	*	WELDABLE THERMOCOUPLE FEEDTHROUGH, TYPE K, 1 PAIR, AIR & VACUUM-SIDE CONNECTORS INCLUDED	54	59	29	41
264-63CU5K-2-K40	*	DN40KF POWER FEEDTHROUGH, 2 PINS, COPPER CONDUCTORS, 5000 VOLTS DC, 180 AMPS, 6.35mm PIN DIA.	43	125	62	87
267-075HV12K-4-C40	*	DN40CF HIGH VOLTAGE FEEDTHROUGH, 4 MOLYBDENUM PINS, 12KV, 7.5AMPS WITH AIR SIDE MS CONNECTOR	45	394	199	279
271-CB-6.4	*	WELDABLE DC CRYOGENIC BREAK 6KV, 6.4mm TUBE DIAMETER	50	64	32	45
311-KAP-010-5M		UHV KAPTON WIRE 0.1mm COPPER SINGLE STRAND length 5m	63	73	36	50

311-KAP-012-10M		KAPTON COATED COPPER WIRE 0.12mm, CLEAN FOR UHV, length 10m	63	93	46	64
311-KAP-170-10M		UHV KAPTON WIRE 1.7mm SINGLE STRAND COPPER, LENGTH 10M	63		48	67
311-KAP-RIB25-500		KAPTON RIBBON CABLE 25 WAY, 600V, SILVER PLATED COPPER, SUPPLIED AS 1X10 WAY & 1x 15 WAY, LENGTH 500MM	63	115	56	78
311-KAP-TAPE-33-25		KAPTON TAPE 25mm. WIDE, LENGTH 33m. MANUFACTURED WITH HIGH TEMPERATURE SILICONE ADHESIVE, SUITABLE FOR USE TO 260 DEGREES C.	Call sales for details	40	20	28
311-KAP-TCK-10M		KAPTON INSULATED THERMOCOUPLE WIRE, DOUBLE INSULATED. NO JUNCTION, TYPE K, 10m LONG	55	252	150	210
311-KAP50-10M		UHV CO-AXIAL KAPTON CABLE, 50 OHM, 10m LONG	64	225	125	175
311-KAP50-1M		UHV CO-AXIAL KAPTON CABLE, 50 OHM, 1m LONG	64	39	20	28
311-KAPM-060-PAIR2-3M		TWO TWISTED PAIRS UHV COAX CABLE, EACH STRAND 19X0.12mm, SILVER PLATED CONDUCTOR AND SHIELD, length 3m	64	110	55	77
312-KAP-TCN-1M		KAPTON ISOLATED THERMOCOUPLE TYPE N, 0.25mm, LENGTH 1m	55	30	15	21
363-SWITCH-2	*	UHV LIMIT SWITCH NORMALLY CLOSED 25x17x8mm, GOLD PLATED CONTACTS	70	156	70	98
380-MHV-MX-500	*	UHV 50 OHM CO-AXIAL KAPTON INSULATED CABLE ASSEMBLY FOR DOUBLE SIDED MHV TYPE FEEDTHROUGH, 5KV, WITH 1 x MHV CONNECTOR, 1 x OPEN END, 500mm LONG	68	87	42	59
411-ACF40-41	*	DN40CF UNIVERSAL WELD FLANGE, ROTATABLE, TUBE O.D. 41mm, WITH M6 TAPPED HOLES, 316L STN STL INNER, 304 STN STL OUTER	120	26	7	10
411-CF40-40	*	DN40CF BORED FLANGE, FIXED, THROUGH BOLT HOLES, WELD FLANGE, FOR TUBE 40mm OD, 316L STN STL	120	15	10	14

411-CF40-41T	*	DN40CF FIXED WELD FLANGE, TAPPED METRIC BOLT HOLES , 316L STN STL, FOR TUBE OD 41mm	119	24.5	15	21
411-CF63-70	*	DN63CF WELD FLANGE, FIXED, THROUGH BOLT HOLES, FOR 70mm TUBE O.D., 316L STN STL	119	52	40	56
411-CFB16R	*	DN16CF BLANK FLANGE ROTATABLE, THROUGH BOLT HOLES 316L STN STL	120	15	9	13
411-CG200-A		DN200CF OFE GASKETS, ANNEALED, PACK OF 5	122	86	55	77
411-CG50-H	*	DN50CF (3-3/8" OD CF) OFE COPPER GASKETS, PACK OF 10	Call sales for details	17	7	10
411-CG80-H	*	DN80CF OFHC COPPER GASKETS, PACK OF 10	Call sales for details		8	11
411-NP40-3		CF 3 NUT PLATE SET FOR CF40 FLANGES INCLUDES BOLTS	124	8	4	6
411-NP63-4		CF 4 NUT PLATE SET FOR CF63 FLANGES INCLUDES BOLTS	124	14.5	8	11
411-NP100-8		CF 8 NUT PLATE SET FOR CF100 FLANGES INCLUDES BOLTS	124	29	19	27
411-NP160-10		CF 10 NUT PLATE SET FOR CF160 FLANGES INCLUDES BOLTS	124	44	29	41
411-M4X20SET-316SH		M4X20, SET OF 25 NUTS, BOLTS AND WASHERS, MATERIAL 316, SOCKET HEAD.	123	21	10	14
411-M5X35SET-HX	*	M5X35, SET OF 25 NUTS, BOLTS AND WASHERS	Call sales for details		11	15
411-M6X35SET-316SH	*	M6X35, SET OF 25 NUTS, BOLTS AND WASHERS, MATERIAL 316, SOCKET HEAD.	123	17.5	12	17

411-M6X35SET-HX-SP	*	M6X35, SET OF 25 NUTS, BOLTS AND WASHERS, HEX HEAD, SILVER PLATED	124	28	15	21
411-M8-STUD-60	*	M8 STUD 60mm. LONG, PACK OF 10	123	19	9	13
411-M8X35SET-HX	*	M8X35, SET OF 25 NUTS, BOLTS AND WASHERS, HEX HEAD	123	15	9	13
411-M8X50SET-HX-SP	*	M8X50, SET OF 25, NUTS, BOLTS AND WASHERS, HEXAGON HEAD, SILVER PLATED	124	42.5	22	31
411-M8X70SET-HX	*	M8X70, SET OF 25 NUTS, BOLTS AND WASHERS, HEXAGON HEAD	123	30.5	20	28
412-CF100-40	*	DN100 TO 40CF TUBE ADAPTOR, 316L STN STL	125	195	95	133
418-CF16-19	*	DN16CF BORED FLANGE, FIXED, THROUGH BOLT HOLES, WELD FLANGE, FOR TUBE 19mm OD, 304L STN STL	Call sales for details	7	4	6
418-CF40-41T	*	DN40CF FIXED WELD FLANGE, TAPPED METRIC BOLT HOLES , 304, FOR TUBE OD 41mm	Call sales for details	24.5	12	17
418-CFBOW-C16	*	DN16CF 90° ELBOW, 304L STN STL	Call sales for details	43	22	31
418-CFX2-C63	*	DN63CF STRAIGHT CONNECTOR, ONE FIXED FLANGE, ONE ROTATABLE FLANGE, MATERIAL 304 STN/STL	Call sales for details	169	65	91
420-CFBI-0133-24	*	ATLAS FLANGE 1-1/3 CF (34mm), (DN16) FLUSH-MOUNT NON-ROTATABLE CF BIMETALLIC ATLAS FLANGE, BLANK ID, WITH M4X0.7 TAPPED HOLES (1.33ALSS-FMNRB-M)	Call sales for details		25	35
420-CFBI-0600-01	*	ATLAS FLANGE DN100CF BI-METAL FLANGE FLUSH MOUNT, 3.75" I.D	Call sales for details		50	70
431-KF10-B		DN10KF STAINLESS STEEL BLANK FLANGE	133	4	2	3

431-KF25-B-AL		DN25KF BLANK FLANGE, ALUMINIUM	133	5	3	4
431-KF50-CR-EX	*	DN50KF OUTER CENTRING RING, VITON O-RING, INNER: STN STL, OUTER: ALUMINIUM	132	10.5	6	8
433-KSR40-16	*	DN40KF - DN16KF STRAIGHT REDUCER, STN STL	Call sales for details	18	9	13
433-KSR40-25	*	DN40KF - DN25KF STRAIGHT REDUCER, STN STL	Call sales for details	20	10	14
433-KSR50-40	*	DN50KF - DN40KF STRAIGHT REDUCER, STN STL	Call sales for details	44	22	31
441-DCC-320-630-SS	*	DOUBLE CLAW CLAMP FOR FLANGES 320-630 ISO-K, STAINLESS STEEL	140	14	7	10
441-ISO063-CR-SV	*	DN63ISO-K STN STL CENTRING RING WITH VITON O RING	141	19	9	13
441-SCC-160-250-S	*	SINGLE CLAW CLAMP, ZINC PLATED (MILD) STEEL, FOR DN160ISO UP TO DN250ISO FLANGES	140	3.5	2	3
452-ALHF-K16	*	DN16KF HOSE CONNECTOR FOR HOSES, ALUMINIUM	137	13	7	10
452-HOSE-C16-1000	*	DN16CF FLEXIBLE STN STL HOSE, 1000mm LONG, 1XFIXED 1XROTATABLE FLANGES	130	95	50	70
452-KFX2-16-BEL	*	DN16KF FLEXIBLE COUPLING, THIN WALL HIGH- FLEXIBILITY, LENGTH 60mm, STAINLESS STEEL	137	63	40	56
452-KFX2-25-BEL	*	DN25KF FLEXIBLE COUPLING, THIN WALL HIGH- FLEXIBILITY, LENGTH 60mm, STAINLESS STEEL	137	73	38	53
461-PBD-K25	*	DN25KF STANDARD PRESSURE BURST DISC, (MAX 1.8 BAR OVER ATMOSPHERIC)	150	191	95	133
490-59-C1-909	*	KF40 FLEXIBLE CONNECTOR, 40mm id, 3m LONG	Call sales for details		25	35

490-A100074	*	KF40 FLEXIBLE CONNECTOR, 50mm id, 2.5m LONG	Call sales for details		30	42	
490-A100079	*	KF25/KF16 FLEXIBLE CONNECTOR, 12mm id, 3.5m LONG	Call sales for details		25	35	
490-A100082	*	KF40/KF25 FLEXIBLE CONNECTOR, 50mm id, 3.5m LONG	Call sales for details		30	42	
490-A100083	*	KF25/KF16 FLEXIBLE CONNECTOR 8mm id, 2.5m long	Call sales for details		15	21	
490-A100090	*	KF25/KF16 FLEXIBLE CONNECTOR, 8mm id, 2m LONG	Call sales for details		13	18	
640-QAD63-VP	*	DN63CF QUICK ACCESS DOOR, WITH 60mm VIEW DIA., VITON DOOR SEAL, INCLUDES BOLTS	Call sales for details	682	350	490	
710-IVC-250	*	SYCON IN-VACUUM CABLE 250mm. LONG		114	73	30	42

All prices exclude VAT

Includes 1 year warranty

To flange unflanged items

add price of flange + GBP20 (EUR 28) for cleaning and welding