

For demanding applications

# PRECISION & LAB GRADE

Test Cables, Adapters, Connectors



RF Connectors designs and manufactures precision grade, high-frequency stainless steel connectors, adapters and cable assemblies for OEM, military and metrology labs.

**RFP<sup>2</sup>**™  
RF PRECISION PRODUCTS

View our Precision Products line at <http://www.rfp2.com/>



Request a copy of our whitepaper on "Improving Measurement Accuracy for High Frequency RF Connectors".

[www.rfcoaxconnectors.com](http://www.rfcoaxconnectors.com)  
[tech@rfindustries.com](mailto:tech@rfindustries.com)  
(858) 549-6340 or (800) 233-1728

**RF**  
connectors

Division of RF Industries



3.5mm ADAPTERS	
	3.5mm Female to 3.5mm Female, SS,G,R <b>RF35F-35F-00000</b>
	3.5mm Male to 3.5mm Female, SS,G,R <b>RF35M-35F-00000</b>
	3.5mm Male to 3.5mm Male, SS,G,R <b>RF35M-35M-00000</b>
	3.5mm Male to 3.5mm Male, G,G,R <b>RF35M-35M-G0000</b>
	3.5mm Adapter Kit with Zippered Case (contains RF35F-35F-00000, RF35M-35F-00000, RF35M-35M-00000) <b>RFA-4031-01</b>
SMA ADAPTERS	
	Male to Male Test Grade suitable for lab or field applications, low VSWR to 18GHz, SS-G-T <b>P2RSA-3703</b>
	Female to Female Test Grade suitable for lab or field applications, low VSWR to 18GHz, SS-G-T <b>P2RSA-3704</b>
	Female to Female Torque Proof, Test Grade with hex center, low VSWR to 18GHz, SS-G-T <b>P2RSA-3704-1</b>
	Male to Female Test Grade, low VSWR to 18GHz, SS-G-T <b>P2RSA-3705</b>
	Male to Female Torque Proof, Test Grade with hex center, low VSWR to 18GHz, SS-G-T <b>P2RSA-3705-1</b>
	SMA Male to N Female Test Grade, low VSWR to 18GHz, SS-G-T <b>P2RSA-3752</b>
	SMA Male to N Male Test Grade, rugged design suitable for use on Anritsu Site Master, SS-G-T <b>P2RSA-3753</b>
	SMA Female to N Female Test Grade, rugged design suitable for use on Anritsu Site Master, SS-G-T <b>P2RSA-3777</b>
	SMA Female to N Male Test Grade Adapter, rugged design suitable for use on Anritsu Site Master, SS-G-T <b>P2RSA-3778</b>

7/16 DIN ADAPTERS	
	7/16 DIN Male to 7/16 DIN Male Barrel, SS Coupling Nut; WB-WB-T <b>P2RFD-1650-SS</b>
	7/16 DIN Male to 7/16 DIN Female Right-Angle, SS Coupling Nut; WB-WB-T <b>P2RFD-1652-SS</b>
	7/16 DIN Male to 7/16 DIN Female Test-Grade, Right-Angle; WB-WB-T <b>P2RFD-1652-4</b>
	7/16 DIN Female to 7/16 DIN Female Barrel; WB-WB-T <b>P2RFD-1653-4</b>
	7/16 DIN Female to 7/16 DIN Male Barrel, SS Coupling Nut; WB-WB-T <b>P2RFD-1660-SS</b>
	7/16 DIN Female to 7/16 DIN Male Barrel; WB-WB-T <b>P2RFD-1660-4</b>
7/16 DIN to N ADAPTERS	
	7/16 DIN Male to N Male, with SS coupling nut, WB-WB-T <b>P2RFD-1670-SS</b>
	7/16 DIN Male to N Male, WB-WB-T <b>P2RFD-1670-4</b>
	7/16 DIN Male to N Female, with SS coupling nut, WB-WB-T <b>P2RFD-1671-SS</b>
	7/16 DIN Male to N Female, WB-WB-T <b>P2RFD-1671-4</b>
	7/16 DIN Female to N Male, with SS coupling nut, WB-WB-T <b>P2RFD-1672-SS</b>
	7/16 DIN Female to N Male, WB-WB-T <b>P2RFD-1672-4</b>
	7/16 DIN Female to N Female, WB-WB-T <b>P2RFD-1673-4</b>
	7/16 DIN Adapter Kit Stainless Steel Ruggedized, WB-WB-T (Contains: P2RFD-1652-SS, P2RFD-1653-4, P2RFD-1670-SS, P2RFD-1671-SS, P2RFD-1672-SS, P2RFD-1673-4) <b>P2RFA-4013-SS</b>

4.1/9.5 (Mini) DIN ADAPTERS	
Also available in kits	
	4.1/9.5 Male to 4.1/9.5 Female; WB,S,T <b>RFD-4195-1950</b>
	4.1/9.5 Male to 4.1/9.5 Female, Right Angle; WB,S,T <b>RFD-4195-1951</b>
	4.1/9.5 Female to 4.1/9.5 Female; WB,S,T <b>RFD-4195-1953</b>
	4.1/9.5 Male to N Male; WB,G,T <b>RFN-1045-4</b>
	4.1/9.5 Male to N Female; WB,G,T <b>RFN-1046-4</b>
	4.1/9.5 Female to N Female; WB,G,T <b>RFN-1047-4</b>
	4.1/9.5 Female to N Male; WB,G,T <b>RFN-1048-4</b>
	4.1/9.5 Male to 7/16 Female; WB,S,T <b>RFD-1681-4</b>
	4.1/9.5 Male to 7/16 Female; WB,S,T <b>RFD-1682-4</b>
	4.1/9.5 Female to 7/16 Female; WB,S,T <b>RFD-1683-4</b>
	4.1/9.5 Female to 7/16 Male; WB,S,T <b>RFD-1684-4</b>
TEST CABLES	
	Precision Test Grade Cable Jumpers for use to 18 GHz <b>P2RFC-1004-36</b>
	Precision Test Grade Cable Jumpers for use to 26.5 GHz <b>P2RFC-1055-36</b>
	Precision Armored Test Grade Cable Jumpers for use to 26.5 GHz <b>P2RFC-1055A-36</b>

**PLATING**

G=Gold, R= Rexolite®, SS=Stainless Steel, T=PTFE, WB=White Bronze



RF CONNECTORS, Division of RF Industries 7610 Miramar Road San Diego, CA 92126  
(800) 232-1728, (858) 549-6340, (858) 549-6345m, tech@rfindustries.com, www.rfcoaxconnectors.com  
View our Precision Products line at <http://www.rfp2.com/>

Manufactured by  
**RF connectors**  
Division of RF Industries