CALRAD 35 series - adapters



35-500 1/4" Stereo phone jack to 1/4" mono phone plug adapter.



35-518 3.5 mm Stereo jack to 2.5 mm stereo plug adapter.

35-538-P

Plastic body

version of

35-538

35-539

3.5 mm mono

jack to RCA-type

pin plug. Shielded. Nickel

plated.

NEW Iter



35-506 1/4" phone jack to 3.5mm phone plug. Shielded. Nickel plated.





35-582 2.5mm stereo jack to a 3.5mm stereo plug.



35-517 RCA-type phone jack to 1/4" phone plug. 35-517G Gold version.



35-522 3.5 mm mono plug to 1/4" stereo jack, shielded. Metal housina.



35-549 Solid body gold RCAtype phone jack to 1/4'' phone plug. 35-549-NK Nickel version.



35-536 3.5mm mono jack to a mono 1/4" plug.

35-563

35-550-NK

All metal version.



35-517-RT RCA-type phone jack to 1/4" phone plug. Right angle.



35-537 1/4" mono phone jack to RCA-type plug. Nickel plated, shielded.



35-564 3.5 mm stereo jack to 1/4" . mono plug.



35-551 Stereo mini 3.5 mm plug to stereo 1/4" phone jack. 35-551G Gold version. 35-551-NK NEW Item



35-512 3.5 mm Stereo plug to RCA female adapter.



35-538 RCA-type pin jack to miniature 3.5 mm mono plug.Nickel plated, shielded.




35-565 3.5 mm mono jack to 3.5 mm stereo plug.



35-552 3.5 mm mono plug to 3.5 mm stereo mini jack.







35-550 Stereo 1/4" phone plug to 3.5 mm stereo mini jack. 35-550G Gold version.

All metal version.



1/4" mono jack





35-542 Stereo 1/4" phone plug to mono 3.5 mm jack. Shielded.



35-540 3.5 mm jack to 2.5 mm plug. Shielded. Nickel plated.



Stereo 1/4" phone jack to 3.5 mm mono plug. Shielded.



35-541 2.5 mm jack to 3.5 mm plug. Shielded. Nickel plated.



NEW Iten



<u>CALRAD</u> 35 series - adapters



35-484 Right angle stereo 3.5 mm jack to 3.5 mm stereo plug.



35-566 Right angle stereo 1/4" phone plug to stereo 3.5 mm jack.



35-583 2.5 mm mono plug to RCA jack.




35-445 1/4" mono to mono plugs. 35-446 1/4'' stereo to stereo pluas.



35-580 Shielded barrel connector, 1/4" mono to 1/4" mono coupler. 35-580A



35-548 RCA-type pin plug adapter. Male to male RCA plugs. Gold.



35-547 female. Nickel plated.





35-497 page 76, 77.



35-546G Gold version of 35-545. Shielded 35-546-NK Nickel version of 35-546. Shielded.

35-581

Shielded barrel

connector,

3.5 mm stereo

jack to 3.5 mm



35-545 RCA-type coupler. Connects 2 RCA plugs.



35-569 Dual female RCA barrel jack. Gold plated.



35-502G Triple A/V coupler. Gold plated RCA jacks.



Stereo version.



35-498BH (Nickel) 35-498G-BH (Gold) Bulkhead SVHS connector with flange. Panel mount 4 pin SVHS female to female. Mounts in 1/2" single "D" hole.



SVHS "Y" adapter. Nondirectional pin-to-pin splitter. Luminance and chrominance. Signals at flash port. For SVHS signal separators see






35-497A SVHS "Y" adapter. Molded and shielded "Y" cable with 1-male to 2female, pin to pin wiring. Overall length 12".

35-497A-6 6' version. For SVHS signal separators see page 76, 77.



35-544 3.5 mm to 3.5 mm mono barrel connector. Shielded.







SVHS inline coupler, 4, 6, or 8 pin female each end.



35-499-S SVHS female to composite RCA male cable assembly. Converts SVHS signals to composite video. Bidirectional. 6" long. Gold plated connectors and black chrome body.



35-495 Midi coupler. 5 pin DIN coupler - female each end.



35-499-SF SVHS female to RCA female adapter. Converts SVHS signals to composite video. Bidirectional. .47" long. Converts SVHS signals to composite video. Bidirectional. Gold plated connectors and black chrome body.

35-498 (Nickel) 35-498BC (Black chrome) Bulkhead SVHS connector with 2 nut mounting. Panel mount 4 pin SVHS female to female. Mounts in 1/2" double "D" hole



35-499-BNC SVHS male to BNC female adapter. Converts SVHS signals to composite video Bi-directional. Gold plated connectors and black chrome body

35-499F-BNC SVHS female to BNC female adapter.





<u>CALR</u>AD 35 series - adapters



35-600 HD-DB15 "Y" shielded low loss cable. Male HD-DB15 SVGA connector to 2 female HD-DB15 SVGA connectors. Used to drive 2 monitors from a single graphics card.



35-586G Shielded "Y" 3.5 mm stereo plug to left and right dual RCA jacks. Gold.



35-587G Shielded "Y" adapter, 1/4" mono plug to dual 1/4" mono jacks. Gold.



35-480 Right angle RCA male to female adapter, heavy duty gold plating with *teflon* insulator.



35-503 Shielded "Y" 1/4" phone plug to two RCA jacks in parallel.

35-503G Gold version.



35-588G Shielded "Y" 3.5 mm stereo plug to dual 1/4" stereo jacks. Gold



35-574G "Y", 1/4" mono plug to dual 3.5 mm mono jacks. Gold.



35-481 Long version of 35-480. Right angle RCA male to female adapter, heavy duty gold plating with *teflon* insulator.



35-516G Shielded"Y", 1/4" stereo phone plug to right and left dual RČA jacks. Gold.



35-553G Shielded "Y", mm stereo plug. Gold.



35-575 "Y", one 1/4" stereo plug to two 1/4" stereo jacks. Gold.



35-487 1/4" mono plug to right angle RCA jack, teflon insulator. Gold plated.



35-504 Shielded "Y", RCA plug to two RCA jacks in parallel. 35-504G Gold version.



35-554G Shielded "Y' 1/4" stereo plug to two 3.5 mm stereo jacks. Gold



35-479 1/4" male to 1/4" female, right angle (mono).

35-479A Stereo version.



35-488 3.5 mm mono plug to right angle RCA jack, teflon insulator. Gold plated.



35-585G Shielded "Y", dual RCA jacks to a 3.5 mm mono plug. Gold



35-519G Shielded "Y" one 3.5 mm mono plug to two mono 3.5 mm jacks. Gold.



35-567G 3.5 mm stereo plug to 1/4" stereo right angle jack. Gold.



35-589 **Right angle RCA** jack to a 3.5mm stereo plug. Nickel plated.



35-505 Shielded "Y", one RCA female jack to two RCA female jacks.

35-505G Gold version.



35-584G Shielded "Y" 3.5 mm mono plug to dual 1/4" mono jacks. Gold



35-568 Right angle 1/4" stereo plug to 1/4" stereo jack. Nickel plated.



35-511G RCA plug to RCA jack right angle, gold plated.



two 3.5 mm stereo jacks to single 3.5

<u>CALRAD</u> 35 series - adapters



35-485 "T" adapter, RCA jack to two RCA plugs, heavy gold plating with teflon insulator.

NEW Item



35-486 "T" adapter, RCA jack to two RCA jacks, heavy gold plating with teflon insulator.



35-442 Toslink fiber-optic splitter. Non directional. Connects 3 toslink cables together. For cables see pages 75, 76, converters, amplifiers see pages 12, 13.

Toslink



35-559 3.5 mm stereo plug to two 3.5 mm mono jacks, shielded. 10″ long.



35-531 Two 3.5mm mono iacks to one 3.5mm mono plug. Shielded cable. $10 \frac{1}{2''}$ long.



35-443 Fiber-optic toslink male to 3.5mm female. Bi-directional signal path. For cables see pages 75, 76, converters, amplifiers see pages 12, 13.



35-556 Two stereo 1/4" phone jacks to 3.5 mm stereo plug, shielded. 11" long.



35-572 Two 3.5 mm mono plugs to one 3.5 mm mono jack, shielded. 10" long.



35-482 **Right** angle RCA plug to two RCA jacks, heavy gold plating with teflon insulator.



35-444 Right angle toslink. 2 piece construction enables the 360° rotation of cable. Female in to male out. For cables see pages 75, 76, converters, amplifiers see pages 12, 13.



35-557 3.5 mm stereo plug to two RCA jacks, shielded.



35-535 RCA male to two 3.5 mm female mono jacks, shielded. 7 1/2" long.



35-483 Right angle RCA plug to two RCA jacks, heavy gold plating with *tellon* insulator. For cables see pages 75, 76, converters, amplifiers see pages 12, 13.



35-439 SJ-437 Passive 3-way toslink optical switch. Passive selection knob with a spring loaded lock mechanism and seleciton indicator. Bi-directional switching. Size: 5.5"W x 1.3"H x 4.5"D. For cables see pages 75, 76, converters, amplifiers see pages 12, 13.



3.5 mm stereo plug to two 3.5 mm mono plugs, shielded. 10" long.



35-478 One 3.5 mm mono jack to two RCA jacks, shielded. 10" long.



35-440 Fiber-optic 3 .5mm male to toslink female bi-directional signal path. For cables see pages 75, 76, converters, amplifiers see pages 12, 13.



35-555 Two 3.5 mm stereo jacks to single 3.5 mm stereo plug, shielded.



35-476 "Y" cable. 3.5mm stereo plug to dual 1/4" mono plugs, shielded. 10" long.



35-578 One RCA jack to dual RCA-type jacks, shielded. 10″ long.



35-441 Fiber-optic toslink barrel jack. Female to female. Overll length .72". For cables see pages 75, 76, converters, amplifiers see pages 12, 13.



35-562 3.5 mm stereo plug to dual RCAtype plugs, shielded.



35-528 Two RCA jacks to one 3.5mm mono plug, shielded. 10" long.



35-558 3.5 mm stereo jack to two RCA-type plugs, shielded. 35-558-6 6' version





CALRAD 35 series - adapters



35-501A "Y" adapter for dual stereo listening. 1/4" stereo plug to two 1/4" stereo jacks. 3 ft. long. Shielded.



35-592 One 1/4" mono jack to two RCA jacks, shielded. 10" long.



35-571 Two 1/4" mono plugs to one 1/4" mono jack, shielded. 11 " long.



35-527-6 6 ft. version of 35-527. Gold plated. Shielded.



35-576 1/4" mono plug to two RCA male plugs, shielded. 10" long.



35-593 One 1/4" mono jack to two RCA plugs, shielded. 10″ long. 55-997



35-475 Two 3.5 mm stereo plugs to one 3.5 mm stereo jack, shielded. 10" long.




35-529 3.5mm mono plug to two RCA male plugs, shielded. 12" long.




35-577 1/4" male mono to two RCA females. shielded.



35-594 3.5mm stereo jack to two 1/4" mono plugs, shielded. 8" long.



35-525 RCA plug to two RCA-type pin jacks, shielded.



35-530 Two RCA plugs to one RCA jack, shielded.



35-561 1/4" stereo plug to two $1/\dot{4}$ " mono plugs, shielded. 6 ft. long, black.



35-477 "Y" cable. 1/4" stereo plug to dual 1/4" mono jacks, shielded. 6 ft. long.



35-525-HG 8mm HG "Y" cable with gold plated connectors. RCA male to dual RCA females. 6" long.



35-530-HG 8mm HG "Y" cable with gold plated connectors. RCA female to dual RCA males. 6" long. Shielded.



35-590 3.5mm stereo plug to two 1/4" mono jacks, shielded. $11^{1/2''}$ long.



35-579 Two mono 1/4" plugs to 1/4" stereo jack, shielded. 10" long.



35-526 RCA plug to one RCA plug and one RCA jack, shielded. 10" long.



35-573 3.5 mm mono iack to two RCA plugs, shielded. 10" long.



35-591 One 1/4" stereo plug to two 3.5mm stereo jacks, shielded. 10" long.



35-570 1/4" mono plug to two $1/\dot{4}$ " mono jacks, shielded. 12" long.



35-527 RCA plug to two RCA plugs, shielded. 10" long.



35-532 Stereo 1/4" plug to two RCA plugs, shielded. 10" long. 55-902 5 ft. version.





CALRAD 35 series - adapters

35-450 thru 35-463 XLR adapters on this page are wired: Pin 1 & 3 = Ground / Pin 2 = Hot



35-533 Stereo 1/4" plug to two 3.5mm mono plugs, shielded. 11" long.



35-454 3 Pin XLR female jack to RCA type plug.



35-534 Stereo 1/4" plug to two RCA jacks, shielded. 10" long.



35-455 3 Pin XLR male plug to RCA plug.



35-523 3.5 mm stereo plug to 1/4" stereo female jack, shielded. 12" long.



35-456 3 Pin XLR female jack to 1/4" stereo plug.



35-524 3.5 mm mono plug to 1/4" stereo jack, shielded. 16" long.



35-457 3 Pin XLR male plug to ¹/4" stereo plug.



35-452 3 Pin XLR female jack to 1/4" mono plug.



35-453 3 Pin XLR male plug to 1/4" mono plug.



35-459 3 Pin XLR male plug to BNC jack.



35-460 3 Pin XLR female jack to RCA jack.



35-461 3 Pin XLR male plug to female RCA jack.



35-464 3 Pin XLR female jack to 3 Pin XLR male plug. Crossing wire for pin 2 and 3.



35-465 Inline XLR ON/OFF microphone switch. 3 Pin XLR male plug to XLR female jack.

See page 8 for 10 Series cable type XLR adapters.



35-462 3 Pin XLR female jack to ¹/4" stereo jack. **35-450**

3 Pin XLR female jack to ¹/4" mono jack.



35-466 3.5mm stereo female jack to XLR female. Wired pin 1 = ground, pin 2 = tip & ring. 8" long. Black PVC jacket.



35-463 3 Pin XLR male plug to ¹/4" stereo jack. **35-451** 3 Pin XLR male plug to

1/4" mono jack.



35-467 3.5mm stereo female jack to XLR female plug. Wired pin 1 = ground, pin 2 = tip, pin 3 = ring. 8" long. Black PVC jacket.



30-525 XLR 3 pin female to female coupler.



35-468 3.5mm stereo female jack to XLR male. Wired pin 1 = ground, pin 2 = tip & ring. 8" long. Black PVC jacket.



30-524

XLR 3 pin male

to male coupler.

35-469 3.5mm stereo female jack to XLR male plug. Wired pin 1 = ground, pin 2 = tip, pin 3 = ring. 8" long. Black PVC jacket.



