



BLT Circuit Services Ltd
Brome Ind. Est. Brome, Eye,
Suffolk, IP23 7HN, England
Tel: 01379 870870
Fax: 01379 870970
e-mail:sales@blt.keme.co.uk
www.bltcircuitservices.co.uk

Technical Data

Anionic Flocculant ANF 30

Description

ANF 30 is a highly concentrated liquid, organic flocculant with a medium anionic charge for use in water treatment systems to settle heavy metals, in particular Copper, Tin, Lead and Nickel.

Benefits

- Highly Concentrated, economical
- Can be diluted readily in cold water
- Effective at low concentrations
- Shelf life 12 months (concentrate)
- Rapid, complete settlement

Application

Use a 0.25% v/v solution in water.

NB. Always add the **ANF 30** to water and stir well until an even dispersion is obtained. Add 1-3 litres of the dilute solution per m³ of waste water neutralised to pH 8-9.5 using a variable flow diaphragm pump.

The flocculant should be introduced to the waste water at the point of entry in to the settling system. Avoid over agitation after flocculant addition as this will reduce the efficiency of the flocculant.

BLT design and manufacture full waste treatment and flocculant dosing systems.

Handling Precautions

Refer to separate Health and Safety data sheet.

Spills are very slippery. Ensure that any spillage is dispersed by thorough rinsing with water.

Warranty

All reasonable endeavours have been made to ensure that the information contained in this data sheet is accurate, but it is submitted on the express condition that BLT Circuit Services Ltd. shall be under no liability whatsoever in respect thereof or for any loss, injury, damage or liability of whatsoever nature arising, suffered or incurred as a consequence of its use.