

2017-18 MARINE

Switches, Circuit Protection & ELCI/GFCIs





Carling Technologies®

Innovative Designs. Powerful Solutions.

With decades of design and manufacturing experience,

Carling Technologies is the market leader in transportation application switches & control modules providing solutions to most all major OEMs. Carling's switches are widely used and the most recognizable brand in the industry with unmatched quality and aesthetics. With over 95 years of design experience, Carling Technologies is also able to provide custom product solutions such as operator control modules and custom electronic controls, that are sure to meet the most stringent design requirements.



CORPORATE LOCATIONS

Founded in 1920, there are few products that Carling Technologies hasn't turned "ON" and fewer industries that haven't turned to Carling for solutions. With ISO and TS registered manufacturing facilities and technical sales offices worldwide, Carling ranks among the world's largest manufacturers of circuit breakers, switches, PDU's, digital switching systems and electronic controls.



- Worldwide Headquarters, **Plainville, CT, USA**
ISO9001:2008, ISO/TS16949:2009
- Carling Technologies Inc., **Brownsville, TX, USA**
ISO14001:2004, ISO9001:2008, ISO/TS16949:2009
- Interruptores de Mexico, **Matchuala, SLP, Mexico**
ISO14001:2004, ISO9001:2008, ISO/TS16949:2009

- Carling Technologies Ltd., **Exeter, Devon, England**
ISO9001:2008, ISO/TS16949:2009
- Carling Technologies Asia-Pacific Ltd., **Tsimshatsui, Kowloon, Hong Kong**
ISO9001:2008, ISO/TS16949:2009
- Carlingswitch Manufacturing Co., Ltd., **Zhongshan City, Guangdong, China**
ISO14001:2004, ISO9001:2008, ISO/TS16949:2009



SEALED SWITCHES & CONTROLS

V-Series *Contura Switch*

The V-Series Contura switches are well known for their cutting-edge design, high quality, maximum performance, and unmatched reliability.

- 1-2 Poles
- Ratings: Dry circuit up to 15A, 24VDC; 15A 125VAC; 10A 250VAC
- IP66/67 Sealing Protection Above Panel
- Base Accommodates up to 10 Terminals
- Available as a Full Switch or Actuator Only



BD-Series *Battery Disconnect*

The battery disconnect switch is designed to minimize battery drain, ensure maintenance personnel safety, and when used in conjunction with a padlock, provide vehicle theft protection.

- 1 Pole
- Ratings: 100-250 Amps 12VDC/24VDC
- IP67 Sealing Protection
- Ergonomic Knob Actuator
- M10 Stud Termination



V-Charger

The USB V-Charger is designed to charge tablets, e-readers, mobile and gaming devices, digital cameras, as well as other compatible electronic devices.

- Dual USB Charging Ports
- 3.15 Amps for Faster Charging
- 10,000 Operating Cycles per Port
- 12-24V Operating Voltage
- Protection for Internal Components



CIRCUIT PROTECTION

Hydraulic-Magnetic

We offer a large variety of hydraulic-magnetic circuit breakers from .02 to 700 amps with UL, CSA, VDE, TUV, UL489, UL1500 certifications.

- 1-6 Poles
- Rocker, Handle, and Toggle Actuator Styles
- Featured Lines: A-Series, B-Series, & C-Series



Thermal Protection

Large variety of 3 to 60 amp rated, snap in and bushing mounted, push-to-reset button thermal circuit breakers with UL, CUL, CE, UL1500/ISO8846 certifications.


- CMB/CLB-Series: 1 Pole; 3 to 60A, 125-250VAC, 32VDC
- Hexseal Available



ELCI's

The PB-Series AC Residual Current Circuit Breaker with Overcurrent Protection (RCBO) combines the ground fault protection of an ELCI with the familiar overcurrent tripping characteristics of a normal breaker.

- 1-3 Poles
- Rating: 0.10-30A, 120-240VAC
- Panel Seal Available





Worldwide Headquarters

Carling Technologies, Inc.

60 Johnson Avenue, Plainville, CT 06062

Tel: (860) 793-9281

Fax: (860) 793-9231

Email: sales@carlingtech.com

Web: www.carlingtech.com

Northern Region Sales Office

nrsm@carlingtech.com

Southeast Region Sales Office

sersm@carlingtech.com

Midwest Region Sales Office

mrsm@carlingtech.com

West Region Sales Office

wrsm@carlingtech.com

Latin America Sales Office

larsm@carlingtech.com

Asia-Pacific Headquarters

Carling Technologies, Asia-Pacific Ltd.

Kowloon, Hong Kong

Tel: Int + 852-2737-2277

Fax: Int + 852-2736-9332

Email: sales@carlingtech.com.hk

Shenzhen, China

shenzhen@carlingtech.com

Shanghai, China

shanghai@carlingtech.com

Pune, India

india@carlingtech.com

Kaohsiung, Taiwan

taiwan@carlingtech.com

Yokohama, Japan

japan@carlingtech.com

Europe/Middle East/ Africa Headquarters

Carling Technologies LTD

4 Airport Business Park, Exeter

Airport, Clyst Honiton, Exeter,

Devon, EX5 2UL, UK

Tel: Int + 44 1392-364422

Fax: Int + 44 1392-364477

Email: ltd.sales@carlingtech.com

Germany

gmbh@carlingtech.com

France

sas@carlingtech.com