

















TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT / THT
New	(L)x(W)x(Ht)				
 CTSQH3D11CS	4.0x4.0x1.2	Shielded Geschirmt		530mA~2000mA	SMT
 CTSQH3D16CS	4.0x4.0x1.8	Shielded Geschirmt		460mA~2000mA	SMT
 CTSQH4D14CS	5.0x5.0x1.5	Shielded Geschirmt		510mA~2.25A	SMT
 CTSQH4D18CS	5.0x5.0x2.0	Shielded Geschirmt		140mA~1.72A	SMT
 CTSQH4D22CS	5.0x5.0x2.4	Shielded Geschirmt		480mA~4.2A	SMT
 CTSQH4D28CS	5.0x5.0x3.0	Shielded Geschirmt		220mA~2.56A	SMT
 CTSQH5040CS	5.0x5.0x4.0	Shielded Geschirmt		680mA~13.00A	SMT
 CTSQH6020CS	6.0x6.0x2.0	Shielded Geschirmt		360mA~1.95A	SMT
 CTSQH5D18CS	6.0x6.0x3.0	Shielded Geschirmt		420mA~2.60A	SMT
 CTSQH5D28CS	7.0x7.0x3.0	Shielded Geschirmt		0.54A~3.0A	SMT
 CTSQH6D28CS	7.6x7.6x3.55	Shielded Geschirmt		0.25A~14.4A	SMT
 CTSQH73HCS	7.0x7.0x4.0	Shielded Geschirmt		0.65A~3.5A	SMT
 CTSQH6D38CS	7.6x7.6x4.5	Shielded Geschirmt		0.31A~18.4A	SMT
 CTSQH74HCS	10.3x10.5x4.0	Shielded Geschirmt		0.70A~10.0A	SMT
 CTSQH104CS	10.3x10.5x5.1	Shielded Geschirmt		0.42A~9.5A	SMT
 CTSQH1105CS	10.3x10.5x4.5	Shielded Geschirmt		0.53A~24.4A	SMT
 CTSQH125CS	12.5x12.5x6.0	Shielded Geschirmt		0.40A~8.0A	SMT
 CTSQH127CS	12.5x12.5x8.0	Shielded Geschirmt		0.55A~9.8A	SMT

TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT / THT
Size : 2x2	(L)x(W)x(Ht)				
CTSQH2012S 	2.1x2.1x1.2	Shielded Geschirmt		1.10A~1.90A	SMT
Size : 2.5x2	(L)x(W)x(Ht)				
CTSQH2512S 	2.7x2.2x1.2	Shielded Geschirmt		0.85A~1.00A	SMT
Size : 3x3	(L)x(W)x(Ht)				
CTSQH3010S 	3.1x3.1x1.0	Shielded Geschirmt		0.22A~1.30A	SMT
CTSQH3010SHP 	3.1x3.1x1.0	Shielded Geschirmt		0.38A~1.70A	SMT
CTSQH3012S 	3.1x3.1x1.2	Shielded Geschirmt		0.25A~1.50A	SMT
CTSQH3012SHP 	3.1x3.1x1.2	Shielded Geschirmt		0.50A~2.20A	SMT
CTSQH3015S 	3.1x3.1x1.5	Shielded Geschirmt		0.32A~2.10A	SMT
CTSDR31 	3.8x3.3x1.45			0.10A~1.00A	SMT
CTSDR32 	3.8x3.3x2.5			0.28A~2.08A	SMT
CTSDC2D09 	3.2x3.2x1.0	Shielded Geschirmt		0.28A~0.80A	SMT
CTSDC2D11 	3.2x3.2x1.2	Shielded Geschirmt		350mA~900mA	SMT
CTSDC2D11HF 	3.2x3.2x1.2	Shielded Geschirmt		520mA~1300mA	SMT
CTSDC2D14 	3.2x3.2x1.55	Shielded Geschirmt		620mA~1800mA	SMT
CTSDC2D14HF 	3.2x3.2x1.6	Shielded Geschirmt		100mA~2000mA	SMT
CTSDC2D18LC 	3.2x3.2x2.0	Shielded Geschirmt		200mA~850mA	SMT
CTSDC2D18HF 	3.2x3.2x2.0	Shielded Geschirmt		700mA~1850mA	SMT

TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT/THT
Size : 4x4	(L)x(W)x(Ht)				SMT
CTSQH4010S 	4.2x4.2x1.0	Shielded Geschirmt		0.24A~1.80A	SMT
CTSQH4012S 	4.2x4.2x1.2	Shielded Geschirmt		0.35A~2.50A	SMT
CTSQH4018S 	4.2x4.2x1.8	Shielded Geschirmt		0.27A~4.00A	SMT
CTSDR43 	4.8x4.3x3.7			0.37A~2.56A	SMT
CTSDC3D11 	4.0x4.0x1.2	Shielded Geschirmt		140mA~530mA	SMT
CTSDC3D11HP 	4.0x4.0x1.2	Shielded Geschirmt		530mA~2000mA	SMT
CTSDC3D14HPS 	4.0x4.0x1.5	Shielded Geschirmt		650mA~2600mA	SMT
CTSDC3D14HP 	4.0x4.0x1.5	Shielded Geschirmt		650mA~2600mA	SMT
CTSDC3D14LD 	4.0x4.0x1.5	Shielded Geschirmt		250mA~1500mA	SMT
CTSDC3D16 	4.0x4.0x1.8	Shielded Geschirmt		320mA~1500mA	SMT
CTSDC3D16HP 	4.0x4.0x1.8	Shielded Geschirmt		460mA~2000mA	SMT
CTSDC3D18 	4.0x4.0x2.0	Shielded Geschirmt		400mA~2800mA	SMT
CTSDC3D28 	4.0x4.0x3.0	Shielded Geschirmt		280mA~2000mA	SMT
CTSDC3D28LD 	4.0x4.0x3.0	Shielded Geschirmt		116mA~500mA	SMT
CTSDS4012D 	4.2x4.3x1.2	Shielded Geschirmt		390mA~2000mA	SMT
CTSDS4015D 	4.2x4.3x1.5	Shielded Geschirmt		350mA~2300mA	SMT
CTSDS4018D 	4.2x4.3x1.8	Shielded Geschirmt		400mA~2700mA	SMT
CTSDS4012E 	4.4x4.4x1.25	Shielded Geschirmt		500mA~3000mA	

TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT / THT
Size : 4x4	(L)x(W)x(Ht)		0 10 100 1,000		
	4.4x4.4x1.6	Shielded Geschirmt	1.0uH 47uH	520mA~3000mA	SMT
	4.4x4.4x1.8	Shielded Geschirmt	1.0uH 68uH	400mA~3200mA	SMT
	(L)x(W)x(Ht)	Structure	0 10 100 1,000	RATED DC CURRENT	SMT / THT
	5.2x5.2x1.0	Shielded Geschirmt	1.0uH 22uH	0.55A~2.35A	SMT
	5.2x5.2x1.2	Shielded Geschirmt	1.0uH 15uH	1.20A~4.50A	SMT
	5.2x5.2x1.4	Shielded Geschirmt	1.2uH 10uH	1.40A~3.80A	SMT
	5.2x5.2x2.0	Shielded Geschirmt	1.0uH 22uH	0.90A~4.00A	SMT
	5.2x5.2x2.4	Shielded Geschirmt	1.0uH 33uH	1.00A~5.80A	SMT
	5.2x5.2x4.1	Shielded Geschirmt	1.5uH 47uH	1.10A~6.00A	SMT
	5.2x5.2x2.0	Shielded Geschirmt	1.2uH 100uH	230mA~2.15A	SMT
	5.2x5.2x3	Shielded Geschirmt	1.1uH 100uH	430mA~3.87A	SMT
	5.0x5.0x1.5	Shielded Geschirmt	2.2uH 68uH	280mA~1.60A	SMT
	5.0x5.0x1.5	Shielded Geschirmt	1.8uH 33uH	510mA~2.25A	SMT
	5.0x5.0x2.0	Shielded Geschirmt	1.0uH 180uH	140mA~1.72A	SMT
	5.0x5.0x2.4	Shielded Geschirmt	1.5uH 150uH	210mA~2.0A	SMT
	5.0x5.0x2.4	Shielded Geschirmt	1.2uH 100uH	480mA~4.2A	SMT
	5.0x5.0x3.0	Shielded Geschirmt	1.2uH 180uH	220mA~2.56A	SMT
	5.0x5.0x4.0	Shielded Geschirmt	0.22uH 100uH	680mA~13.00A	SMT



TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT / THT
Size : 6x6	(L)x(W)x(Ht)				
 CTSQH6010S	6.2x6.2x1.0	Shielded Geschirmt		1.65A~2.40A	SMT
 CTSQH6012S	6.2x6.2x1.2	Shielded Geschirmt		0.35A~2.10A	SMT
 CTSQH6014S	6.2x6.2x1.4	Shielded Geschirmt		0.95A~4.10A	SMT
 CTSQH6020S	6.2x6.2x2.0	Shielded Geschirmt		1.05A~5.50A	SMT
 CTSQH6028S	6.2x6.2x2.8	Shielded Geschirmt		0.62A~6.60A	SMT
 CTSQH6045S	6.2x6.2x4.5	Shielded Geschirmt		0.80A~8.50A	SMT
 CTSQH6045CS	6.4x6.2x4.5	Shielded Geschirmt		0.54A~5.70A	SMT
 CTSDH1608X	6.6x4.45x2.92			0.1A~2.9A	SMT
 CTSDO1608	6.6x4.45x2.92			0.1A~2.9A	SMT
 CTSDS1608X	6.6x4.45x2.92	Shielded Geschirmt		20mA~3A	SMT
 CTSDS1608	6.6x4.45x2.92	Shielded Geschirmt		20mA~3A	SMT
 CTSDT1608	6.6x4.45x2.92	Shielded Geschirmt		80mA~2A	SMT
 CTSPO1704	6.6x5.5x1.1			0.13A~2.1A	SMT
 CTSDR54	6.1x5.5x4.8			0.35A~1.44A	SMT
 CTSDR0504K	5.8x4.8			0.2A~7.3A	SMT
 CTSDC5D18	6.0x6.0x2.0	Shielded Geschirmt		360mA~1.95A	SMT
 CTSDC5D23	6.0x6.0x2.5	Shielded Geschirmt		87mA~5.4A	SMT
 CTSDC5D28	6.0x6.0x3.0	Shielded Geschirmt		420mA~2.60A	SMT





TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT / THT
Size : 6x6	(L)x(W)x(Ht)				
 CTSDC5D28R	6.2x6.3x3.0	Shielded Geschirmt		400mA~2.60A	SMT
 CTSDC5D33	6.2x6.3x3.5	Shielded Geschirmt		74mA~2.8mA	SMT
 CTSDS0603B	6.8x6.8x3.3	Shielded Geschirmt		130mA~3.5A	SMT
 CTSDS0604B	6.8x6.8x4.8	Shielded Geschirmt		150mA~3.95A	SMT
 CTSDS63	6.9x6.5x3	Shielded Geschirmt		190mA~1.94A	SMT
 CTSDS65	6.9x6.5x5	Shielded Geschirmt		140mA~1.35A	SMT
Size : 7x7	(L)x(W)x(Ht)				
 CTSDC6D28	7.0x7.0x3.0	Shielded Geschirmt		0.54A~3.0A	SMT
 CTSDC6D38	7.0x7.0x4.0	Shielded Geschirmt		0.65A~3.5A	SMT
 CTBS7028	7.6x7.6x3.0	Shielded Geschirmt		0.54A~1.6A	SMT
 CTBS7032	7.6x7.6x3.4	Shielded Geschirmt		0.13A~1.9A	SMT
 CTBS7045	7.6x7.6x4.8	Shielded Geschirmt		0.14A~2.5A	SMT
 CTBS7055	7.6x7.6x5.8	Shielded Geschirmt		1.70A~6.2A	SMT
 CTSDS73	7.5x7.5x3.5	Shielded Geschirmt		0.16A~1.68A	SMT
 CTSDS74	7.5x7.5x4.5	Shielded Geschirmt		0.18A~1.84A	SMT
 CTSDS73H	7.6x7.6x3.55	Shielded Geschirmt		0.25A~14.4A	SMT
 CTSDS74H	7.6x7.6x4.5	Shielded Geschirmt		0.31A~18.4A	SMT


TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT / THT
Size : 7x7	(L)x(W)x(Ht)		0 10 100 1,000		
CTSDS73BQ 	7.6x7.6x3.55	Shielded Geschirmt	0.33uH 1000uH	0.25A~14.4A	SMT
CTSDS74BQ 	7.6x7.6x4.45	Shielded Geschirmt	0.33uH 1000uH	0.31A~18.4A	SMT
Size : 8x8	(L)x(W)x(Ht)		0 10 100 1,000		
CTSDR73 	8.1x7.3x3.8		10uH 330uH	0.28A~1.44A	SMT
CTSDR75 	8.1x7.3x5.5		10uH 470uH	0.34A~2.3A	SMT
CTSQH8040S 	8.2x8.2x4.2	Shielded Geschirmt	0.9uH 100uH	1.00A~11.0A	SMT
CTSPO2506 	9.14x7.8x1.65		4.7uH 1000uH	0.10A~1.6A	SMT
CTSDH1813 	9.19x6.4x5.3		0.18uH 47uH	0.87A~14A	SMT
CTSDR0905K 	9.8x5.8		1.5uH 4700uH	0.24A~10A	SMT
CTSDC8D28 	8.3x8.3x3.0	Shielded Geschirmt	1.0uH 100uH	0.75A~6.50A	SMT
CTSDC8D28HP 	8.3x8.3x3.0	Shielded Geschirmt	3.3uH 68uH	1.30A~6.50A	SMT
CTSDC8D38 	8.3x8.3x4.0	Shielded Geschirmt	1.8uH 100uH	1.05A~7.0A	SMT
CTSDC8D43 	8.3x8.3x4.5	Shielded Geschirmt	0.68uH 100uH	1.3A~9.0A	SMT
CTSDC8D43HP 	8.3x8.3x4.7	Shielded Geschirmt	1.2uH 68uH	1.6A~12.6A	SMT
SDC8D58LD 	8.3x8.3x6.0	Shielded Geschirmt	2.8uH 100uH	0.8A~4.7A	SMT
CTSQH8040S 	8.2x8.2x4.2	Shielded Geschirmt	0.5uH 220uH	0.75A~11.0A	SMT
CTSQH8040CS 	8.6x8.7x4.0	Shielded Geschirmt	10uH 680uH	0.30A~3.20A	SMT

	TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT / THT
	Size :	(L)x(W)x(Ht)		0 10 100 1,000		
New	CTSEP0412EB 	5.0x4.4x1.2	Shielded Geschirmt	0.047uH 1.0uH	8.5A~32.0A	SMT
New	CTSEP0402EB 	5.0x4.4x2.0	Shielded Geschirmt	0.10uH 2.2uH	6.0A~35.0A	SMT
New	CTSEP0402EC 	5.0x4.4x2.1	Shielded Geschirmt	0.10uH 4.7uH	1.75A~12.0A	SMT
New	CTSEP0512E 	5.9x5.45x1.2	Shielded Geschirmt	0.20uH 10uH	1.8A~11.5A	SMT
New	CTSEP0515E 	5.9x5.45x1.5	Shielded Geschirmt	0.33uH 10uH	2.3~16.0A	SMT
	CTSEP0502EB 	5.75x5.45x2.0	Shielded Geschirmt	0.10uH 10uH	4.0A~45.0A	SMT
	CTSEP0502EC 	5.75x5.45x2.0	Shielded Geschirmt	0.10uH 10uH	2.0A~25.0A	SMT
	CTSEP0503EB 	5.75x5.45x3.0	Shielded Geschirmt	0.10uH 15uH	2.5A~27.0A	SMT
	CTSEP0503EC 	5.75x5.45x3.0	Shielded Geschirmt	0.10uH 22uH	1.7A~25.0A	SMT
New	CTSEP0612E 	7.5x6.8x1.25	Shielded Geschirmt	0.47uH 10uH	2.2A~11.0A	SMT
New	CTSEP0615E 	7.5x6.8x1.5	Shielded Geschirmt	0.22uH 10uH	2.8A~22.0A	SMT
	CTSEP0618E 	7.5x6.8x1.8	Shielded Geschirmt	0.10uH 4.7uH	8.0A~40.0A	SMT
	CTSEP0602EB 	7.5x6.8x2.4	Shielded Geschirmt	0.47uH 10uH	5.0A~19.0A	SMT
	CTSEP0603EB 	7.5x6.8x3.0	Shielded Geschirmt	0.10uH 10uH	7.0A~60.0A	SMT
	CTSEP0603EC 	7.5x6.8x3.0	Shielded Geschirmt	1.0uH 22uH	3.5A~9.5A	SMT
	CTSEP0604EB 	7.5x6.8x4.0	Shielded Geschirmt	0.47uH 10uH	6.0A~22.0A	SMT
	CTSEP0605EB 	7.5x6.8x5.0	Shielded Geschirmt	0.56uH 10uH	4.5A~12.0A	SMT
New	CTSEP1003E 	11.5x10.5x3.0	Shielded Geschirmt	0.36uH 10uH	8.0A~40.0A	SMT

	TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT / THT
	Size :	(L)x(W)x(Ht)		0 10 100 1,000		
New	CTSEP1004EB 	12.5x11x4.0	Shielded Geschirmt	0.19uH  10uH	12.0A~90.0A	SMT
New	CTSEP1004EC 	12.5x11x4.0	Shielded Geschirmt	0.19uH  100uH	2.25A~46.0A	SMT
	CTSEP1005E 	12.5x11x5.0	Shielded Geschirmt	0.16uH  16uH	6.5A~58.0A	SMT
New	CTSEP1204EB 	14.2x13.3x3.5	Shielded Geschirmt	0.10uH  10uH	14A~84.0A	SMT
	CTSEP1205E 	14.2x13.3x5.0	Shielded Geschirmt	0.10uH  10uH	16A~118.0A	SMT
	CTSEP1206E 	14.2x13.3x5.0	Shielded Geschirmt	0.10uH  22uH	12.0A~120.0A	SMT
New	CTSEP1707E 	17.45x17.15x7.0	Shielded Geschirmt	0.33uH  100uH	4.0A~55.0A	SMT
New	CTSEP1707EA 	17.45x17.15x7.0	Shielded Geschirmt	0.33uH  22uH	23.0A~129.0A	SMT
	CTSEP1005M 	10.4x10.4x5.6	Shielded Geschirmt	0.10uH  8.8uH	4.8A~55.0A	SMT
New	CTSEP1205M 	12.9x12.9x5.6	Shielded Geschirmt	0.68uH  10uH	5.0A~20.4A	SMT
New	CTREP1108 	12x12x8.5	Shielded Geschirmt	0.36uH  0.8uH	40A~80.0A	SMT
	CTREP1309 	13x9.4x10	Shielded Geschirmt	0.36uH  1.4uH	30A~80.0A	SMT
	CTREP1312 	13.5x12.5x9.9	Shielded Geschirmt	0.36uH  33uH	5A~80.0A	SMT

	TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT / THT
				0 10 100 1,000		
New	CTMS1005	 1.1x0.6x0.6	Ceramic	 1.0nH 100nH	30mA~1.36A	SMT
	CTMS1005H	 1.1x0.65x0.6	Ceramic	 2.2nH 120nH	50mA~960mA	SMT
	MS1608	 1.8x1.0x1.0	Ceramic	 1.6nH 390nH	100mA~700mA	SMT
New	CTMS2012	 2.2x1.4x1.1	Ceramic	 2.8nH 820nH	180mA~800mA	SMT
	CTMS2012HC	 2.29x1.73x1.52	Ceramic	 2.5nH 51nH	1000mA~1600mA	SMT
	CTMS2520	 2.92x2.50x2.03	Ceramic	 0.0039uH 8.2uH	170mA~1000mA	SMT
New	CTMS2520H	 2.92x2.92x2.03	Ceramic	 3.0nH 100nH	1000mA~1600mA	SMT
	CTMS3225	 3.56x2.79x2.03	Ceramic	 0.0047uH 2.2uH	150mA~1000mA	SMT
	CTMS1608L	 1.8x1.2x1.1	Ferrite	 0.047uH 10uH	400mA~1800mA	SMT
	CTMS1608L	 1.8x1.2x1.1	Ferrite	 1.0uH 22uH	200mA~800mA	SMT
	CTMS2012L	 2.4x1.65x1.3	Ferrite	 1.0uH 100uH	100mA~1100mA	SMT
	CTMS2520L	 2.9x2.54x2.03	Ferrite	 0.22uH 100uH	200mA~920mA	SMT
	CTMS3225L	 3.6x2.9x2.4	Ferrite	 1.0uH 680uH	100mA~2600mA	SMT
	CTMW2520	 2.7x2.2x2.4	Ferrite	 1.0uH 100uH	60mA~245mA	SMT
	CTMW3225	 3.6x2.7x3.1	Ferrite	 0.10uH 100uH	40mA~450mA	SMT
New	CTMW4532	 4.8x3.4x4.4	Ferrite	 0.1uH 1000uH	30mA~800mA	SMT
	CTMW5650	 5.6x5.3x5.3	Ferrite	 1.0uH 1000uH	25mA~1800mA	SMT

	TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT / THT
				0 10 100 1,000		
New	CTMF0603	 0.63x0.33x0.33	Ceramic	 1.0nH 39nH	50mA~250mA	SMT
	CTMF1005	 1.1x0.6x0.6	Ceramic	 1.0nH 120nH	100mA~300mA	SMT
	CTMF1608	 1.8x1.0x1.0	Ceramic	 1.0nH 270nH	200mA~250mA	SMT
New	CTMF0603T	 0.65x0.35x0.28	Ceramic	 1.0nH 10nH	80mA~300mA	SMT
New	CTMF1005T	 1.05x0.55x0.37	Ceramic	 0.2nH 8nH	220mA~800mA	SMT
	CTML1608	 1.8x1.0x1.0	Shielded Geschirmt	 0.047uH 15uH	1mA~50mA	SMT
	CTML2012	 2.2x1.4x1.1	Shielded Geschirmt	 0.047uH 33uH	5mA~300mA	SMT
	CTMB1005	 1.1x0.6x0.6	Shielded Geschirmt	 30 1000	150mA~400mA	SMT
	CTMB1608	 1.8x1.0x1.0	Shielded Geschirmt	 30 2500	100mA~400mA	SMT
	CTMB2012	 2.2x1.45x1.1	Shielded Geschirmt	 7 2500	100mA~600mA	SMT
	CTMI3216	 3.4x1.8x1.3	Shielded Geschirmt	 31 1200	1000mA~3000mA	SMT
	CTMI4516	 4.7x1.8x1.8	Shielded Geschirmt	 60 470	2000mA~8000mA	SMT
	CTMA3216	 3.4x1.8x1.1	Shielded Geschirmt	 30 1000	50mA~350mA	SMT
	CTMM1608	 1.7x0.95x1.2	Shielded Geschirmt	 25 225	500mA~500mA	SMT
	CTMM2012	 2.2x1.4x1.1	Shielded Geschirmt	 67 370	280mA~400mA	SMT
	CTMM3216	 3.4x1.8x1.1	Shielded Geschirmt	 90 2200	200mA~370mA	SMT
	CTSMB403025	 4.3x3.2x2.7	Shielded Geschirmt	 47	5000mA	SMT

TYPE	DIMENSIONS (mm) Max.	Structure	INDUCTANCE RANGE	RATED DC CURRENT	SMT / THT
Size :	(L)x(W)x(Ht)				
CTRDR654	6.5x5.0			130mA~3000mA	THT
CTRDR664	6.5x6.5			190mA~4000mA	THT
CTRDS664D	6.5x6.5	Shielded Geschirmt		140mA~2.42A	THT
CTRDR855	8.3x5.5			81mA~4.50A	THT
CTRDR875	8.3x7.5			84mA~5.80A	THT
CTRDS875D	8.3x7.5	Shielded Geschirmt		74mA~4.14A	THT
CTRDR895	8.3x9.5			38mA~5.00A	THT
CTRDR0811	8.3x10.8			490mA~4.40A	THT
CTRDR10064	10.5x6.5			360mA~9.30A	THT
CTRDR10084F	10.5x8.5			450mA~7.90A	THT
CTRDS108D	10.5x8.5	Shielded Geschirmt		280mA~9.15A	THT
CTRDR10104F	10.5x10.5			530mA~5.30A	THT
CTRDS1010D	10.5x10.5	Shielded Geschirmt		480mA~4.80A	THT
CTRDR1014	10.5x14.4			90mA~4.30A	THT
CTRDR1215	12.5x15			470mA~9.80A	THT
CTRCB0608F	7.5x11			35mA~1.30A	THT
New CTRCB0810F	9.5x11.5			100mA~4.20A	THT
CTRCB0912P	10.5x15			30mA~2.80A	THT