Professional Office



JM-0600 Corded Mouse



Models may vary from the image shown

Infrared mouse with tilt-wheel technology

The CHERRY MC 2000 offers single-handed control, accurate navigation, infra-red sensor and a unique tilt-wheel that provides a precise and reliable mouse which is unique in its class.

Key Benefits

- 3-button mouse •
- Tilt-wheel for horizontal/vertical scrolling •
- High-resolution optical sensor with 1,600 dpi resolution for precise cursor control
- Infrared sensor
- Suitable for both right-handed and left-handed • operation
- Symetrical design

Technical Data:

Weight (product):

118 g .26 lbs

Total Weight (with packaging): 156 g

.34 lbs

Storage Temperature:

-15°C to 60°C 5°F to 140°F

Operating Temperature:

0°C to 40°C 32°F to 104°F

Current Consumption:

Max 50 mA

Cable Length: Arox 1.80 m / 5'9"

Interface:

USB

Product Approvals:





System Requirements:

USB connection

Delivery Volume:

- CHERRY MC 2000
- Operating instructions in hard copy •

Dimensions (product):

109 x 62 x 37 mm 4.2 x 2.4 x 1.4 inches

Packaging Dimensions:

130 x 100 x 43 mm 5.1 x 3.9 x 1.7 inches

Reliability:

Standard keys > 3 mill. operations

Mouse:

- Scanning: Infrared •
- Resolution: 1600 dpi •
- Number of Keys: 3 •
- Mouse wheel design: Tilt-Wheel •
- **Design: Symmetrical** •
- Connection: USB •
- Housing color: Black

Packaging Unit:

- Number of products in the master package: 10
- Number of master packages per pallet: 125 •

Warranty:

2 Years



Product Name	Order Number	EAN Code	Mouse Key color
CHERRY MC 2000	JM-0600-2	4025112083334	Black

Cherry Americas, LLC 11200 88th Avenue Pleasant Prairie, WI 53158 USA Phone: 262.942.6508 Internet: www.cherryamericas.com E-Mail: keyboardsupport@cherryamericas.com

The manufacturer accepts no liability for errors or non-availability, and reserves the right to change specifications without prior notice. Technical data relates to product specifications only. Features may differ from those described. Only drawings combined with product specifications shall be deemed binding.

Rev Date: January 17, 2017