

Cosmic Software C Cross Compiler For Freescale HC08/HCS08

Cosmic's C cross compiler, cx6808 for the Freescale 68HC08 and HCS08 family of microcontrollers, incorporates over twenty years of innovative design and development effort. In the field since 1995, cx6808 is reliable, field-proven and incorporates many features to help ensure your embedded HC08/HCS08 design meets and exceeds performance specifications.

The **C Compiler** package for Windows includes: Cosmic integrated development environment (IDEA), optimizing C cross compiler, macro assembler, linker, librarian, hex file generator, debugging support utilities, run-time libraries and a compiler command driver. The PC compiler package runs under Windows 95/98/ME/NT4/2000 and XP.

Key Features

Supports All 68HC08 and HCS08 microcontrollers, ANSI C Implementation, Extensions to ANSI for Embedded Systems, Global and Processor-Specific Optimizations, Debug Fully Optimized Code, Automatic Checksums, C Support for Internal EEPROM, C Support for Direct Page Data, C Support for Code Bank Switching, C Support for Interrupt Handlers, Full User Control Over Stack Use, Single Precision Float Support, Freescale MCUasmTM Compatible Assembler, Assembler Supports C #defines and #includes, Absolute C and Assembly Listings, Static Analysis of Stack Usage, Royalty-Free Library Source Code, IEEE-695, ELF/DWARF and P&E Debug support, Most HC08/HCS08 In-Circuit Emulators supported,

First Year of Support Service Included with,

No Charge Upgrades.

Microcontroller-Specific Design

cx6808, is optimized specifically for the Freescale HC08/HCS08 family of microcontrollers; all HC08/HCS08 family processors are supported. You also get header file support for all the popular HC08/HCS08 peripherals, so you can access their memory mapped objects by name either at the C or assembly language levels.

ANSI / ISO Standard C

This implementation conforms with the **ANSI and ISO Standard C** specifications which helps you protect your software investment by aiding code portability and reliability.

Flexible User Interface

The Cosmic C compiler can be used with the included Windows IDEA or as a Windows 32-bit command line application for use with your favorite editor, make or source code control system. It's your choice!!

Automatic Checksum

The linker can automatically create and maintain a multiple segment check sum mechanism in your application. Choose either an 8 or 16-bit checksum algorithm. Call one of the included checksum verify functions from any part of your application to calculate and compare the checksums.

Function Copy (Boot loader)

Create a block of functions that is stored in ROM and copied to RAM by a included library routine. Multiple blocks may be setup and copied and/or executed independently. Separate copies of library routines may also be included in the RAM code without symbol conflicts.

C Runtime Support

C runtime support consists of a subset of the standard ANSI library, and is provided in C source form with the binary package so you are free to modify library routines to match your needs. The basic library set includes the support functions required by a typical embedded system application. All runtime library functions are **ROMable and reentrant**. Runtime library functions include:

- Character handling
- Mathematical functions
- Non-local jumps
- Formatted serial input/output
- String handling
- Memory management

The package provides both an **integer-only library** as well as the standard **single precision floating point library**. This allows you to select the smaller and faster integer-only functions, if your application does not require floating point support.

Optimizations

cx6808 includes global and microcontroller-specific optimizations to give your application maximum chance of meeting and exceeding its performance specifications. You retain control over optimizations via compile-time options and keyword extensions to ANSI C, so you can fine tune your application code to match your design specification:

- fully optimized code can be debugged, without change, using Cosmic's ZAP MMDS08, ZAP SIM08 or ZAP MON08 debuggers,
- *cx6808* supports global optimizations which allow it to optimize whole C functions as well as C statements,
- Peephole optimizer further optimizes cx6808's output by replacing inefficient code sequences with optimal code sequences for the HC08/HCS08,
- ◆ C functions can be declared to not use a stack using the @nostack keyword, or as a compile-time option; function arguments and local data are then placed in private or shared static memory in either direct page (.bsct) or the .bss data section and stack usage is minimized. When local data is placed in direct page memory, application execution times and code sizes can be reduced by up to 10% compared to the default stack model,
- Function arguments are passed in registers when possible, and char-sized data can be passed without widening to int,
- ◆ Commonly used static data can be selectively placed into direct page memory (the first 256 bytes of memory) using the @tiny keyword, or globally, using a compile-time

- option. This reduces access times and byte counts by using direct addressing and single byte pointers and references.
- ♦ The HC08/HCS08 bit instructions (bclr,bit,bset,brclr,brset) are used extensively for bit operations,
- Arithmetic operations are performed in *char* precision if the types are 8-bit,
- Strict single-precision (32-bit) floating point arithmetic and math functions. Floating point numbers are represented as in the IEEE 754 Floating Point Standard,
- Other optimizations include: branch shortening logic, jump-to-jump elimination, constant folding, elimination of unreachable code, removal of redundant loads/stores, and switch statement optimizations.

Extensions to ANSI C

cx6808 includes several extensions to the ANSI C standard which have been designed specifically to give you maximum control of your application at the C level and to simplify the job of writing C code for your embedded HC08/HCS08 design:

- ◆ The @far keyword can be attached to a C function declaration to instruct the compiler to generate special function call/return sequences to allow bank-switching of C code. The HC08/HCS08 EBI-style bank-switching scheme is supported by default, but all support routines are provided in source form and can be customized to custom hardware schemes,
- ◆ The @eeprom modifier can be attached to a C data declaration to inform the compiler that the data object resides in HC08/HCS08 EEPROM space; the compiler will automatically generate the required code sequence when writing to the EEPROM location,
- ◆ The _asm() statement can be used to insert assembly instructions directly in your C code to avoid the overhead of calling assembly language functions. _asm() statements can be used within C function code and can be used in C expressions,
- Arguments can be passed into _asm() assembly language statements to allow access to C local variables from assembly language code,
- ◆ Assembly language statements can be inserted inside or outside of C functions using #pragma asm .. #pragma endasm or the alias #asm .. #endasm,
- ◆ User-defined program sections are supported at the C and assembler levels: #pragma section <name> declares a new program section name for code or data which can be located separately at link time,
- ◆ The @interrupt keyword can be attached to a C function definition to declare the function as an interrupt service routine. The compiler preserves volatile registers not already saved by the processor,

- ◆ @<address> syntax allows an absolute address to be attached to a data or function definition; this is useful for interrupt handlers written in C and for defining memory mapped I/O,
- char- and int-sized bitfields can be defined, and bit numbering from right-to-left or left-to-right can be selected,

Additional Compiler Features

- ◆ Full C and assembly source-level debugging support. There is no limit on the size of the debug section,
- Absolute and relocatable listing file output, with interspersed C, assembly language and object code; optionally, you can include compiler errors and compiler optimization comments,
- Extensive and useful compile-time error diagnostics,
- Fast compile and assemble time,
- Full user control over include file path(s), and placement of output object, listing and error file(s),
- All objects are relocatable and host independent. (i.e. files can be compiled on a workstation and debugged on a PC),
- Function code and switch tables are generated into the code (.text) section. Constant data such as string constants and const data are generated into a separate .const program section,
- Initialized static data can be located separately from uninitialized data or data initialized to zero,
- All function code is (by default) reentrant, never selfmodifying, including structure assignment and function calls, so it can be shared and placed in ROM,
- ♦ Code is generated as a symbolic assembly language file so you can examine compiler output,
- *cx6808* creates all its tables dynamically on the heap, allowing very large source files to be compiled,.
- Common string manipulation routines are implemented in assembly language for fast execution.

HC08/HCS08 Assembler

The Cosmic HC08/HCS08 assembler, *ca6808*, conforms to the standard Freescale syntax as described in the document *Assembly Language Input Standard*; *ca6808* supports macros, conditional assembly, includes, branch optimizations, expression evaluation, relocatable or absolute output, relocatable arithmetic, listing files and cross references.

Assembler accepts C syntax for #includes and #defines so include files can be shared between C and Assembly modules. The assembler also creates full debug information, so that debuggers can perform full source-level debug at the assembly language level.

Linker

The Cosmic linker, *clnk*, combines relocatable object files created by the assembler, selectively loading from libraries of object files made with the librarian, *clib*, to create an executable format file. *clnk* features:

- Flexible and extensive user-control over the linking process and selective placement of user application code and data program sections,
- clnk analyzes stack usage for local variables and function arguments and the function calling hierarchy to provide a static analysis of stack usage which helps you understand how much stack space your application needs,
- Multi-segment image construction, with user control over the address for each code and data section. Specified addresses can cover the full logical address space of the target processor with up to 255 separate segments. This feature is useful for creating an image which resides in a target memory configuration consisting of scattered areas of ROM and RAM,
- Generation of memory map information to assist debugging,
- All symbols and relocation items can be made absolute to prelocate code that will be linked in elsewhere,
- Symbols can be defined, or aliased, from the Linker command File.

Librarian

The Cosmic librarian, *clib*, is a development aid which allows you to collect related files into one named library file, for more convenient storage. *clib* provides the functions necessary to build and maintain object module libraries. The most obvious use for *clib* is to collect related object files into separate named library files, for scanning by the linker. The linker loads from a library only those modules needed to satisfy outstanding references.

Object Module Inspector

The Cosmic object module inspector, *cobj*, allows you to examine library and relocatable object files for symbol table and file information. This information is an essential aid to program debugging.

- ♦ Symbol table cross referencing,
- Section sizes of the individual program sections can be printed for object and library files,
- ◆ Program segment map: lists all program segments, their sizes, absolute addresses and offsets.

Absolute Hex File Generator

The Cosmic hex file generator, *chex*, translates executable images produced by the linker to one of several hexadecimal interchange formats for use with most common In-Circuit Emulators and PROM programmers:

- ♦ Standard Intel hex format,
- ♦ Freescale S-record and S2 record format.
- Tektronix standard and extended hex formats,
- Rebiasing of text and data section load addresses.

Absolute C and Assembly Listings

Paginated listings can be produced to assist program understanding. Listings can include original C source code with interspersed assembly code and absolute object code. Optionally, you can include compiler errors and optimization comments.

Debugging Utilities

The cross compiler package includes utility programs which provide listings for all debug and map file information. The *clst* utility creates listings showing the C source files that were compiled to obtain the relocatable or executable files. The *cprd* utility extracts and prints information on the name, type, storage class and address of program static data, function arguments and function automatic data.

ZAP Debuggers

cx6808 is designed to work seamlessly with Cosmic's line of C and assembly debuggers. Cosmic's ZAP debuggers for Freescale's HC08 and HCS08 are available for several execution platforms including: ZAP Simulation, MON08, HCS08 BDM, inDART and ZAP MMDS and MMEVS08.

Third Party Support

cx6808 supports ANSI /ISO conventions, IEEE-695 and ELF/DWARF debug formats to ensure compatibility with most 3rd party hardware and software vendors including:
 RTOS and kernels - CMX, MicroC/OS-II and OSEK Emulators - Hitex, Freescale and Lauterbach
 Programming Utilities - CodeWright, PC-Lint, PVCS, Rhapsody and VectorCast Unit test software.
 Compiler integration files for Borland's CodeWright®
 "Programmer's Editing System", GNU make utility and examples are available from Cosmic.

Packaging

All compiler packages are provided on standard CD-ROM with on-line user documentation in Adobe PDF format.

Cosmic's **C Compiler package** include: an optimizing C cross compiler, macro assembler, linker, librarian, hex file generator, debug format utilities and run-time library objects and source. The compiler package for Windows includes Cosmic's own easy-to-use integrated development environment (IDEA). Compiler packages are also available for SUN Solaris, HP-UX and PC Linux.

Support Services

All Cosmic Software products come with the first year of support included in the price. You will receive courteous and prompt service from our technical support staff and you retain control of the severity of the problem i.e. if it's a problem that is critical to your project we guarantee you a response time of one to three business days depending on the severity of the problem. Service is provided during normal business hours E.S.T. via email, fax or telephone and is unlimited while you have a valid annual support agreement. New releases of the software are provided free of charge to support customers.

Ordering Information

cx6808 package product codes are as follows:

<u>Host System</u>	<u>Product Code</u>
PC MS Windows	CWSH08
Windows 95/98/ME/NT4/2000/XP	
PC Linux	CLXH08
SUN SPARC(SunOS/Solaris)	CSSH08
HP9000(HPUX)	CHPH08

Contact our sales department for license options, fees and discounts.

Other Cosmic Software Products

Cosmic Software products focus on 8, 16 and 32-bit microcontrollers. C-Compiler/debugger support is available for a wide range of target processors. For more information on Cosmic's ZAP C and assembler source-level debugger, ask for the ZAP Product Description and demo disk.

Tool Customization Services

Some customers have special tool needs and through Cosmic's tool customization service, you have the ability to control the core tool technology to help solve your technical and/or business problems. Cosmic works closely with you to understand define and implement technical solutions according to your needs and schedule.



Supporting Embedded Innovation Since 1983



For more Information please contact one of our corporate offices or visit our website:



Cosmic Software, Inc.

400 West Cummings Park, Suite 6000 Woburn, MA 01801-6512 USA

Phone: +1 781 932 2556 Fax: +1 781 932 2557

Email: sales@cosmic-us.com
web: www.cosmic-software.com



Cosmic Software France

33 Rue Le Corbusier, Europarc Creteil

94035 Creteil Cedex France

Phone: +33 1 43 99 53 90 Fax: +33 1 43 99 14 83

Email: mailto:sales@cosmic.fr

web: www.cosmic.fr



Cosmic Software UK

Oakwood House Wield Road, Medstead Alton, Hampshire GU34 5NJ, U.K.

Phone: +44 1420 563498 Fax: +44 1420 561946

Email: sales@cosmic.co.uk



Cosmic Software GmbH

Rohrackerstr 68 D-70329 Stuttgart Germany Tel.+49 711 420 4062 Fax +49 711 420 4068

Email: sales@cosmic-software.de
web: www.cosmic-software.de