

Communication products to depend on."

Ground Rods





Bronze Ground Rod Clamp

Heavy Duty Bronze Ground Rod Clamp

CLAMPS

Item No.	Mfg. Part No.	Description
7260027500	PT-12BCL	1/2-Inch Bronze Ground Rod Clamp
7260017500	PT-38BLC (PT-CEB-0)	3/8-Inch Bronze Ground Rod Clamp
7260517500	PT-CP58	5/8-Inch Bronze Ground Rod Clamp (RUS)
7260037500	PT-58BCL-H/HDC58R	5/8-Inch Heavy Duty Bronze Ground Rod Clamp

Bonding and Grounding Hardware





Ground Lug

KUL Bonding Clamp



Bronze Ground Pipe Clamp



I-Beam Clamp

GROUNDING & BONDING CONNECTORS AND CLAMPS

Item No.	Mfg. Part No.	Description
0000406460	PT-GL4-11	Ground Lug with Slotted Hex Head Screw
0000396858	PT-2174	KUL Bonding Clamp
0000386289	PT-5948	Bronze Ground Pipe Clamp 0.5 - 1-Inch
7260097500	PT-KP-2-IMP	Bronze Ground Pipe Clamp 1.25 - 2-Inch
0000386288	PT-2145	I-Beam Ground Clamp with Slot

600 New Century Parkway New Century, Kansas 66031-8000 1.800.755.1950

www.kgplogistics.com

Bonding and Grounding Hardware





Bronze Vise Grip Connector

Tinned Bronze Vise Grip Connector

VISE GRIP CONNECTORS

Item No.	Mfg. Part No.	Description
0000403157	PT-BVC-4	Bronze Vise Grip Connector #4 to #8
0000381031	PT-2170	Bronze Vise Grip Connector #6 to #8
7211117500	EVC167P	Tinned Bronze Vise Grip Connector C167 0.146 to 0.312 messenger, 0.146 to 0.232 groundwire





Copper Alloy Split Bolt

SPLIT BOLTS

Item No.	Mfg. Part No.	Description
0000381032	PT-2002	Copper Alloy Split Bolt S2 - 2H #6 to #2 - 0.162 to 0.292
0000381033	PT-2004	Copper Alloy Split Bolt S4 - 4H #8 to #4 - 0.128 to 0.204
0000386290	PT-2006	Copper Alloy Split Bolt S6 - 6H #10 to #6 - 0.102 to 0.162
0000403158	PT-2004-3	Copper Split Bolt SEL4 - 4H3 #8 to #4 - 0.128 to 0.204 (longer) - 2 or 3 conductors
7211087500	PT-SEL-6	Copper Split Bolt SEL6 - 6H3 #10 to #6 - 0.102 to 0.162 (longer) - 2 or 3 conductors
7211057500	PT-SW-6	Tin Plated Split Bolt SW6 - 1HPS #8 to #2 - 0.128 to 0.316

Outside Plant

Bonding Braids



Bond Braid #6 with Eyelets and Web

Bond Braid

Bond Braid is a flat woven braid composed of tinned-copper strands, used to make an electrical and mechanical bond across cable shield openings. It is available as a solid braid with eyelets, or with eyelets and webbing installed. The web cover is a poly-mesh plastic netting.



- Equivalent to No.6 AWG
- Individually tinned copper conductors
- 1/2 inch width
- Eyelets have 1/4 inch ID and are spaced every 3 inches

Bond Braid #6 with Eyelets

PREMIER°

Item No.	Mfg. Part No.	Description
7321877500	PT-BBR-EW-25	Bond Braid #6 with Eyelets and Web 25-Feet/Reel, 2030
7321577500	PT-BBR-E-25	Bond Braid #6 with Eyelets 25-Feet/Reel, 2025
0000367161	PT-BBR-UESW-25	Bond Braid #6 with Eyelets and Web Ultrabond 25-Feet/Reel, 2051
7328477500	PT-BBR-UEW-25	Bond Braid #6 with Eyelets and Web Ultrabond II 25-Feet/Reel, 2081



Ground Strap

- Equivalent to No. 6 AWG
- Tinned Copper
- 1/4" diameter mounting holes every 4"
- Clear Green Insulation
- 25' per roll

Ground Strap

PREMIER°

Item No.	Mfg. Part No.	Description
0000193805	PT-MBR6GRN-25	Ground Strap Rope with Insulation and Mounting Holes

Bonding Braids



Bond Bar

Bond Bar is typically used in applications that require effective shield continuity and a dependable mechanical bond. It is constructed of a solid copper, tin-plated strip and has a hole pattern that conforms to standard 3 and 6 pair terminal blocks and variably placed bond studs. Insulator tubing is available for protection against environmental electrical and mechanical damage.

- Equivalent to No.6 AWG
- Tin plated copper
- 1/2 inch width
- 13/64 inch holes slots 1/4 inch center 13/64 inch radius

Bond Bar with Tubing

Item No.	Mfg. Part No.	Description
7321597500	PT-BBA-T-25	Bond Bar #6 with Insulator Tubing 25-Feet/Reel, 4422



Plain Bonding Ribbon

- · Soft temper, flat wire for easy installation
- Solid wire for entering and exiting airtight applications
- Tin plated for solderability and corrosion resistance
- 3/8 inch wide x 0.051 inch thick
- 5-lb. spool

Bonding Ribbon Plain, 5 lb Spool

PREMIER

PREMIER°

Item No.	Mfg. Part No.	Description
7391617500	PT-EM6868	Bonding Ribbon Plain, 5 lb Spool

600 New Century Parkway New Century, Kansas 66031-8000 1.800.755.1950

www.kgplogistics.com