

Fractional Stainless Steel Tubing • T304 • Inconel 600™ • T316 • T321 • Monel 400™ • T347

O.D.	Wall	Theor I.D.	WT/ ft		O.D.	Wall	Theor I.D.	WT/ ft		O.D.	Wall	Theor I.D.	WT/ ft
1/16	.010	.042	.005		3/8	.010	.355	.038		7/8	.028	.819	.253
(.062)	.016	.030	.008		(.375)	.016	.343	.061		(.875)	.035	.805	.314
	.020	.022	.009			.020	.335	.075			.049	.777	.432
	.028	.006	.012			.028	.319	.103			.065	.745	.562
						.035	.305	.127			.083	.709	.702
3/32	.010	.074	.009			.049	.277	.170			.095	.685	.791
(.094)	.016	.062	.015			.065	.245	.215			.120	.635	.968
	.020	.054	.016			.083	.209	.258			.156	.563	1.198
	.028	.038	.020			.095	.185	.284			.188	.499	1.379
						.120	.135	.326					
1/8	.010	.105	.015							1.000	.020	.960	.209
(.125)	.016	.093	.019		7/16	.020	.398	.089		(1.000)	.028	.944	.290
	.020	.085	.022		(.438)	.028	.382	.123			.035	.930	.360
	.025	.075	.025			.035	.368	.150			.049	.902	.497
	.028	.069	.029			.049	.340	.203			.065	.870	.649
	.035	.055	.033			.065	.308	.258			.083	.834	.812
	.049	.027	.040			.083	.272	.315			.095	.810	.918
											.120	.760	1.128
5/32	.010	.136	.019		1/2	.010	.480	.052			.188	.624	1.630
(.156)	.016	.124	.034		(.500)	.016	.468	.082			.250	.500	2.003
	.020	.116	.040			.020	.460	.102					
	.028	.100	.060			.028	.444	.141		1 - 1/8	.028	1.069	.328
	.035	.086	.082			.035	.430	.173		(1.125)	.035	1.055	.407
	.049	.058	.096			.049	.402	.236			.049	1.027	.563
						.065	.370	.302			.065	.995	.736
3/16	.010	.168	.019			.083	.310	.418			.095	.935	1.045
(.188)	.016	.156	.029			.095	.310	.418			.120	.885	1.288
	.020	.148	.035			.120	.260	.487			.188	.750	1.881
	.028	.132	.047								.250	.625	2.336
	.035	.118	.057		9/16	.028	.506	.160					
	.049	.090	.073		(.562)	.035	.492	.197		1 - 1/4	.028	1.194	.365
	.065	.058	.085			.049	.464	.257		(1.250)	.035	1.180	.454
						.065	.432	.346			.049	1.152	.628
7/32	.016	.186	.035			.095	.372	.474			.065	1.120	.822
(.218)	.028	.162	.056			.125	.312	.584			.083	1.084	1.034
	.035	.148	.069			.035	.148	.069			.095	1.060	1.172
											.109	1.032	1.328
1/4	.010	.230	.026		5/8	.020	.585	.129			.120	1.010	1.448
(.250)	.016	.218	.040		(.625)	.028	.569	.178			.188	.875	2.132
	.020	.210	.049			.035	.555	.221			.250	.750	2.670
	.028	.194	.066			.049	.527	.301					
	.035	.180	.080			.065	.495	.388		1 - 3/8	.035	1.305	.500
	.049	.152	.105			.083	.459	.480		(1.375)	.049	1.277	.693
	.065	.120	.128			.095	.435	.537			.065	1.245	.909
	.083	.084	.148			.120	.385	.647			.120	1.135	1.608
	.095	.060	.157			.188	.249	.877			.134	1.107	1.776
											.188	1.000	2.383
9/32	.028	.225	.076		3/4	.020	.710	.155			.250	.875	3.004
(.281)	.035	.211	.092		(.750)	.028	.694	.215					
						.035	.680	.267		1 - 1/2	.028	1.444	.440
5/16	.016	.281	.050			.049	.652	.366		(1.500)	.035	1.430	.547
(.625)	.020	.273	.062			.065	.620	.475			.049	1.402	.759
	.028	.257	.085			.083	.584	.591			.065	1.370	.996
	.035	.243	.103			.095	.560	.664			.083	1.334	1.256
	.049	.215	.138			.120	.510	.807			.120	1.260	1.769
	.065	.183	.172			.156	.438	.990			.134	1.232	1.955
	.083	.147	.203								.156	1.188	2.239
	.095	.123	.221		13/16	.028	.756	.235			.188	1.125	2.634
					(.812)	.035	.742	.290			.250	1.000	3.338
						.049	.714	.399			.375	.750	4.506
						.065	.682	.519					

Fractional Stainless Steel Tubing • T304 • Inconel 600™ • T316 • T321 • Monel 400™ • T347

O.D.	Wall	Theor I.D.	WT/ ft		O.D.	Wall	Theor I.D.	WT/ ft		O.D.	Wall	Theor I.D.	WT/ ft
1 - 5/8	.049	1.527	.825		2 - 1/4	.049	2.152	1.152		3	.049	2.902	1.544
(1.625)	.065	1.495	1.083		(2.250)	.065	2.120	1.517		(3.000)	.065	2.870	2.038
	.083	1.459	1.367			.083	2.084	1.921			.083	2.834	2.586
	.095	1.435	1.552			.095	2.060	2.252			.095	2.810	2.947
	.120	1.385	1.929			.120	2.010	2.730			.109	2.782	3.366
	.188	1.249	2.885			.188	1.874	4.140			.120	2.760	3.691
	.250	1.125	3.671			.250	1.750	5.340			.134	2.732	4.102
	.375	.875	5.006			.375	1.500	7.509			.156	2.688	4.738
	.028	.038	.020			.500	1.250	9.345			.188	2.624	5.646
											.250	2.500	7.343
1 - 3/4	.049	1.652	.890		2 - 3/8	.065P	2.245	1.604			.313	2.374	8.982
(1.750)	.065	1.620	1.170		(2.375)	.083	2.209	2.032			.375	2.250	10.510
	.120	1.510	2.089			.095	2.185	2.313			.500	2.000	13.350
	.156	1.438	2.656			.109P	2.157	2.638			.625	1.750	15.850
	.188	1.374	3.316			.154P	2.067	3.653			.750	1.500	18.020
	.250	1.250	4.005			.188	1.990	4.391					
	.375	1.000	5.507			.218P	1.939	5.022		3 - 1/4	.065	3.120	2.211
	.500	.750	6.675			.250	1.875	5.674		(3.250)	.083	3.084	2.807
						.343P	1.689	7.444			.095	3.060	3.201
1 - 7/8	.065	1.745	1.257			.375	1.625	8.010			.120	3.010	4.011
(1.875)	.095	1.685	1.806			.436P	1.503	9.029			.188	2.874	6.148
	.120	1.635	2.249			.500	1.375	10.010			.250	2.750	8.010
	.188	1.500	3.387								.375	2.500	11.514
	.250	1.375	4.339		2 - 1/2	.049	2.402	1.283			.500	2.250	14.685
					(2.500)	.065	2.370	1.690			.750	1.750	20.025
2	.035	1.930	.735			.083	2.334	2.143					
(2.000)	.049	1.902	1.021			.095	2.310	2.440		3 - 1/2	.065	3.370	2.385
	.065	1.870	1.343			.109	2.282	2.783		(3.500)	.083P	3.334	3.029
	.083	1.834	1.699			.120	2.260	3.050			.120P	3.260	4.332
	.095	1.810	1.933			.134	2.232	3.386			.188	3.124	6.650
	.109	1.782	2.201			.156	2.188	3.905			.216P	3.068	7.756
	.120	1.760	2.409			.188	2.125	4.642			.250	3.000	8.678
	.134	1.732	2.671			.250	2.000	6.008			.300P	2.900	10.250
	.156	1.688	3.072			.375	1.750	8.511			.375	2.750	12.520
	.188	1.625	3.638			.500	1.500	10.680			.500	2.500	16.020
	.250	1.500	4.673			.625	1.250	12.515			.625	2.250	19.190
	.375	1.250	6.508			.095	.310	.418			.750	2.000	22.030
	.500	1.000	8.010			.120	.260	.487					
										3 - 3/4	.120	3.510	4.652
2 - 1/8	.049	2.027	1.086		2 - 3/4	.065	2.620	1.864		(3.750)	.250	3.250	9.345
(2.125)	.065	1.995	1.430		-2.75	.083	2.584	2.364			.375	3.000	13.520
	.095	1.935	2.060			.095	2.560	2.694			.500	2.750	17.360
	.120	1.885	2.570			.120	2.510	3.371			.625	2.500	24.030
	.188	1.750	3.889			.188	2.375	5.144					
	.250	1.625	5.006			.250	2.250	6.675					
	.375	1.375	7.008			.375	2.000	9.512					
	.500	1.125	8.678			.500	1.750	12.015					
						.750	1.250	16.020					

Fractional Stainless Steel Tubing • T304 • Inconel 600™ • T316 • T321 • Monel 400™ • T347

O.D.	Wall	Theor I.D.	WT/ ft		O.D.	Wall	Theor I.D.	WT/ ft
4	.065	3.870	2.732		5 - 1/2	.065	5.370	3.773
(4.000)	.083P	3.834	3.472		(5.500)	.120	5.260	6.895
	.120P	3.760	4.973			.250	5.000	14.020
	.188	3.624	7.654			.375	4.750	20.530
	.226P	3.548	9.109			.500	4.500	26.700
	.250	3.500	10.010			.750	4.000	38.050
	.318P	3.364	13.180			.875	3.750	43.220
	.375	3.250	14.520			1.000	3.500	48.060
	.500	3.000	18.690					
	.625	2.750	22.530		6.000	.065	5.870	4.120
	.636P	2.728	22.850		(6.000)	.083	5.834	5.245
	.750	2.500	26.030			.109	5.782	6.857
						.120	5.760	7.536
4 - 1/4	.065	4.120	2.905			.188	5.624	11.670
(4.500)	.095	4.060	4.216			.250	5.500	15.350
	.120	3.880	5.293			.375	5.250	22.530
	.156	3.938	8.156			.500	5.000	29.370
	.250	3.750	10.680			.625	4.750	35.880
	.313	3.624	13.160			.750	4.500	42.050
	.375	3.500	15.520			1.000	4.000	53.400
	.500	3.250	20.030					
	.688	2.874	26.170		6 - 1/4	.250	5.750	16.020
	.750	2.750	28.040		(6.250)	.375	5.500	23.530
						.500	5.250	30.710
4 - 1/2	.065	4.370	5.840			.750	4.750	44.060
(4.500)	.120	4.260	5.613			1.000	4.250	56.070
	.188	4.124	8.658					
	.250	4.000	11.350		6 - 1/2	.250	6.000	16.690
	.375	3.750	16.520		(6.500)	.375	5.750	24.530
	.500	3.500	21.360			.500	5.500	32.040
	.625	3.250	25.870			.625	5.250	39.220
	.750	3.000	30.040			.750	5.000	46.060
	.875	2.750	33.880			1.000	4.500	58.740
4 - 3/4	.120	4.510	5.934		7.000	.250	6.500	18.020
(4.750)	.188	4.374	9.160		(7.000)	.375	6.000	26.530
	.250	4.250	12.020			.500	6.000	34.710
	.375	4.000	17.520			.750	5.500	50.060
	.500	3.750	22.700			1.000	5.000	64.080
	.625	3.500	27.530					
	.750	3.250	32.040		7 - 1/2	.250	7.000	19.360
	.875	3.000	36.210		(7.500)	.500	6.500	37.380
5	.065	4.870	3.426		8.000	.120	7.760	10.100
(5.000)	.083	4.834	4.359		(8.000)	.250	7.500	20.690
	.120	4.760	6.254			.375	7.250	30.540
	.188	4.624	9.662			.500	7.000	40.050
	.250	4.500	12.680			.625	6.750	49.230
	.375	4.250	18.520			.750	6.500	58.070
	.500	4.000	24.030			1.000	6.000	74.760
	.625	3.750	29.200					
	.750	3.500	34.040					
	.875	3.250	38.550					

Note: Larger sizes are available on request. Please consult factory.

"P" Designates pipe size