

Series 8 4 Halo Compact.

www.eao.com



Series 84

Halo Compact.

EAO introduces the Halo Compact, a unique and newly developed multi-functional illumination switching element which has the ability to provide the most common status indication features in a single all-in-one solution.

The new Series 84 Halo Compact provides a simple way to package up to eight different status indications into a single unit making this multi-functional, illuminated switching element suitable for a wide range of market segments such as special vehicles, machinery control panels and public environments.

This innovative, all-in-one solution is another option within EAO's award winning Series 84. These switching elements have the ability to provide ring illumination of five different colours within the lens. Additionally a white LED can illuminate the centre of the lens.

The Halo Compact can be used to control up to eight different pre-configured lighting sequences thus providing an effective way to manage multiple functions within a single switch.

Typical Applications

- Machinery control panels
- · Operator controls in special vehicles
- Medical equipment
- · Public information kiosks and vending machines
- · Access control and emergency call boxes
- Instruments for audio and video technology
- Many further applications

Materials

- Housing
- Ixef 1521 nature (PA)
- Hotmelt (sealing compound)
- Material of contact
- Silver alloy, gold-plated

The materials used comply with the high EAO standards relating to quality, functional safety, service life and design.

Mechanical characteristics

- Terminals
- Soldering/plug-in terminals 2.8 x 0.8 mm (solderable)
- Actuating force
- $-4.0 \,\mathrm{N} \pm 0.2 \,\mathrm{N}$ (measured at the lens)
- Actuating distance
 - ~0.5 mm
- Mechanical lifetime
- ≥1 million cycles of operations

Switching element

- Short-travel snap-action switching system with two independent contact points and tactile operation
- Number of contacts
- One normal open contact

Outpu

• Electronic high-side switch

Operating voltage

- 24 VDC \pm 10 %
- Max. 100 mA

Current consumption

<80 mA



Advantages.

- The all-in-one solution for commonest status indications
- Eight pre-configured light sequences
- Five different LED colours (red, green, yellow, white and blue)
- Top of the range version with bi-colour LED illumination
- Integrated electronic switch for maintained action

Degree of protection

• IP67 front protection (with actuator Part No. 84-1081.7 and 84-0080.7)

Ambient conditions

- Storage temperature -40°C to +85°C
- Operating temperature
 -25°C to +70°C

Pre-configured light sequences

- Full illumination
- Blinking (interval: 1 second)
- Rotating/chasing (one full rotation per second)
- Process (changeover a group of 4 LEDs per second)

Special feature

Integrated electronic switch for maintained action of illuminated pushbuttons (High-side switch)

LED-colours

All versions available with eight SMD LEDs for halo illumination plus one single LED (3 mm) for central illumination. The following variants are available:

- 8 x red LEDs + 1 white single LED
- 8 x green LEDs + 1 white single LED
- 8 x yellow LEDs + 1 white single LED
- 8 x white LEDs + 1 white single LED
- 8 x blue LEDs + 1 white single LED
- 8 x red/green Bi-colour LEDs + 1 white single LED

Standards and directives

CE, ESD

Switch configuration

A complete switch requires a halo compact programmable switch actuator body (transparent) and a lens. If the switch needs lens illumination in addition then a translucent plastic lens or aluminium lens with a window is required.


Use Halo Compact with illuminated pushbutton actuator (Part No. 84-1081.7) or with the indicator actuator (Part No. 84-0080.7).

The illumination style is selected by the connection of 24 V to the pins.


Mounting

Quick and easy to mount: First connect cables to the non-mounted Halo Compact switching element, then plug to actuator (dismounting tool Part No. 84-918).

Dimensions



Terminals



EAO Contact.

Your centre of excellence.

Headquarters

EAO Holding AG

Tannwaldstrasse 88 CH-4600 Olten Telephone +41 62 286 92 00 info@eao.com

Manufacturing Companies

Switzerland

FAO AG Tannwaldstrasse 88 CH-4600 Olten Telephone +41 62 286 91 11 info@eao.com

EAO Systems AG Tannwaldstrasse 88 CH-4600 Olten Telephone +41 62 286 91 11 sales.esy@eao.com

China

EAO (Guangzhou) Ltd. 3/F, Block G4, South China New Materials Innovation Park 31 Kefeng Road, Guangzhou Science City, CN-Guangzhou, PRC Telephone +86 20 3229 0390 sales.ecn@eao.com

Germany

EAO Automotive GmbH & Co. KG Richard-Wagner-Straße 3 DE-08209 Auerbach/Vogtland Telephone +49 3744 8264 0 sales.esa@eao.com

North America

EAO Corporation One Parrott Drive Shelton US-CT 06484 Telephone +1 203 951 4600 sales.eus@eao.com

Sales Companies

China

EAO (Guangzhou) Ltd. 3/F, Block G4, South China New Materials Innovation Park 31 Kefeng Road, Guangzhou Science City, CN-Guangzhou, PRC Telephone +86 20 3229 0390 sales.ecn@eao.com

EAO (Shanghai) Office Rm. 403. Block 5#. CIFI Century Square, Lane 28, NO. 21, Danba Road, Putuo District CN-Shanghai PRC Telephone +86 21 6095 0717 sales.ecn@eao.com

France

EAO France SAS 5, rue Henri François FR-77330 Ozoir-la-Ferrière Telephone +33 1 64 43 37 37 sales.efr@eao.com

Germany, Austria, Poland, Czech Republic

EAO GmbH Langenberger Straße 570 DE-45277 Essen Telephone +49 201 8587 0 sales.ede@eao.com

Hong Kong (Asia Pacific)

EAO (Far East) Ltd. Unit A1, 1/F, Block A Tin On Industrial Building 777 Cheung Sha Wan Road Lai Chi Kok, Kln HK-Hong Kong Telephone +852 27 86 91 41 sales.ehk@eao.com

Italy

EAO Italia S.r.l. Centro Direzionale Summit -Palazzo D1 Via Brescia, 28 IT-20063 Cernusco sul Naviglio (MI) Telephone +39 02 92 471934 sales.eit@eao.com

Japan

EAO Japan Co. Ltd. Net 1 Mita Bldg. 3F 3-1-4 Mita Minato-ku JP-Tokyo 108-0073 Telephone +81 3 5444 5411 sales.ejp@eao.com

Netherlands, Belgium

EAO Benelux B.V. Kamerlingh Onnesweg 46 NL-3316 GL Dordrecht Telephone +31 78 653 17 00 sales.enl@eao.com

North America

EAO Corporation One Parrott Drive Shelton US-CT 06484 Telephone +1 203 951 4600 sales.eus@eao.com

Switzerland

EAO Schweiz AG Tannwaldstrasse 86 CH-4600 Olten Telephone +41 62 286 95 00 sales.ech@eao.com

United Kingdom, Ireland, Finland, Norway

EAO Ltd. Highland House Albert Drive Burgess Hill GB-West Sussex RH15 9TN Telephone +44 1444 236 000 sales.euk@eao.com