Safety Data Sheet (SDS) Quick Braid

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING.

1.1	Identification of substance (as per label): Other means of Identification:	Quick Braid Desoldering Braid.
1.2	Company Name: Easy Braid Co. Contact Name: James Strempke Full Address: 11543 K-tel Drive Minneapolis, MN 55343 Telephone Number: 952-929-3040 Fax Number: 952-929-2765 Emergency Number:	Part Numbers: Q-A-5AS, Q-A-10AS, Q-A-25, Q-A-50, Q-A-100, Q-A-500, Q-B-5AS, Q-B-10AS, Q-B-25, Q-B-50, Q-B-100, Q-B-500, Q-C-5AS, Q-C-10AS, Q-C-25, Q-C-50, Q-C-100, Q-C-500, Q-D-5AS, Q-D-10AS, Q-D-25, Q-D-50, Q-D-100, Q-D-500, Q-E-5AS, Q-E-10AS, Q-E-25, Q-E-50, Q-E-100, Q-E-500

2. HAZ	ZARDS IDENTIFICATION	
2.1	Critical Hazards: Critical Hazards to Man & Environment:	HMIS Hazard Rating: 0 = insignificant 1 = slight 2 = moderate 3 = high 4 = extreme Health = 1 Flammability = 0 Reactivity = 0 Rosin flux may cause an allergic reaction, resulting in a skin rash. Clean hands after use.
	Adverse Human Health Effects and Symptoms:	
2.4	Single Word	Warning
2.5	Pictogram	<u>(!</u>)
2.6	Hazard Statements	May cause allergic skin reaction
2.7	Precautionary Statement	Prevention: Avoid breathing/dust/fume/gas/mist/vapours/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves Response: IF ON SKIN: Wash with pleny of water If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash it before ruse Review section 4 for additional response Disposal: Dispose of contents/container in accordance with logal regulations

3. COMPOSITION / IDENTIFICATION ON INGREDIENTS

CAS	INGREDIENTS	%	SYMBOLS	RISK
NUMBER				PHASE
7440-50-8	Pure Copper Metal	99.9		
8050-09-7	Modified Rosin	.1%		

3.1	Substances presenting a health hazard:	The 0.1% Rosin may cause hazardous ingredients.	allergic reactions: does not contain
3.2	Exposure Limit Values:	Copper -	ACGIH TLV
3.3	Is substance is confidential - indicate chemical nature to ensure safe handling	-fume -dust	0.1mg/m3 1.0mg/m3

4. FIRST AID MEASURE

	OI AID MEASURE	
4.1	Skin Contact:	Flush skin with copious amounts of water.
	-First Aid:	
	-Symptoms:	Rash.
	-Effects:	Rasii.
	-Delayed Effects:	
	-Medical Attention Needed:	
	Eye Contact:	
	-First Aid:	
	-Symptoms:	Remove metal fragments and flush eyes with water.
	-Effects:	
	-Delayed Effects:	
	-Professional Attention Needed:	
	Inhalation:	
	-First Aid:	
	-Symptoms:	
	-Effects:	
	-Delayed Effects:	
	-Professional Attention Needed:	
	Ingestion:	Remove to fresh air. If breathing has stopped, administer CPR.
	-First Aid:	Induce vomiting.
	-Symptoms:	
	-Effects:	Wire strands could cause internal digestive tract bleeding.
	-Delayed Effects:	Induce vomiting.
	-Professional Attention Needed:	made to many.

5. FIRE FIGHTING MEASURES

	THE TIGHTE OF WEED CREED		
5.1	Suitable Extinguishing Media:	Powder Dolomite, Sodium Chloride or Graphite.	
5.2	Unsuitable Extinguishing Media:	Do not use water.	
5.3	Exposure Hazards:	Copper reacts violently with C2H2, NH4N03, Bromates, Chlorates, Iodates, C12, C1F2, Ethylene Oxide, F2, H2O2, Hydrazine monoitrate, Hydrazoic acid, H2S, K202, NaN3, Na202, CUN03, S.	
		Carbon Monoxide, Aliphatic Aldehydes, and Acids	
5.4	Combustion Products: -Resulting Gases: Protective Equipment For Firefighters:	Not Needed	

6. ACCIDENTAL RELEASE MEASURES

6.1	Personal Precautions:	
	-Ignition sources?	
	-Provision for sufficient ventilation?	When subjected to temperatures over 180° F, flux fumes should be
	-Control of dust?	vented.
	-Prevention of skin contact?	See Section 8.1.
	-Prevention of eye contact?	Vacuum or sweep up and dispose of as a non-cumbustable metal.
	Environmental Precautions:	Gloves not normally required. When clipping short lengths, protective eyewear is recommended.
6.2	Methods for Cleaning Up:	
	Materials not to be Used for Cleaning Up:	
6.3		Vacuum or sweep up and dispose of as a noncombustible solid.
6.4		See above. See section 5, of this document.

7. HANDLING & STORAGE

7.1	Handling	
	-General Rules	Store in cool, dry environment for functional purposes.
	-Technical Precautions for Safe Handling	None required.
	-Measures necessary to prevent airborne levels of	0
	chemical being generated as a result of handling.	If product is exposed to temperatures are above 180 F, use local
	Recommended Storage Conditions	ventilation.
	-List incompatible materials	
7.2	-Quantity Limits for storage	
	-Special Requirements for proper	
	storage of chemical	See sections 5 & 2 of this document.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Ī	8.1	System Design	General mechanical or local hood. Ventilation is recommended for
		(e.g. Fume Hoods, Ventilated	applications where the product will exceed 180^{0} F.

8.2 8.3 8.4	Cabinets, Enclosure) Control Parameters -Limit values or biological standards: Recommended Monitoring Procedures: Personal Protection -Respiratory Protection: -Hand Protection: -Eye Protection: -Skin Protection:	See Section 5, of this document. Use local or general ventilation away from the operator if the product temperature is exposed to 180 ⁰ F+. Gloves may be used if resin is a skin irritant. Eye protection should be worn when clipping short lengths. See hand protection.
8.5	CEN standards	Carcinogens < 0.1%

9. PHYSICAL AND CHEMICAL PROPERTIES

Page 3 of 4

>• 1111	TEME THE CHENNELL KOT EXTLES	1 age 3 01 4
9.1	Appearance:	Copper metallic braid with fine crystalline resin layer.
9.2	Odor:	None.
9.3	pH:	N/A
9.4	Boiling Point:	1981 degrees F
9.5	Melting Point:	1949 degrees F
9.6	Flash Point:	No flash
9.7	Flammability (solid gas):	None
9.8	Autoflammability:	None
9.9	Explosive Properties:	None
9.10	Oxidizing Properties:	Copper can oxidize if prolonged exposure in moist conditions.
9.11	Vapor Pressure:	N/A
9.12	Relative Density:	N/A
9.13	Solubility:	
	-Water Solubility	Negligible
	-Fat Solubility	Unknown
	Partition coefficient, n-octanol/water:	Chkhowh
9.14	Other Data:	
9.15	-Safety Parameters	N/A
	-Vapor Density	N/A
	-Miscibility	N/A
	-Evaporation rate	N/A
	-Conductivity	Copper is very conductive.
	-Viscosity	A solid

10. STABILITY AND REACTIVITY

10.1	Stability	Stable
10.2	Conditions to avoid	
	-Effects	
10.3	Materials to Avoid	
10.5	-Effects	
	Hazardous Decomposition products	
10.4	-the need for and the presence of	
	stabilizers:	Hazardous environment can occur in the presence of excessive heat
	-hazardous exothermic reaction:	and/or chemicals as listed in Section 5, this document.
	-change in appearance in the substance:	
	-hazardous products formed upon	
	contact with water:	
	-possible degradation to unstable	
	products:	

11. TOXICOLOGICAL INFORMATION

11.1	Skin Exposure:	
	-Symptoms:	Possible allergic rash reaction. See Section 4, this document.
	-Immediate Effects:	1 ossible anergic rash reaction. See Section 4, this document.
	-Delayed Effects:	
	-Chronic Effects:	
11.2	-Special Health Effects:	
11.2	Eye Contact:	
	-Symptoms:	Possible danger of metal fragments. See Section 4, this document.
	-Immediate Effects:	
	-Delayed Effects:	
	-Chronic Effects:	
11.3	-Special Health Effects:	
	Inhalation:	
	-Symptoms:	If product is exposed to temperatures in excess of 180 ⁰ F, local
		ventilation must be used.

	-Immediate Effects:	
	-Delayed Effects:	
	-Chronic Effects:	
	-Special Health Effects:	
11.4	Ingestion:	
11.4	-Symptoms:	
	-Immediate Effects:	May be moderately irritating to stomach lining. Induce vomiting if
	-Delayed Effects:	conscious.
	-Chronic Effects:	
	-Special Health Effects:	

12. ECOLOGICAL INFORMATION

12.1	Mobility	Not applicable.
	-distribution to environmental compartments	
	-surface tension	
	-absorption / desorption	
	-physical & chemical properties	
12.2	Degradability -biotic and abiotic degradation -acrobic and anaerobic degradation -persistence	Not applicable.
	Accumulation -bioaccumulation potential -biomagnification	Not applicable.
12.3		
	Short and Long Term Effects on:	Not applicable.
	-Ecotoxity	
	-aquatic organisms	
	-soil organisms	
12.4	-plants and terrestrial animals	
1211	-Other Adverse Effects	
	-ozone depletion potential	
	-photochemical ozone creation	
	potential	
	-effects on waste water treatment	
	plants	

13. DISPOSAL CONSIDERATIONS

13.1	Safe Handling	Consult with local regulatory bodies to metallic solid waste disposal
13.2	Methods of Disposal	

14. TRANSPORT INFORMATION

14.1	UN Number:	Harmonized Tariff Code: #7413.00.1000
14.2 14.3 14.4	Road & Sea Freight Classification: Substance Classification Number: Class:	Copper wire coated with resin flux
14.5 14.6	Packing Group: Proper Shipping Name:	Validated license # / General license symbol: "NLR"
14.7	PGR (if applicable) ADR/RID CLASSIFICATION: Class: Item Number: ICAO/IATA CLASSIFICATION:	
14.8	Class: Sub-Risk: Packing Group: Proper Shipping Name:	

15. REGULATORY INFORMATION

15.1	Precautionary Label Information:	This product does not require warning labels due to Hazards

15.2	Symbols:	Classification as designated in Section 3.
15.3	Risk Phrases:	Risk Phrases: R36/37/38
15.4	Safety Phrases:	Safety Phrases: S14 (per section 5), S22/39, S43 (per section 5)
16. OTHER INFORMATION		
16.1	Regulatory Information:	