

1

2

3

4

A

A

B

B




C

C

D

D

REVISIONS				
ZONE	REV	DESCRIPTION	DATE	APPROVED




\* Applicable size of IC package : IC body size 10.0 x 10.0 mm  
IC outer size 12.0 x 12.0 mm

IC package	Square
Pin count	52Pin
Lead pitch	0.65mm

**DRAWING NOT TO SCALE**

**ALL DIMENSIONS ARE IN MILLIMETERS**

 <a href="http://www.adapters.com">www.adapters.com</a>	<b>adapters.com</b> <i>An Embedded Systems Solutions Company</i>		
	DESCRIPTION: BASE-YQ-052Q65-EM-CVR		
TEL:(408)855-8527 FAX:(408)855-8528 3024 Scott Blvd. Santa Clara, CA 95054	SIZE <b>A</b>	DATE: 12-10-01	PART NO. <b>000-2087-00</b>
SCALE 1:1	CHECKED: Gabor Kardos	DRAWN BY: S. Barcellos	REV SHEET


1

2


3

4

# Recommended a PWB layout of TQSOCKET/YQSOCKET052SB Series




Eye Point



Part No.	<b>TQ/YQSOCKET052SB</b>	
IC package	Square	
Pin count	52	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		

# Recommended a PWB layout of TQSOCKET/YQSOCKET052SB Series



## NOTES:


\*1  $\oplus$  mark is through hole.

The diameter is 0.5mm after plating copper on the hole.

\*2 TQSOCKET guide pin hole and location.

\*3 YQSOCKET guide pin hole and location.

\*4 Screw hole and location for fastening TQSOCKET.



Part No.	<b>TQ/YQ052SB</b>	
IC package	Square	
Pin count	52Pin	
Lead pitch	0.65mm	
Unit : mm	Design : M.H	
<b>TET</b> TOKYO ELETECH CORP.		