

# Rittal – The System.

Faster – better – everywhere.

## ▶ Junction boxes JB Stainless steel – JB 8018.130

Date : Oct 29, 2015

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Junction boxes JB Stainless steel – JB 8018.130 - JB100806H4

created : 29.10.2015 build on [www.rittal.com/us-en](http://www.rittal.com/us-en)



## Product description

**Material:** Cover: Stainless steel 1.4301 (AISI 304), all-round foamed-in PU seal  
Housing: Stainless steel 1.4301 (AISI 304)

**Surface finish:** Housing and door: Brushed, grain 240

**Protection category  
IP to IEC 60 529:** IP 66

**Protection category  
NEMA:** NEMA 4X

**Supply includes:** 180° hinge  
Mounting plate

**Packaging unit:** 1 pc(s).

## Product features


**Dimensions:** Height: 250 mm ( 9.8 ")  
Width: 200 mm ( 7.9 ")  
Depth: 150 mm ( 5.9 ")

**Material thickness:** Housing: 1.5 mm ( 0.06 ")  
Door: 1.5 mm ( 0.06 ")

**Door catch:** left

**Weight/pack:** 3.3 kg ( 7.3 lb. )

## Approvals

Approvals:  [Approvals \(US\)](#)

## Downloads

Data sheets: [Graphics \(US\)](#)

Documentation:  [Info sheet \(US\)](#)  
 [Load brochure \(US\)](#)

CAD drawings: [Request](#)