





REV	DESCRIPTION	DATE	BY
A	NEW DRAWING	5/04/05	SC

F7472



- △ HOUSING: LIQUID CRYSTAL POLYMER, COLOR BLACK.
- CONTACTS: HIGH RELIABILITY COPPER ALLOY.
- GROUND BUSES: PHOSPHOR BRONZE ALLOY, UNS C51100.
- △ CONTACTS & GROUND BUSES: .00030[0.00076] MIN GOLD ON CONTACT AREA, .000150-.000250[0.00381-0.00635] 60/40 TIN-LEAD ON LEADS, ALL OVER 0.000070-0.000175[.00177-0.00445] NICKEL.
- △ DATE CODE MARKED IN AREA INDICATED ON SAME SIDE AS POSITION #1.
- △ ONE GROUND BUS WITH 5 TAILS PER EACH MODULE.
- △ TOLERANCE NON-ACCUMULATIVE.
- △ FOR SLP-FIT APPLICATIONS, ORIENTATION HOLE TO BE $\phi .079 \pm .001 [2.00 \pm 0.03]$.



PC BOARD HOLD DOWN REQUIRED IN THIS AREA FOR CONNECTORS OF 190 POSITIONS AND LARGER SIZE, SHAPE & LOCATION AT CUSTOMERS DISCRETION.

RECOMMENDED PC BOARD LAYOUT (VIEWED FROM CONNECTOR SIDE)

ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE SPECIFIED



Emulation Technology, Inc.

VLSI and SMT ADAPTERS and ACCESSORIES

2344 Walsh Avenue, Bldg F
Santa Clara, CA 95051

TEL: (408) 982-0660
FAX: (408) 982-0664

SHEET: 1 OF 1	DATE: 5/04/05	REVISION: A	ASSEMBLY DRAWING
CHECKED: Joe Bagliere	DRAWN:	ITEM: CONMICSTD152SMT	
SCALED:	DO NOT SCALE DRAWING	DESCRIPTION: CON-MICTOR-MAL-152-SMT	