



FIT Bearings[®]
The Brand that Fits

HUBS

6-BOLT, 6.00" BOLT CIRCLE, 4.62" PILOT

	206S	256S	709	809	306S	670
CAPACITY LB.	2,000	2,500	2,760	2,760	3,000	3,230
INNER CONE	67048LM	48548LM	48548LM	48548LM	29749LM	342A
INNER CUP	67010LM	48510LM	48510LM	48510LM	29710LM	332
OUTER CONE	11949LM	67048LM	67048LM	67048LM	67048LM	14137A
OUTER CUP	11910LM	67010LM	67010LM	67010LM	67010LM	14276
BOLT	N/A	N/A	B1043549	B1013539	N/A	B1043549
STUD	S1013576	S1013576	N/A	N/A	S1013576	N/A
NUT	N1012919	N1012919	N/A	N/A	N1012919	N/A
SEAL	SE1006293	SE1006295	SE1006283	SE1006476	SE1006295	SE1006487
GASKET	N/A	N/A	N/A	N/A	N/A	N/A
SLEEVE (Opt)	N/A	N/A	N/A	WS1112901	N/A	N/A
DUST CAP	C1009931	C1009905	C1009905	C1009905	C1009905	C1009928
DIMENSION A	2.000	1.560	1.560	1.560	2.190	1.630
DIMENSION B	1.000	1.030	1.000	1.190	1.000	1.340
DIMENSION C	0.940	0.940	1.060	1.060	0.940	1.750
DIMENSION D	1.940	1.460	1.590	1.590	1.950	1.820
SPINDLE # 1	SP1081304	SP1081301	SP1080742	SP1080742	SP1081302	SP1080963C
SPINDLE # 1 (In)	1.625 x 10.000	1.750 x 12.312	1.750 x 11.500	1.750 x 11.500	1.750 x 12.000	2.000 x 11.090
SPINDLE # 2	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.
SPINDLE # 2 (In)	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.

HUB CAPACITIES BASED ON THE FOLLOWING OFFSET: 1.12" POSITIVE

HUB STYLE DESIGNATION

(S) Stud Bolt Version
(B) Brake Version
(H) Heavy Duty

6

OPTIONAL COMPONENTS


Gasket
Wear Sleeve
Grease Zerk




FIT Bearings[®]
The Brand that Fits

**HUB
 DRAWINGS**


6-BOLT, 6.00" BOLT CIRCLE, 4.62" PILOT




206S




256S




709



809



306S



670

ASK YOUR SALES REPRESENTATIVE REGARDING FIT'S FREE FREIGHT POLICY

CORPORATE - WEST COAST SALES
 47655 Warm Springs Blvd
 Fremont, CA 94539
 Toll Free: (800) 808-0348
 Phone: (510) 623-1688

HUB DIVISION SALES - DISTRIBUTION
 2800 Galvin Drive
 Elgin, IL 60124
 Toll Free: (877) 808-0348
 Phone: (847) 836-8200



FIT Bearings[®]
The Brand that Fits

HUBS

6-BOLT, 6.00" BOLT CIRCLE, 4.62" PILOT

	356	356B	356S	356SB	888	888S
CAPACITY LB.	3,500	3,500	3,500	3,500	3,560	3,560
INNER CONE	501349LM	501349LM	501349LM	501349LM	69349JL	69349JL
INNER CUP	501310LM	501310LM	501310LM	501310LM	69310JL	69310JL
OUTER CONE	67048LM	67048LM	67048LM	67048LM	67048LM	67048LM
OUTER CUP	67010LM	67010LM	67010LM	67010LM	67010LM	67010LM
BOLT	B1013538	B1013538	N/A	N/A	B1043549	N/A
STUD	N/A	N/A	S1013548	S1013548	N/A	S1013576
NUT	N/A	N/A	N1013549	N1013549	N/A	N1012919
SEAL	SE1006294	SE1006294	SE1006294	SE1006294	SE1006284	SE1006284
GASKET	N/A	N/A	N/A	N/A	N/A	N/A
SLEEVE (Opt)	N/A	N/A	N/A	N/A	N/A	N/A
DUST CAP	C1009905	C1009905	C1009905	C1009905	C1009905	C1009905
DIMENSION A	2.830	2.830	2.830	2.830	1.540	1.540
DIMENSION B	1.440	1.440	1.440	1.440	1.060	1.060
DIMENSION C	0.940	0.940	0.940	0.940	1.100	1.100
DIMENSION D	1.580	1.580	1.580	1.580	1.510	1.510
SPINDLE # 1	SP1081303	SP1081303	SP1081303	SP1081303	SP1080743	SP1080743
SPINDLE # 1 (In)	2.000 x 12.000	2.000 x 12.000	2.000 x 12.000	2.000 x 12.000	1.750 x 12.500	1.750 x 12.500
SPINDLE # 2	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.
SPINDLE # 2 (In)	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.

HUB CAPACITIES BASED ON THE FOLLOWING OFFSET: 1.12" POSITIVE

HUB STYLE DESIGNATION

(S) Stud Bolt Version
 (B) Brake Version
 (G) Grease Zerk


8

OPTIONAL COMPONENTS


Gasket
 Wear Sleeve
 Grease Zerk




6-BOLT, 6.00" BOLT CIRCLE, 4.62" PILOT




356



356B/356SB



356S



888/888S

BRAKE BOLT PATTERNS ARE AS FOLLOWS: 356B, 356SB - 6 ON 5.50" (1/2"-20)

CORPORATE - WEST COAST SALES
47655 Warm Springs Blvd
Fremont, CA 94539
Toll Free: (800) 808-0348
Phone: (510) 623-1688

HUB DIVISION SALES - DISTRIBUTION
2800 Galvin Drive
Elgin, IL 60124
Toll Free: (877) 808-0348
Phone: (847) 836-8200



FIT Bearings®
The Brand that Fits

HUBS

6-BOLT, 6.00" BOLT CIRCLE, 4.62" PILOT

	889B	798B	810	611	783	797B
CAPACITY LB.	3,560	3,500	3,500	3,600	4,570	4,570
INNER CONE	69349JL	29749LM	29749LM	29749LM	501349LM	501349LM
INNER CUP	69310JL	29710LM	29710LM	29710LM	501310LM	501310LM
OUTER CONE	67048LM	67048LM	67048LM	67048LM	67048LM	67048LM
OUTER CUP	67010LM	67010LM	67010LM	67010LM	67010LM	67010LM
BOLT	B1043549	B1043549	B1043549	B1043549	B1043549	B1043549
STUD	N/A	N/A	N/A	N/A	N/A	N/A
NUT	N/A	N/A	N/A	N/A	N/A	N/A
SEAL	SE1006284	SE1006284	SE1006284	SE1006295	SE1006493	SE1006493
GASKET	N/A	N/A	N/A	N/A	N/A	N/A
SLEEVE (Opt)	N/A	N/A	N/A	N/A	N/A	N/A
DUST CAP	C1009905	C1009905	C1009905	C1009905	C1009905	C1009905
DIMENSION A	1.533	1.563	1.563	1.563	2.003	2.003
DIMENSION B	1.092	1.002	1.002	0.974	1.132	1.132
DIMENSION C	1.003	1.062	1.062	1.166	1.061	1.061
DIMENSION D	1.533	1.597	1.504	1.624	1.623	1.623
SPINDLE # 1	SP1080743	SP1089521	SP1089521	SP1089531	SP1089511	SP1089511
SPINDLE # 1 (In)	1.750 x 12.500	1.750 x 12.500	1.750 x 12.500	1.750 x 14.000	2.000 x 12.940	2.000 x 12.940
SPINDLE # 2	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.
SPINDLE # 2 (In)	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.

**HUB CAPACITIES BASED ON THE FOLLOWING OFFSETS:
 889B, 798B, 810, 783, 797B - 1.12" POSITIVE; 611 - 0.38" NEGATIVE**

HUB STYLE DESIGNATION


(S) Stud Bolt Version
 (B) Brake Version
 (H) Heavy Duty

OPTIONAL COMPONENTS


Gasket
 Wear Sleeve
 Grease Zerk




6-BOLT, 6.00" BOLT CIRCLE, 4.62" PILOT




889B




798B




810



611



783



797B

BRAKE BOLT PATTERNS ARE AS FOLLOWS: 889B, 798B, 797B - 6 ON 5.50" (1/2"-20)

CORPORATE - WEST COAST SALES
47655 Warm Springs Blvd
Fremont, CA 94539
Toll Free: (800) 808-0348
Phone: (510) 623-1688

HUB DIVISION SALES - DISTRIBUTION
2800 Galvin Drive
Elgin, IL 60124
Toll Free: (877) 808-0348
Phone: (847) 836-8200



6-BOLT, 6.00" BOLT CIRCLE, 4.62" PILOT

	890S	887SB	803	875	867B	614
CAPACITY LB.	4,570	4,570	4,910	4,910	4,910	5,000
INNER CONE	501349LM	501349LM	25590	25590	25590	603049LM
INNER CUP	501310LM	501310LM	25520	25520	25520	603011LM
OUTER CONE	67048LM	67048LM	25877	25877	25877	48548LM
OUTER CUP	67010LM	67010LM	25821	25821	25821	48510LM
BOLT	N/A	N/A	B1013538	B1013538	B1013538	B1013538
STUD	S1013576	S1013576	N/A	N/A	N/A	N/A
NUT	N1012919	N1012919	N/A	N/A	N/A	N/A
SEAL	SE1006493	SE1006493	SE1006285	SE1006495	SE1006285	SE1006493
GASKET	N/A	N/A	N/A	N/A	N/A	N/A
SLEEVE (Opt)	N/A	N/A	N/A	N/A	N/A	N/A
DUST CAP	C1009905	C1009905	C1009982	C1009982	C1009982	C1009926
DIMENSION A	2.002	2.002	2.503	2.503	2.503	1.750
DIMENSION B	1.124	1.124	1.384	1.382	1.382	1.370
DIMENSION C	1.124	1.124	1.136	1.103	1.131	1.370
DIMENSION D	1.626	1.626	1.755	1.131	1.755	1.620
SPINDLE # 1	SP11109G30	SP11109G30	SP1080744C	SP1080744C	SP1080744C	SP1089501C
SPINDLE # 1 (In)	2.000 x 12.937	2.000 x 12.937	2.125 x 15.437	2.125 x 15.437	2.125 x 15.437	2.000 x 18.000
SPINDLE # 2	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.
SPINDLE # 2 (In)	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.	CUST. SPEC.

**HUB CAPACITIES BASED ON THE FOLLOWING OFFSETS:
 890S, 887SB - 1.12" POSITIVE; 803, 875, 867B, 614 - 0.38" NEGATIVE**

HUB STYLE DESIGNATION


(S) Stud Bolt Version
 (B) Brake Version
 (G) Grease Zerk

OPTIONAL COMPONENTS


Gasket
 Wear Sleeve
 Grease Zerk




6-BOLT, 6.00" BOLT CIRCLE, 4.62" PILOT




890S




887SB




803



875



867B



614

BRAKE BOLT PATTERNS ARE AS FOLLOWS: 887SB, 867B - 6 ON 5.50" (1/2"-20)

CORPORATE - WEST COAST SALES
47655 Warm Springs Blvd
Fremont, CA 94539
Toll Free: (800) 808-0348
Phone: (510) 623-1688

HUB DIVISION SALES - DISTRIBUTION
2800 Galvin Drive
Elgin, IL 60124
Toll Free: (877) 808-0348
Phone: (847) 836-8200