

SPICE Model Parameters

Please copy this code from the SPICE model into LTSPICE (version 4) software for simulation of the GA01PNS80-CAL device.

```
MODEL OF GeneSiC Semiconductor Inc.
     $Revision: 1.1
     $Date: 30-APR-2015
    GeneSiC Semiconductor Inc.
     43670 Trade Center Place Ste. 155
     Dulles, VA 20166
    COPYRIGHT (C) 2013 GeneSiC Semiconductor Inc.
     ALL RIGHTS RESERVED
* These models are provided "AS IS, WHERE IS, AND WITH NO WARRANTY
* OF ANY KIND EITHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED
* TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A
* PARTICULAR PURPOSE."
* Models accurate up to 2 times rated drain current.
 Start of GA01PNS80-CAL SPICE Model
. MODEL GA01PNS80 D
+ IS
         9.2491e-015
+ RS
         1.02512
+ N
          3.3373
+ IKF
          0.00011784
+ EG
         3.23
         25
+ XTI
+ TRS1
        -0.0024
+ CJO
         2.7E-11
+ VJ
          2.304
          0.376
+ M
+ FC
         0.5
+ BV
         8000
        1.00E-03
+ IBV
+ VPK
         8000
+ IAVE
+ TYPE
          SiC PiN
+ MFG
          GeneSiC Semi
* End of GA01PNS80-CAL SPICE Model
```