

product name

Surface mounted 9W IP44 Plastic LED Panel Light

product desc

IP44 Plastic LED Panel Light

Feature:

1. Patent design
2. ABC or PC frame
3. Built-in driver
4. High quality plastic frame
5. Frame Color optional
6. Surface mounted installation
7. Moisture-proof, suitable for using in kitchen and bathroom etc.
8. Long lifespan: 25,000 hrs, low lumens decline

IP44 Plastic LED Panel Light

Parameter:

Product Model	GPP033093XWP			GPP033153XWP			GPP033183XWP		
Power Consumption(W)	9 15			15 18			18		
Dimension(mm)	295*295*18.5			295*295*18.5			295*295*18.5		
Input Voltage(V)	200-240			200-240			200-240		
PF	0.8			0.9			0.9		
CRI	80			80			80		
CCT(K)	3000	4000	5700	3000	4000	5700	3000	4000	5700
Lumen Output(lm)	650	670	720	950	1000	1050	1140	1200	1260
Dimmable	N			N			N		
Equivalent Power (W)	18			36			36		
Certificate	CE/ERP			CE/ERP			CE/ERP		

IP44 Plastic LED Panel Light

Installation:

Before mounting the IP44 plastic LED panel light and make the electrical connection, the power supply should be turned off. To do this, remove the fuse or switch the fuse to OFF. You can reactivate

the power supply after the complete installation of the LED panel light.

Please make sure that there are no electric cables or other installation at the location where you will install your LED panel light.


The installation must be performed by a qualified technician.

Make sure of the solidity of the installation in order to avoid serious accidents.

A) Built-in fixing method

a) Put the plastic cup into the four holes of the panel light surface

b) Push the panel up



B) Surface mounted method

a) Drill four holes on the ceiling floor

b) Push the panel into ceiling



Exhibition on 2014 Guangzhou Lighting Fair



LED panel light

Professional manufac

- TV backlight technology
- Patent: ZL20082029270
- Advanced optical design, UGR<19
- High uniformity >90%
- High luminous efficacy >90lm/w
- High reliabiliy: 50,000hrs

