

Antenna Transmatch *AT-1500 Series*

(Circa 1980 - No longer in production)

Features



- **FREQUENCY COVERAGE**
 - 1 to 30 Mhz. Continuously (Variable Roller Inductor)
- **INPUT IMPEDANCE**
 - 50 to 75 Ohms
 - Unbalanced
- **OUTPUT IMPEDANCE**
 - 15 to 500 Ohms Unbalanced (Coaxial) Feed - OR
 - Up to 500 Ohms Balanced Feed (includes high power ferrite balun) - OR
 - 10 to 1,000 Ohms Single Ended Feed
- **POWER HANDLING**
 - 1,500 Watts P.E.P. Continuous
- **TUNING**
 - Vernier tuning for smooth and accurate settings on all frequencies
 - 0 - 100 dial skirt log for easy resetting
- **FINISH**
 - Similar color scheme to the **Rockwell Collins KWM-380** (Released in Fall 1979)
 - Matched our **HL-2000A** linear amplifier.
 - Outer Steel Cabinet Painted Textured Baked Enamel - Hammond "Earth" Brown
 - Front Panel Painted Smooth Baked Enamel - Hammond "Cream" Beige
- **WEIGHT**
 - 5 Lbs. or 2.3 Kg.

Gallery



Part No.	Overall Dimensions		
	Height	Width	Depth
AT-1500	6.00	10.00	12.00

Data subject to change without notice

