

Item Number	Product Name	Description	Standards	Manufacturer	Model Number	Warranty (months)	Purchase Price 2/1/2011-1/31/2012	Purchase Price 2/1/2012-1/31/2013	Purchase Price 2/1/2013-1/31/2014	Purchase Price 2/1/2014-1/31/2015	Purchase Price 2/1/2016-1/31/2017	Purchase Price 2/1/2017-1/31/2018	Purchase Price 2/1/2018-1/31/2019	Purchase Price 2/1/2019-1/31/2020	Purchase Price 2/1/2020-1/31/2021	Unit	Purchase Cancellation Price
E100	White Cable Labels	Laser/Ink Jet Desktop for PanZone Cable Assemblies. Self-laminating polyester cable ID markers	ANSI/TIA/EIA-606-A	PANDUIT	S100X150YAJ	6	156.85	152.14	147.58	143.16	134.69	130.65	126.73	122.93	119.24	2500/BOX	55.15
E101	Black Patch Panel	Mini-Com Angled Flush Mount Modular 48-port Patch Panel (BLACK)	UL 1863 ANSI/TIA-568-C.2 ANSI/TIA-968-A IEC 606037	PANDUIT	CPPA48FMWBLY	6	91.30	88.56	85.90	83.32	78.40	76.04	73.76	71.55	69.41	EA	55.15
E102	Black Cable Management	Cable strain relief bar manager; attaches to 19" rack to support cables in punchdown or modular patch panel applications; provides cable management using included Tak-Ty Hook & Loop Cable Ties (6 pierces) (BLACK)	EIA-310-D	PANDUIT	SRBM19BLY	240	24.46	23.73	23.02	22.33	21.01	20.38	19.76	19.17	18.59	EA	55.15
E103	Blue CAT6 Cable	Enhanced high-performance Category 6 plenum (CMP) 4-pair UTP copper cable. Copper conductors are 23 AWG construction with FEP insulation. Conductors are twisted in pairs, separated by an integrated pair divider and placed in a low smoke, flame-retardant PVC jacket (BLUE)	ANSI/TIA/EIA-568-B.2-10; ANSI/TIA-568-C.2	PANDUIT	PUP6504BU-UY	300	1027.12	996.31	966.42	937.42	882.02	855.56	829.89	805.00	780.85	BOX	55.15
E104	White CAT6 Cable	Enhanced high-performance Category 6 plenum (CMP) 4-pair UTP copper cable. Copper conductors are 23 AWG construction with FEP insulation. Conductors are twisted in pairs, separated by an integrated pair divider and placed in a low smoke, flame-retardant PVC jacket (WHITE)	ANSI/TIA/EIA-568-B.2-10; ANSI/TIA-568-C.2	PANDUIT	PUP6504WH-UY	300	1027.12	996.31	966.42	937.42	882.02	855.56	829.89	805.00	780.85	BOX	55.15
E105	White Cable Labels	PanTher LS8E Hand-Held Self-laminating Printer Label (WHITE)	ANSI/TIA/EIA-606-A; UL969	PANDUIT	S100X150VAC	6	31.80	30.85	29.92	29.02	27.30	26.48	25.69	24.92	24.18	200/ROLL	55.15
E106	Blue CAT6 Modular Jack	Mini-Com TX6 PLUS UTP Category 6, RJ45, 8-position, 8-wire universal Jack Module. (BLUE)	UL 1863; ANSI/TIA-568-C.2	PANDUIT	CJ688TGIBU	240	8.69	8.42	8.17	7.93	7.46	7.24	7.02	6.81	6.61	EA	55.15
E107	White CAT6 Modular Jack	Mini-Com TX6 PLUS UTP Category 6, RJ45, 8-position, 8-wire universal Jack Module. (WHITE)	UL 1863; ANSI/TIA-568-C.2	PANDUIT	CJ688TGIWH	240	8.69	8.42	8.17	7.93	7.46	7.24	7.02	6.81	6.61	EA	55.15
E108	Green CAT6 Modular Jack	Mini-Com TX6 PLUS UTP Category 6, RJ45, 8-position, 8-wire universal Jack Module. (GREEN)	UL 1863; ANSI/TIA-568-C.2	PANDUIT	CJ688TGIGR	240	8.69	8.42	8.17	7.93	7.46	7.24	7.02	6.81	6.61	EA	55.15
E109	White Modular Jack Labels	Panduit LS8 Thermal Transfer White Labels for Mini-Com TX6 PLUS UTP Jack Modules (WHITE)	ANSI/TIA/EIA-606-A	PANDUIT	C138X019FJC	6	40.60	39.38	38.19	37.05	34.87	33.82	32.80	31.82	30.87	200/ROLL	55.15
E110	Black Cable Management	PatchRunner Vertical Cable Management System, includes four PRSP7 slack spools. Dimensions: 83.9"H x 8.0"W x 16.4"D (2131mm x 203mm x 417mm) (BLACK)	EIA-310-D	PANDUIT	PRV8*	240	861.61	835.76	810.69	786.37	739.89	717.70	696.17	675.28	655.02	EA	55.15
E111	Black Cable Management	NetManager High Capacity Horizontal Cable Manager (BLACK)	EIA-310-D	PANDUIT	NM4	240	134.00	129.98	126.07	122.30	115.07	111.62	108.27	105.02	101.87	EA	55.15
E112	Black Cable Management	Cable Routing Trough - 4 RU lower trough with 1.3" bend radius mounts to the bottom of a standard 19"W x 4.5"D (203mm x 483mm x 114mm) (BLACK)	EIA-310-D	PANDUIT	CMLT19	240	106.01	102.83	99.74	96.75	91.04	88.31	85.66	83.08	80.59	EA	55.15
E113	Black Cable Management	Conduit Waterfall - Provides bend radius control for cables entering/exiting 4" (101.6mm) EMT conduit. Secure to conduit w/o tools utilizing integral thumb screw and captive nut. (BLACK)	EIA-310-D	PANDUIT	CWF400	240	35.75	34.67	33.64	32.63	30.70	29.78	28.89	28.01	27.18	10/CTN	55.15
E114	Black Cable Management	Cable management waterfall kit. Provides bend radius control when transferring cables from standard ladder rack. Kit includes CMWB, two CMWW, and cable ties. (BLACK)	EIA-310-D	PANDUIT	CMW-KIT*	240	35.16	34.10	33.08	32.08	30.19	29.28	28.41	27.56	26.72	EA	55.15
E115	White Modular Furniture Wall Plate	Panduit Mini-Com Ultimate ID Sloped Snap-on Four Module Space Modular Furniture Snap-On Faceplate with Labels (WHITE)	EIA-310-D	PANDUIT	CFFPL4	240	2.31	2.24	2.18	2.11	1.99	1.93	1.87	1.82	1.77	10/BOX	55.15
E116	White Labels	Component Labels for Mini-Com Ultimate ID Sloped Snap-On Faceplates for use with Panduit Mini-Com modules (WHITE)	ANSI/TIA/EIA-606-A; UL969	PANDUIT	UILS8BW	6	27.76	26.92	26.12	25.33	23.83	23.12	22.42	21.75	21.10	25FT. ROLL	55.15
E117	White Modular BOB termination point	Mini-Com Multi-Media/Fiber Surface Mount Boxes Surface mount box accepts up to twelve Mini-Com Modules. 1.81"H x 4.71"W x 6.67"L (46mm x 120mm x 170mm). (WHITE)	ANSI/TIA/EIA-606-A	PANDUIT	CBXF12IW-AY	240	16.46	15.97	15.49	15.02	14.13	13.71	13.30	12.90	12.51	EA	55.15
E118	Clear Modular Plug	TX6 PLUS UTP Modular Plug 8-position, 8-wire modular plug. (CLEAR)	ANSI/TIA-968-A	PANDUIT	SP688-C	6	131.91	127.96	124.11	120.40	113.28	109.88	106.59	103.39	100.28	100/BAG	55.15
E119	Black Cable Management	Tak-Tape Hook & Loop Cable Tie Rolls, 25 foot roll (BLACK)	EIA-310-D	PANDUIT	TTS-20R0	240	10.64	10.31	10.01	9.70	9.14	8.86	8.60	8.33	8.09	25FT ROLL	55.15
E120	Black Cable Management	Ultra-Clinch Hook & Loop Cable Ties, 18" long, 10 per bag. (BLACK)	EIA-310-D	PANDUIT	UGCTC55-X0	240	26.42	25.63	24.86	24.12	22.70	22.01	21.35	20.71	20.09	10/BAG	55.15
E121	Call Accounting Software	Proteus Main Site License	Not Applicable Software	CTI/PROTEUS ENTERPRISE	TMS0001	12	2372.49	2301.31	2232.27	2165.31	2037.34	1976.22	1916.93	1859.42	1803.63	EA	55.15

Item Number	Product Name	Description	Standards	Manufacturer	Model Number	Warranty (months)	Purchase Price 2/1/2011-1/31/2012	Purchase Price 2/1/2012-1/31/2013	Purchase Price 2/1/2013-1/31/2014	Purchase Price 2/1/2014-1/31/2015	Purchase Price 2/1/2016-1/31/2017	Purchase Price 2/1/2017-1/31/2018	Purchase Price 2/1/2018-1/31/2019	Purchase Price 2/1/2019-1/31/2020	Purchase Price 2/1/2020-1/31/2021	Unit	Purchase Cancellation Price
E122	Proteus Enterprise Ports (Lines & Extension)	Proteus Enterprise Ports (Lines & Extension)	ITU E-MODEL (Proteus Enterprise is a browser based call accounting application. Proteus is SSL-compliant compatible with industry standard databases operating on Windows based	CTI/PROTEUS ENTERPRISE	TMS0002	12	1.78	1.73	1.67	1.62	1.53	1.48	1.44	1.39	1.35	EA	55.15
E123	Remote Buffer	Remote Buffer	ITU E-MODEL (Proteus Enterprise is a browser based call accounting application. Proteus is SSL-compliant compatible with industry standard databases operating on Windows based	CTI/PROTEUS ENTERPRISE	TMS0005	12	559.81	543.01	526.72	510.93	480.73	466.31	452.31	438.75	425.59	EA	55.15
E124	Fraud Guard	Fraud Guard	ITU E-MODEL (Proteus Enterprise is a browser based call accounting application. Proteus is SSL-compliant compatible with industry standard databases operating on Windows based	CTI/PROTEUS ENTERPRISE	FG0001	12	1185.68	1150.12	1115.61	1082.14	1018.19	987.65	958.01	929.27	901.39	EA	55.15
E125	HP DL360 Server	HP S-Buy DL320G6 E5504 3GB Svr US	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-1	HEWLETT-PACKARD	470065-235	360	1099.83	1066.84	1034.83	1003.78	944.46	916.13	888.64	861.99	836.13	EA	55.15
E126	146GB 15K SAS Hard Drive	HP146GB 15K SAS 3.5 DP HDD	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-2	HEWLETT-PACKARD	384854-B21	360	385.06	373.51	362.30	351.43	330.67	320.75	311.13	301.79	292.74	EA	55.15
E127	Hard Disk Drive Array Controller	HP Smart Array P411/512 BBWC 2-ports Ext PCIe x8 SAS Controller	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-4	HEWLETT-PACKARD	462832-B21	360	760.98	738.15	716.00	694.52	653.48	633.87	614.86	596.41	578.52	EA	55.15
E128	DVD	HP Slim 12.7mm SATA DVD Optical Kit	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-5	HEWLETT-PACKARD	481041-B21	360	95.68	92.81	90.03	87.33	82.16	79.70	77.31	74.99	72.75	EA	55.15
E129	Power Cable	HP-Power cable - IEC 320 EN 60320 C13-NEMA 5-15	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-6	HEWLETT-PACKARD	AF556A	360	12.14	11.77	11.42	11.07	10.42	10.11	9.80	9.51	9.23	EA	55.15
E130	Window Server 2008	MS MBL WIN SRV STD 2008 R2	None	MICROSOFT	MBL-P73-04982	0	743.30	721.01	699.38	678.40	638.30	619.16	600.59	582.56	565.09	EA	55.15
E131	Window Server CAL	MS MBL WIN SRV LICAL 2008	None	MICROSOFT	MBL-R18-02709	0	31.35	30.41	29.50	28.61	26.92	26.12	25.33	24.57	23.83	EA	55.15
E132	SQL Server 2008 Standard	MS MBL SQL SRV STD 2008 R2 1CPU	None	MICROSOFT	MBL-228-09470	0	7339.15	7118.98	6905.41	6698.24	6302.38	6113.30	5929.90	5752.01	5579.44	EA	55.15
E133	HP DL360 Server	HP DL360G7 E5630 Base US Svr	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-6	HEWLETT-PACKARD	579241-001	360	3243.49	3146.19	3051.80	2960.25	2785.29	2701.74	2620.68	2542.07	2465.80	EA	55.15
E134	DVD	HP DL360G6 12.7mm SATA DVD Kit	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-6	HEWLETT-PACKARD	532066-B21	360	95.11	92.24	89.48	86.79	81.67	79.22	76.84	74.53	72.30	EA	55.15

Item Number	Product Name	Description	Standards	Manufacturer	Model Number	Warranty (months)	Purchase Price 2/1/2011-1/31/2012	Purchase Price 2/1/2012-1/31/2013	Purchase Price 2/1/2013-1/31/2014	Purchase Price 2/1/2014-1/31/2015	Purchase Price 2/1/2016-1/31/2017	Purchase Price 2/1/2017-1/31/2018	Purchase Price 2/1/2018-1/31/2019	Purchase Price 2/1/2019-1/31/2020	Purchase Price 2/1/2020-1/31/2021	Unit	Purchase Cancellation Price
E135	Intel Xeon E5630 / 2.53 GHz Processor	HP E5630 DL360G7 Kit	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-6	HEWLETT-PACKARD	588070-B21	360	866.26	840.28	815.07	790.61	743.89	721.57	699.92	678.93	658.56	EA	55.15
E136	Power Supply	HP 460W HE 12V Hotpig AC Pwr Supply Kit	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-6	HEWLETT-PACKARD	503296-B21	360	274.30	266.08	258.09	250.35	235.56	228.49	221.64	214.99	208.54	EA	55.15
E137	300GB 10K SAS Hard Drive	HP 300GB 10K 6G 2.5 SAS DP Hdd	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-6	HEWLETT-PACKARD	507127-B21	360	559.80	543.00	526.71	510.92	480.72	466.30	452.31	438.74	425.58	EA	55.15
E138	HP Smart Array P411/512MB BBWC	HP P411/512	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-6	HEWLETT-PACKARD	462832-B21	360	786.24	762.65	739.77	717.57	675.17	654.91	635.27	616.21	597.72	EA	55.15
E139	LTO4 Tape	LTO4 LINEAR TAPE OPEN 800GB	LTO4	SONY	LTX800G	9999	33.59	32.58	31.61	30.65	28.85	27.98	27.14	26.33	25.54	EA	55.15
E140	LTO4 Tape	LTO4 HH INTERNAL TAPE	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-6	QUANTUM	TC-L42AN-BR-B	360	1879.59	1823.19	1768.50	1715.44	1614.06	1565.64	1518.67	1473.11	1428.92	EA	55.15
E141	Symantec Backup Exec 2010 for Windows Server	SYM BE SRV BDL EXP ESS	Not Applicable Software	SYMANTEC	20056161	0	794.33	770.50	747.39	724.96	682.12	661.66	641.80	622.55	603.87	4/BOX	55.15
E142	Symantec Backup Exec 2010 Agent	SYM BE AGT FR SYS EXP ESS	Not Applicable Software	SYMANTEC	20056863	0	475.00	460.75	446.92	433.52	407.90	395.67	383.79	372.28	361.11	EA	55.15
E143	Backup Exec 2010 Agent	SYM BE AGT FR SQL EXP EXP ESS	Not Applicable Software	SYMANTEC	20057927	0	794.33	770.50	747.39	724.96	682.12	661.66	641.80	622.55	603.87	EA	55.15
E144	LTO Cleaning Tape	QUANTUM LTO UNIV CLEANING	LTO4	QUANTUM	MR-LUCQN-01	9999	63.82	61.90	60.05	58.24	54.80	53.16	51.56	50.02	48.52	EA	55.15
E145	2GB RAM	HP SB 2GB 2RX8 PC3-10600R-9 KIT	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-6	HEWLETT-PACKARD	500656-S21	360	111.95	108.59	105.34	102.18	96.14	93.25	90.46	87.74	85.11	EA	55.15
E146	Mini-SAS to Mini-SAS Cable	HP MINI SAS TO MINI SAS 33IN CBL	FCC Rating Class A EMC CISPR 22; EN55022; EN55024; FCC CFR 47, Pt 15; ICES-003; CNS13438; GB9254; K22;K24; EN 61000-3-2; EN 61000-3-3; EN 60950-1; IEC 60950-6	HEWLETT-PACKARD	496014-B21	360	39.19	38.01	36.87	35.77	33.65	32.64	31.66	30.71	29.79	EA	55.15
E147	Cisco Survivable RS Telephony Version 7.1	2921 VOICE BUNDLE W/PVDM3-32, FL-CME-SRST-25, UC LICENSE pak	CISPR 22 Class A, CISPR 24, EN55024, EN55022 Class A, EN50082-1, CAN/CSA-E60065-00, ICES-003 Class A, CS-03, AS/NZS 3548, FCC CFR47 Part 15, EN300-386, UL 60950-1, IEC 60950-1, EN 60950-1, CSA C22.2 No. 60065, BSMI CNS 13438	CISCO	C2921-CME-SRST/K9	3	3299.59	3200.61	3104.59	3011.45	2833.47	2748.47	2666.02	2586.04	2508.45	EA	55.15
E148	CME-SRST User License	COMMUNICATION MANAGER EXPRESS OR SRST - 25 SEAT LICENSE	Not Applicable Feature License	CISCO	FL-CME-SRST-25	3	357.16	346.45	336.06	325.97	306.70	297.51	288.58	279.93	271.52	EA	55.15
E149	256MB DRAM	256MB COMPACT FLASH FOR CISCO 1900, 2900, 3900 ISR	Not Applicable	CISCO	MEM-CF-256MB	3	259.75	251.96	244.40	237.07	223.06	216.37	209.87	203.58	197.47	EA	55.15
E150	32 Channel DSP Module	32-CHANNEL HIGH-DENSITY VOICE AND VIDEO DSP MODULE	G.711, G.729a, G.729ab, G.726, G.722, G.723.1, G.728, G.729, G.729h	CISCO	PVDM3-32	3	1039.01	1007.84	977.61	948.28	892.24	865.47	839.51	814.32	789.89	EA	55.15
E151	Cisco IOS Technology Package License	UNIFIED COMMUNICATION LICENSE FOR CISCO 2901-2951	Not Applicable Software	CISCO	SL-29-UC-K9	3	454.57	440.93	427.70	414.87	390.35	378.65	367.29	356.27	345.58	EA	55.15
E152	USB Cable	CONSOLE CABLE 6 FT WITH USB TYPE A AND MINI-B	Not Available from OEM	CISCO	CAB-CONSOLE-USB	3	19.81	19.22	18.65	18.09	17.02	16.50	16.02	15.53	15.06	EA	55.15

Item Number	Product Name	Description	Standards	Manufacturer	Model Number	Warranty (months)	Purchase Price 2/1/2011-1/31/2012	Purchase Price 2/1/2012-1/31/2013	Purchase Price 2/1/2013-1/31/2014	Purchase Price 2/1/2014-1/31/2015	Purchase Price 2/1/2016-1/31/2017	Purchase Price 2/1/2017-1/31/2018	Purchase Price 2/1/2018-1/31/2019	Purchase Price 2/1/2019-1/31/2020	Purchase Price 2/1/2020-1/31/2021	Unit	Purchase Cancellation Price
E153	2 Port T1 Card	2-PORT 2ND GEN MULTIFLEX TRUNK VOICE/WAN INT. CARD-T1/E1	AS/NZS 3548,CISPR 22 Class B,CISPR 24,CSA 22.2,EN 61000-4-11,EN 61000-4-2,EN 61000-4-3,EN 61000-4-4,EN 61000-4-5,EN 61000-4-6,EN 61000-4-8,EN 61000-6-2,EN300-386,FCC Part 15,FCC Class B ,ICES-003 Class B,IEC 60950-1,UL 60950,VCCI	CISCO	VVIC2-2MFT-T1/E1	3	1321.15	1281.53	1243.08	1205.79	1134.53	1100.49	1067.48	1035.45	1004.38	EA	55.15
E154	2900 Power Supply	CISCO 2921/2951 AC POWER SUPPLY	Not Available from OEM	CISCO	PWR-2921-51-AC	3	227.29	220.47	213.85	207.44	195.17	189.32	183.64	178.13	172.78	EA	55.15
E155	Power Cord	AC POWER CORD (NORTH AMERICAN), C13,NEMA 5-15P, 2.1M	UL	CISCO	CAB-AC	3	32.47	31.50	30.55	29.64	27.88	27.05	26.24	25.45	24.68	EA	55.15
E156	2900 Security License	SECURITY LICENSE FOR CISCO 2901-2951	Not Applicable - Software	CISCO	SL-29-SEC-K9	3	779.26	755.88	733.21	711.21	669.18	649.10	629.62	610.74	592.41	EA	55.15
E157	Cisco 3945 Router	CISCO 3945 VOICE SEC. BUNDLE, PVDMM3-64, US AND SEC LICENSE P	AS/NZ 3548 Class A,AS/NZS 60950-1,BSMI CNS 13438,CAN/CSA-E60065-00,CISPR 22 Class A,CISPR 24,CS-03,CSA C22.2,EN300-386,EN50082-1,EN55022 Class A,EN55024,FCC Part 15,ICES-003 Class A,IEC 60950-1,UL 60950-1,G.711,G.723.1,G.726,G.728,G.729,G.729a,G.729ab	CISCO	C3945-VSEC/K9	3	10235.68	9928.61	9630.75	9341.83	8789.73	8526.03	8270.25	8022.14	7781.48	EA	55.15
E158	Services Performance Engine (SPE)	CISCO SERVICES PERFORMANCE ENGINE 150 FOR CISCO 3945 ISR	Ethernet 10Base-T/100Base-TX/1000Base-TX	CISCO	C3900-SPE150/K9	3	5195.06	5039.21	4888.04	4741.40	4461.18	4327.34	4197.52	4071.60	3949.45	EA	55.15
E159	64 Channel DSP	64-CHANNEL HIGH-DENSITY VOICE AND VIDEO DSP MODULE	G.711, G.729a, G.729ab, G.726, G.722, G.723.1, G.728, G.729, G.729b	CISCO	PVDM3-64	3	2078.03	2015.69	1955.21	1896.56	1784.47	1730.94	1679.01	1628.64	1579.78	EA	55.15
E160	3900 Security License	SECURITY LICENSE FOR CISCO 3900 SERIES	Not Applicable - Software	CISCO	SL-39-SEC-K9	3	1298.76	1259.81	1222.01	1185.35	1115.29	1081.84	1049.38	1017.90	987.36	EA	55.15
E161	Cisco IOS Technology Package License	UNIFIED COMMUNICATION LICENSE FOR CISCO 3900 SERIES	Not Applicable - Software	CISCO	SL-39-UC-K9	3	649.39	629.90	611.01	592.68	557.65	540.91	524.69	508.95	493.69	EA	55.15
E162	1 Port T1 Card	1-PORT 2ND GEN MULTIFLEX TRUNK VOICE/WAN INT. CARD-T1/E1	AS/NZS 3548,CISPR 22 Class B,CISPR 24,CSA 22.2,EN 61000-4-11,EN 61000-4-2,EN 61000-4-3,EN 61000-4-4,EN 61000-4-5,EN 61000-4-6,EN 61000-4-8,EN 61000-6-2,EN300-386,EN55022 Class B,EN55024,FCC Part 15,FCC Class B,ICES-003 Class B,IEC 60950-1,UL 60950,VCCI	CISCO	VVIC2-1MFT-T1/E1	3	858.75	832.99	808.00	783.76	737.44	715.32	693.85	673.05	652.85	EA	55.15
E163	1 Port T3 Card	1-PORT T3/E3 NETWORK MODULE	CSA , EN 60950 , EN 61000-3-2 , EN50082 , EN55022 , ICES-003 , IEC950 , TUV GS , UL 1950 , VCCI	CISCO	NM-1T3/E3	3	5614.93	5446.48	5283.09	5124.59	4821.73	4677.08	4536.77	4400.66	4268.64	EA	55.15
E164	Network Module Adapter	NETWORK MODULE ADAPTER FOR SM SLOT ON CISCO 2900, 3900 ISR	Not Available from OEM	CISCO	SM-NM-ADPTR	3	165.14	160.19	155.39	150.73	141.82	137.56	133.43	129.43	125.55	EA	55.15
E165	3900 Power Supply	CISCO 3925/3945 AC POWER SUPPLY	Not Available from OEM	CISCO	PWR-3900-AC	3	324.69	314.95	305.50	296.34	278.82	270.46	262.35	254.47	246.84	EA	55.15
E166	Cisco 3945 Security Bundle	CISCO 3945 SECURITY BUNDLE W/SEC LICENSE PAK	AS/NZ 3548 Class A, AS/NZS 60950-1, BSMI CNS 13438, CAN/CSA-E60065-00, CISPR 22 Class A, CISPR 24, CS-03, CSA C22.2 #60065, EN 60950-1, EN300-386, EN50082-1, EN55022 Class A, EN55024, FCC CFR47 Part 15, ICES-003 Class A, IEC 60950-1, UL 60950-1	CISCO	CISCO3945-SEC/K9	3	9347.88	9067.43	8795.41	8531.55	8027.33	7786.51	7552.92	7326.33	7106.54	EA	55.15
E167	Cisco 112-FXS Bundle Analog Phone Gateways	HIGH DENSITY ANALOG VOICE GATEWAY	AS/NZS 60950-1, BSMI CNS 13438 , CISPR 22 Class B , CISPR 24 , CS-03 , CSA C22.2 No. 60950-1 , EN 60950-1 , EN300-386 , EN50082-1, EN55022 Class A , EN55024 , FCC CFR47 Part 15 , ICES-003 Class A , IEC 60950-1 , UL 60950-1 , VCCI	CISCO	C3945-112FXS/K9	3	23777.56	23064.23	22372.31	21701.14	20418.60	19806.04	19211.86	18635.50	18076.44	EA	55.15

Item Number	Product Name	Description	Standards	Manufacturer	Model Number	Warranty (months)	Purchase Price 2/1/2011-1/31/2012	Purchase Price 2/1/2012-1/31/2013	Purchase Price 2/1/2013-1/31/2014	Purchase Price 2/1/2014-1/31/2015	Purchase Price 2/1/2016-1/31/2017	Purchase Price 2/1/2017-1/31/2018	Purchase Price 2/1/2018-1/31/2019	Purchase Price 2/1/2019-1/31/2020	Purchase Price 2/1/2020-1/31/2021	Unit	Purchase Cancellation Price
E168	4-Port DID Interface Card	FOUR-PORIT VOICE INTERFACE CARD - FXS AND DID	CE , FCC Class B certified , UL 1950	CISCO	VIC3-4FXS/DID	3	519.51	503.92	488.80	474.14	446.12	432.74	419.75	407.16	394.95	EA	55.15
E169	8-Port DID Interface Card	HIGH DENSITY VOICE/FAX EXTENSION MODULE - 8 FXS/DID	CE , EN 60950 , FCC Class A certified , IEC 60950 , NEBS level 3 IUL 60950	CISCO	EVM-HD-8FXS/DID	3	909.14	881.86	855.41	829.74	780.71	757.28	734.57	712.53	691.15	EA	55.15
E170	8-port voice/fax expansion module	8-PORIT VOICE/FAX EXPANSION MODULE - FXS AND DID	CE , EN 60950 , FCC Class A certified , IEC 60950 , NEBS level 3 IUL 60950	CISCO	EM3-HDA-8FXS/DID	3	974.08	944.85	916.50	889.01	836.47	811.38	787.03	763.42	740.52	EA	55.15
E171	256 Channel DSP Module	256-CHANNEL HIGH-DENSITY VOICE AND VIDEO DSP MODULE	AS/NZS 60950-1, CISPR 22 Class B, CISPR 24, EN 60950-1, EN 61000-3-2, EN 61000-3-3, EN 61000-4-11, EN 61000-4-2, EN 61000-4-3, EN 61000-4-4, EN 61000-4-5, EN 61000-4-6, EN 61000-4-8, EN50082-1, EN55022 Class B, EN55024, IEC 60950, UL 60950-1	CISCO	PVDM3-256	3	6428.90	6236.03	6048.94	5867.48	5520.71	5355.09	5194.44	5038.60	4887.45	EA	55.15
E172	Admin Security Token	CUCM ADMIN SECURITY TOKEN, 4.3, 6.0, OR NEWER, CoO ISRAEL	Not Applicable - Software	CISCO	KEY-CCM-ADMIN-K9=	3	198.18	192.23	186.47	180.86	170.17	165.07	160.12	155.32	150.66	EA	55.15
E173	CUCM License	UNIFIED CM DEVICE LICENSE 10 UNITS	Not Applicable - Software	CISCO	LIC-CM-DL-10	3	330.29	320.38	310.77	301.44	283.63	275.13	266.86	258.87	251.10	EA	55.15
E174	Cisco 7825	LICENSE UNIFIED CM 7.1 7825 APPLIANCE, 1,000 SEATS	Not Applicable - Software	CISCO	LIC-CM7.1-7825=	3	3960.17	3841.37	3726.13	3614.34	3400.74	3298.71	3199.76	3103.76	3010.64	EA	55.15
E175	Cisco 7825-I4 Unified Comm Manager Appliance	UNIFIED CM 7.1 7825-I4 APPLIANCE, 0 SEATS	FCC Part 15, Class A, ICES-003 Class A, AS/NZS CISPR22 Class A, CISPR22:2005 Class A, EN55022:2006 Class A, EN55024: 1998 +A1:2001 + A2:2003, IEC 61000-3-2:2000/EN 61000-3-2: 2000, IEC 61000-3-3: 1995 + A1:2001/EN 61000-3-3: 1995 + A1:2001	CISCO	MCS7825I4-K9-CMC2	3	4624.06	4485.34	4350.78	4220.25	3970.83	3851.71	3736.15	3624.08	3515.35	EA	55.15
E176	Cisco 7825 Unity	CISCO UNITY CONNECTION 7.1 MCS 7825 IBM APPLIANCE	FCC Part 15, Class A, ICES-003 Class A, AS/NZS CISPR22 Class A, CISPR22:2005 Class A, EN55022:2006 Class A, EN55024: 1998 +A1:2001 + A2:2003, IEC 61000-3-2:2000/EN 61000-3-2: 2000, IEC 61000-3-3: 1995 + A1:2001/EN 61000-3-3: 1995 + A1:2001	CISCO	MCS7825I4-K9-UCB1	3	4624.06	4485.34	4350.78	4220.25	3970.83	3851.71	3736.15	3624.08	3515.35	EA	55.15
E177	24-Port Expansion	UNITY CONNECTION 24 ADDITIONAL PORTS	Not Applicable - Software	CISCO	UNITYCN7-ADD-24PT=	3	2642.32	2563.05	2486.16	2411.57	2269.05	2200.98	2134.95	2070.89	2008.78	EA	55.15
E178	User License	ONE UNITY CONNECTION USER - ALL USER FEATURES	Not Applicable - Software	CISCO	UNITYCN7-USR	3	42.93	41.65	40.40	39.19	36.87	35.77	34.69	33.65	32.64	EA	55.15
E179	Cisco Unity Connection License	UNITY CONNECTION, 24 PORTS, 300 USERS - ALL USER FEATURES	Not Applicable - Software	CISCO	UNITYCN7-300USR	3	13211.59	12815.24	12430.79	12057.87	11345.24	11004.88	10674.73	10354.49	10043.86	EA	55.15
E180	Cisco 7945 IP Phone	CISCO IP PHONE 7945, GIG ETHERNET, COLOR, SPARE	10Base-T/100Base-TX/1000Base-T TFTP IEEE 802.1p, IEEE 802.1Q (VLAN) 128 bit AES G.711a, G.711u, G.722, G.729a, G.729ab, ILBC SCCP, SIP	CISCO	CP-7945G=	3	307.17	297.95	289.01	280.34	263.78	255.86	248.19	240.74	233.52	EA	55.15
E181	Cisco 7965 IP Phone	CISCO UNIFIED IP PHONE 7965, GIG ETHERNET, COLOR, SPARE	10Base-T/100Base-TX/1000Base-T TFTP IEEE 802.1p, IEEE 802.1Q (VLAN) 128 bit AES G.711a, G.711u, G.722, G.729a, G.729ab, ILBC SCCP, SIP	CISCO	CP-7965G=	3	393.05	381.25	369.82	358.72	337.52	327.40	317.57	308.04	298.81	EA	55.15