

HARTING Product Information



Business Unit:	Electronics	PI/ 010
Product range:	Tooling / Crimp Tool	Date: 2012-11-12
Title:	Launch of Hand Crimp Tools	Page 1/3



Dear Customer,

We are pleased to announce the launch of our new hand crimp tools for DIN 41 612 individual BC/har.bus64/FC contacts.

The new tools require a dedicated tool for each contact type. In addition, new tools will replace the p/n **09 99 000 0620** along with related insert tools.

For product numbers and descriptions of these new tools and accessories, please check the appendix section of this document.

Advantages:

- Small tool dimension with light weight guarantees safer and more comfortable handling.
- Easy handling without exchanging inserts.
- Built-in locator provides easy "one-hand" tool operation.





Issue Number: 1-0 Issue Date: 3/3/10



HARTING Product Information

٩

Page 2/3

Availability:

New tools along with all accessories are already available for purchase. Tools have been tested according to IEC 60352-2 at the HARTING CTS.

Please don't hesitate to contact our technical support if you have any questions.

Technical Support E-mail: <u>TechSupportUS@HARTING.com</u>

Technical Support Phone Number: 866-278-0306 (Select option 3 for technical support).



HARTING Product Information

Page 3/3

Appendix: Product Information

Part Number	Description	Single Contacts	Accessory	
09 99 000 0075	Hand Crimp Tool BC, FC-1, har.bus 64	09 02 000 8484	Locator B Locator FC-1	
		09 02 000 8474		
		02 05 000 2513		
		02 05 000 1513		
		09 06 000 8484		
		09 06 000 8474		
09 99 000 0076	Hand Crimp Tool FC-2	09 06 000 8481	Locator FC 2- 3	
		09 06 000 8471		
09 99 000 0077	Hand Crimp Tool FC-3	09 06 000 8482	Locator FC 2- 3	
		09 06 000 8472		
09 99 000 0640	Locator BC	09 02 000 8484		
		09 02 000 8474	Spare Part	
		02 05 000 2513		
		02 05 000 1513		
09 99 000 0641	Locator FC-1	09 06 000 8484	Spare Part	
		09 06 000 8474		
09 99 000 0642	Locator FC 2-3	09 06 000 8481		
		09 06 000 8471	Spare Part	
		09 06 000 8482	Opare i art	
		09 06 000 8472		