Setting up an analog & digital TV tuner in Windows 7 Media Center

The WinTV-HVR-1600 was used for this example, but any other Hauppauge WinTV-HVR can be set up in the same way.

Note: if you are using the built-in IR receiver in the WinTV-HVR-1850 or the WinTV-HVR-2250, please run HCWCIRConfig first before you setup Windows Media Center. When you run HCWCIRConfig, select 'Hauppauge Consumer Infrared Receiver'. If you do not, Windows Media Center will stop at the step where it is "looking" for a Media Center remote control.

Step 1: Open Windows Media Center. Click Continue.



Step 2: In the Get Started screen, choose Express.



Step 3: Choose TV/Live TV setup.



Step 4: Your region will get automatically detected. Choose yes to continue if it is displayed correctly, and click next.

Windows Media Center		
	TV Setup	Windows Media Center 🥶
	Region Your region is used to configure your computer for lo Region: United States Is this the correct region? Yes, use this region to configure TV services No, I want to select a different region	cal TV services.
	Back Next	Cancel

Step 5: Enter your zip or postal code when prompted, and click next to continue.



Step 6: Program guide terms, choose 'I agree' and click next to continue.



Step 7: TV set up will indicate that it is downloading program data.



TV setup will then examine TV signals

🕲 Windows Media Center	
TV Setup	Windows Media Center 😂
Examining TV Signals	
Windows Media Center is examining several minutes.	your TV signals. This process may take
Back	Next Cancel

TV setup will then indicate your TV signal detection result. If detected correctly, choose 'yes configure TV with these results' and click next to continue.



Step 8: TV set up will now ask you to set up analog cable, click next to continue.

🗐 Windows Media Center	
TV Setup	Windows Media Center 🚳
TV Source Setup Select Next to set up your Analog Cable.	
Back	Next Cancel





Step 10: TV setup will now ask you to setup digital cable, choose next to continue

💿 Windows Media Center		
	TV Setup	Windows Media Center 🤓
	TV Source Setup	
	Select Next to set up your Digital Cable (ClearQAM).	
	Back Next	Cancel



Step 12: TV setup configuration will confirm your signal setup, choose next to confirm:

S Windows Media Center			and a second	
TV	Setup		Windows Media Center 🤓	
TV The Ana Dig (1 t Sele	Signal Configuration following TV signals will be o alog Cable: Hauppauge, Cable gital Cable (ClearQAM): Haup tuner) ect Next to confirm.	configured for Windov evision of Hauppauge pauge, Cablevision of	vs Media Center: (1 tuner) Hauppauge (Digital)	
		Back Next	Cancel	

Step 11: Choose your digital cable TV provider and click next to continue:

Step 13: TV setup will now require you to download your TV program guide.



Step 14: After the program guide data has completed, TV setup will begin a TV channel scan process. This can take several minutes.

Windows Media Center			and the second second	
	TV Setup		Windows Media Center 🥶	
	TV Channel Scan Windows Media Center is scannin This process may take several min Stop Scan Scanning: 0% done	g for additional TV c utes.	hannels you receive.	
			Cancel	

Channel scan will complete and display a list of the channels found (digital QAM). Choose next to continue.

🗐 Windows Media Center	
TV Setup	Windows Media Center 🚳
TV Channel Scan	
Windows Media Center has finished s you receive.	scanning for additional TV channels
Scan again	Delete All
20 channel(s) found	
WNJUDT (WNJU-DT)	
Trinity	
WABCDT3 (WABC-DT3)	
	1 of 20 🔨 🗸
	Next

Step 15: TV signal setup will indicate that it is finished. Click Finish.

🕲 Windows Media Center	
TV Setup	Windows Media Center 🕮
TV Signal Setup	Finished
You have finished co settings:	nfiguring Windows Media Center with the following
Analog Cable: Haup Digital Cable (ClearC (1 tuner)	pauge, Cablevision of Hauppauge (1 tuner) QAM): Hauppauge, Cablevision of Hauppauge (Digital)
Select Finish to exit.	
	Finish

Step 16: Return to the main menu, and choose TV, and click Live TV to begin watching TV.



