

TECHNICAL WORKSPACE SOLUTIONS WWW.HERGO.COM | 888.222.7270



> hergo 888.222.7270 hergo.com



YOUR trusted Technical Workspace Solutions since 1992

- Command Centers
- Data Centers
- IT Furniture
- Workstations
- Tech Workbenches
- Mobile Carts
- Enclosure Cabinets
- Relay Racks



















Wall Mount Cabinets

Enclosures / Cabinets

19" Relay Racks





















An approved supplier to all branches of the U.S. Government, Hergo® has proudly served a growing list of satisfied clients for over 20 years.



ENCLOSURE CABINETS

User Flexibility and Compatibility
Standard design allows for mounting of all computers and electronic equipment that meets E.I.A. Specifications. Hergo enclosures are compatible with most

standard rack mount servers.

Configuring YOUR Enclosure

Use the Model Menu below to determine which enclosure unit meets your requirements. Go to the appropriate page as shown on the bottom row of the menu to locate the enclosure of your choice. All compatible options and accessories will be presented on this page to assist you in configuring your enclosure.

Choose from the following items:

- 1. Side Panels
- 2. Front and Rear Doors
- 3. Fixed and/or Slide-Out Shelves
- 4. Fan Assemblies and Air Filters
- 5. Cable Management
- 6. Power Management
- 7. Gliders, Stabilizers or Casters
- 8. Additional Options



| | | | WALL N | OUNT | SATU | RN | M | ARS | | | | APX SERVER | |
|----------------|-------------------------|----------------|----------------------|-----------------------|-----------------|-------------------|------------------|--------------------|-----------------------|---------------------|-------------------|-------------------|-------------------|
| | MODEL MENU* | | DOUBLE SINGLE | | | | | | | | | ANY FRANK | |
| | Model Description | Z4238 38" D | Z-LINE12 21.63" D | Z-LINE 6 17" D | SATURN 36" D | SATURN30 30" D | MARS Mid-Size | MARS30 Mid-Size | MERCURY Under-Desk | DESKMATE30 30" D | APX SERVER 26U | APX SERVER 12U | APX SERVER 42U |
| ght | Inside U | 42 U | 12 U | 6 U | 42 U | 42 U | 26 U | 26 U | 12 U | 12 U | 26 U | 12 U | 42 U |
| Height | Inside Inches | 73.50" | 21" | 10.50" | 73.50" | 73.50" | 45.50" | 45.50" | 21" | 21″ | 45.50" | 21" | 73.50" |
| Depth | Inside | UP 34" | UP 15" | UP. 15" TO 18" | UP 34" | UP 28" | UP 34" | ₩ 28″ | UP 34" | UP 28" | UP 34" | UP 34" | UP 34" |
| | Outside | 38" | UP 17.7" 21.63" | UP 17.7" TO 21.63" | 36" | 30" | 36" | 30" | 36" | 30" | 36" | 36" | 38" |
| th | Inside | 19" | 19" | 19" | 19" | 19" | 19" | 19" | 19" | 19" | 19" | 19" | 19" |
| Width | Outside | 23" | 23.62" | 23.62" | 24" | 24" | 24" | 24" | 24" | 24" | 24" | 24" | 23" |
| Ħ | Plain Height | 77.50" | 25" | 14.50" | 78.75" | 78.75" | 50.50" | 50.50" | 26.25" | 26.25" | 50.50" | 26.25" | 77.50" |
| Overall Height | With Gliders | 78.50" | _ | - | 79.50" | 79.50" | 51.25" | 51.25" | 27.00" | 27.00" | 51.25" | 27.00" | 78.50" |
| verall | With 2.75" H Casters | 80.50" | _ | - | 81.50" | 81.50" | 53.25" | 53.25" | 29.25" | 29.25" | 53.25" | 29.25" | 80.50" |
| 6 | With 4" H Casters | 82.50" | - | - | 83.75" | 83.75" | 55.50" | 55.50" | 30.25" | 30.25" | 55.50" | 30.25" | 82.50" |
| Fi O | ind it on PAGE | 14 | 15 | | 16 | 18 | 20 | 22 | 24 | 26 | 7 | 28 | 29 |

 $Specifications \ are \ subject \ to \ change \ without \ notice. \ Consult \ with \ a \ Hergo \ Account \ Executive \ today.$

Hergo Z4238 Enclosure Cabinet

95-Z4238-000



Dimensions:

External: W-23" x D-38" x H-77.50"

Internal Mounting Dimensions:

| Height | 42U / 73.50" |
|--------|--------------|
| Depth | 34" |

Heights:

| Floor Mounted | 77.50" |
|----------------------------|--------|
| With Gliders | 78.50" |
| With Industrial Casters | 80.50" |
| With Institutional Casters | 82.50" |



Swing Handle Lock Upgrade Available with Combination

Package Includes:

4 Z Style Mounting Rails

Rails are number marked for every "U" of rackmount space from 1 to 42U.



Cable Management

Supplied with 8 cable management loops (4 on each side).

Holds approximately 100 Cat 5 cables.

Brush Insert Cable Thruway

Supplied with 1 Brush Insert to manage cable access and protect from dust and debris.



Casters

Supplied with 4 Dual-Wheel Casters (2 Locking and 2 Non-locking).



Locking Non-Locking

2 Removable, Lockable, Louvered Side Panels

Front & Rear Doors - User Choice (see below)

Screws & Cage Nuts - Bag of 20 each

Options:





4 Fans Quiet 300 CFM


2 Fans Quiet 150 CFM

1 Fan 1 Fan Quiet 606 CFM 75 CFM

Perforated

Solid

Shelves





Slide-out 24"D 100 LBS

Slide-out 27"D 135 LBS




135 LBS





Slide-out Full Size Keyboard Shelf 24"D

Front & Rear Doors



Accessories





Wire Loop Panel Metal, 1U

Internal Lighting Rackmountable

Lifting Lugs (set of 4)



Filler Panels



Tilt Stabilizers



Used with Gliders

Used with Casters

Specifications are subject to change without notice. Consult with a Hergo Account Executive today.

24"D

© Hergo Ergonomic Support Systems, Inc.

hergo Technical Workspace Solutions 56-01 55th Avenue, Maspeth, New York 11378 | Tel: 888-222-7270 | Fax: 888-410-0671 | www.hergo.com

Hergo Z Wall Mount Cabinets

Features

Hergo **Z** Wall Mount **Enclosure Cabinets** organize and safeguard technical data and equipment at any height level without taking up valuable floor space. Standard design allows for mounting of all electronic equipment that meets E.I.A. 19 Specifications.

2 Removable Side Panels for easy access to equipment and cabling.

Brush Insert Cable Thruway

Supplied with 1 Brush Insert to manage cable access and protect from dust and debris.



6U Wall Mount Enclosure 6U - Single Section



Mounting Dimensions: Height 6U (10.5") ● Accommodates up to 15" Deep

External Dimensions: 14.5" H x 23.62" W x 17.70" D

Package Includes:

(2) 6U Mounting Rails and (10) Screws & Cage Nuts

12U Wall Mount Enclosure 12U - Single Section Optional Quiet Fan (75 CFM) and Filter 24-14900-002 Brush Insert Cable Thruway Removable Reversible Door Tempered, Tinted Glass Locking Side Panels


Mounting Dimensions: Height 12U (21") • Accommodates up to 15" Deep

External Dimensions: 25" H x 23.62" W x 17.70" D

Package Includes:

(2) 12U Mounting Rails and (10) Screws & Cage Nuts





Height 6U (10.5") • Accommodates up to 18" Deep Equipment

14.5" H x 23.62" W x 21.63" D

(4) 6U Mounting Rails and (10) Screws & Cage Nuts



Height 12U (21") • Accommodates up to 18" Deep Equipment

25" H x 23.62" W x 21.63" D

(4) 12U Mounting Rails and (10) Screws & Cage Nuts

Up to 100 lbs. (When evenly distributed)

Black

Powder Coat Painted - Environmentally Friendly.

Static Weight Capacity:

Mounting Dimensions:

External Dimensions:

Package Includes:

Color:

Finish:

Accessories:

Mounting Rails

24-14700-006 24-14700-012



















Screws / Cage Nuts



55-01170-000 (25) 55-01172-000 (50)

Specifications are subject to change without notice. Consult with a Hergo Account Executive today.

HEIGHT 42 U

WIDTH **24**"

DEPTH 36"

95-SATUR-NOO

SATURN Enclosure Cabinet

| Internal Equipment | Width: 19" | | |
|-------------------------------|---|---------------------------------------|--|
| Mounting Dimensions | Depth 36": Up to 34" Deep Equ Height: 42 U (73.5") | ipment | |
| External Dimensions | 78.75" High* x 24" Wide x 36" [|)eep | |
| Static Weight Capacity | Up to 1,400 lbs. with Industrial | Casters | |
| Construction | Base & Top: Enhanced in all 4 Corners by 11- Gauge Gussets Upright Support: A 4 bend 16-Gauge design for strong vertical support Side Panels: Removable and Lockable from within the Enclosure Standard Color: Black. Quality Powder Coat Finish - Environmentally Friend | | |
| Baying | Connect 2 or more Enclosures a | nd eliminate the need for Side Panels | |
| *Overall Height | Plain Height | 78.75" | |
| | With Gliders | 79.50" | |
| | With 2.75" Industrial Casters | 81.50" | |
| | With 4" Institutional Casters | 83.75" | |

OPTIONS:

Frame, Mounting Rails, Screws & Cage Nuts





Side Panels, Front & Rear Doors



| # | ITEM | DESCRIPTION | PART No. |
|----|----------------------|---|--------------|
| 01 | Basic Standard Frame | 24"Wide x 36"Deep | 24-04302-360 |
| 02 | Mounting Rails | Square Cage knock-outs (1 ea.) | 24-04312-000 |
| 03 | Mounting Screws | M6 x 16mm - Screws and-Cage Nuts, Bag of 25 | 55-01160-000 |
| 04 | Mounting Screws | M6 x 16mm - Screws and-Cage Nuts, Bag of 50 | 55-01162-000 |


| 05 | Side Panel | 36" Deep, Bottom Louvered - ea. | 24-04320-360 |
|----|------------------|--|--------------|
| 06 | Front Door | Vertically Louvered, Perforated Panel, w/Handle Lock | 24-04344-000 |
| 07 | Rear Door | Vertically Louvered, Perforated Panel, w/Handle Lock | 24-04345-000 |
| 08 | Front Door | Tempered Glass with Handle Lock | 24-04346-000 |
| 09 | Rear Door | Tempered Glass with Handle Lock | 24-04348-000 |
| 10 | Front Door | Solid with Handle Lock | 24-04357-000 |
| 11 | Rear Door | Solid with Handle Lock | 24-04358-000 |
| 12 | Combination Lock | Swing Handle with Master Cylinder Key | 24-04400-000 |
| | | | |

Fixed Shelves





Slide-Out Shelves



| 13 | Fixed Shelf | 24" Deep, Louvered, 350 lbs. | 24-09052-000 |
|----|-------------------------|------------------------------|--------------|
| 14 | Fixed Shelf | 27" Deep, Louvered, 350 lbs. | 24-09054-000 |
| 15 | Cantilever Shelf | 19" Wide, 12" Deep | 14-00710-000 |
| 16 | Cantilever Shelf | 19" Wide, 15" Deep | 14-00712-000 |
| | | | |

24"Deep, Louvered, 100 lbs.

27" Deep, Louvered, 135 lbs.

| Air Filter | For 36" Deep - Sold in single units. | 24-09424-000 |
|-------------------------|---|--|
| Top Fan Assembly | 1 Fan, 75 CFM | 24-09110-000 |
| Top Fan Assembly | 2 Fans, 150 CFM | 24-09112-000 |
| Top Fan Assembly | 4 Fans, 300 CFM | 24-09114-000 |
| Top Fan Assembly | 1 Fan, 606 CFM | 24-09110-006 |
| Cover Plate | Top, Perforated | 24-09006-000 |
| | Top Fan Assembly Top Fan Assembly Top Fan Assembly Top Fan Assembly | Top Fan Assembly 1 Fan, 75 CFM Top Fan Assembly 2 Fans, 150 CFM Top Fan Assembly 4 Fans, 300 CFM Top Fan Assembly 1 Fan, 606 CFM |


Bottom, Solid

For Mini Keyboard (13"W) & Mouse Pad

Swivel-Out Full KB with Rear Mouse Area

Slide-Out Writing Desktop, 24" Deep

Air Filters, Fan Assemblies & Cover Plates



 $Specifications\ are\ subject\ to\ change\ without\ notice.\ Consult\ with\ a\ Hergo\ Account\ Executive\ today.$

24-09062-100

24-09062-180

24-09080-000

24-09082-000

24-09084-000

24-09010-000

28 Cover Plate

Slide-Out Shelf

Slide-Out Shelf


Slide-Out Shelf


Slide-Out Shelf


Slide-Out Shelf


17

20









| OPTIONS: | | | | | | | |
|----------|----------|-------------|--|--|--|--|--|
| Gliders, | Casters, | Stabilizers | | | | | |
| 30 | 31 32 | 33-34 | | | | | |

| # I | TEM | DESCRIPTION | PART No. |
|------|-------------|--|--------------|
| 30 (| Glider | Heavy Duty Glider | 28-00110-000 |
| 31 (| Caster | Dual Width, Heavy Duty, 2.75" High | 28-00010-000 |
| 32 (| Caster | Dual Width, Heavy Duty, 2.75" High, Lockable | 28-00012-000 |
| 33 5 | Stabilizers | Enclosure Tilt Stabilizers (2 ea.) for unit with Gliders | 24-09370-000 |
| 34 5 | Stabilizers | Enclosure Tilt Stabilizers (2 ea.) for unit with Casters | 24-09372-000 |

Cable & Power Management



| 35 | 60" L Power Strip | 12 Ports, 15 Amp, 6' Power Cord | 24-09270-000 |
|----|-------------------|---|--------------|
| 36 | 19" W Power Strip | 6 Ports, 15 Amp, 19" Rackmountable Panel | 24-09276-000 |
| 37 | D - Wire Loops | Wire Loops - (Set of 10) - Mount to Rails | 24-09250-000 |
| 38 | Wire Loop Panel | 19"W Horizontal Metal Wire Loop Panel (1 U) | 24-09260-000 |

Hood Cover, Grommets, Lifting Lugs







| 39 | Hood Cover | 24"Wide x 36" Deep | 24-09520-036 |
|----|---------------|--|--------------|
| 40 | Small Grommet | 1.5" Dia. for cable protection - for sides | 24-09610-000 |
| 41 | Large Grommet | 2.5" Dia. for cable protection- for top | 24-09614-000 |
| 42 | Lifting Lugs | Set of 4 - Required for lifting enclosure | 24-09350-000 |
| | | | |

Fill-in Panels



| 43 | 1 U Panel | 1.75" High | 24-09510-100 |
|----|-----------|------------|--------------|
| 44 | 2 U Panel | 3.50" High | 24-09510-200 |
| 45 | 3 U Panel | 5.25" High | 24-09510-300 |
| 46 | 4 U Panel | 7.00" High | 24-09510-400 |
| 47 | 5 U Panel | 8.75" High | 24-09510-500 |

Lighting, Baying Kit, Mini-Keyboard




| 48 | Internal Lighting | In-Cabinet Lighting, Rackmountable | 24-09280-000 |
|----|-------------------|------------------------------------|--------------|
| 49 | Baying Kit | 4-Corner Assembly Kit | 24-09300-000 |
| 50 | Mini Keyboard | 84 Keys, 13"Wide Keyboard, Black | 24-09087-000 |
| 51 | Mini Keyboard | 84 Keys, 13"Wide Keyboard, Putty | 24-09087-002 |

Specifications are subject to change without notice. Consult with a Hergo Account Executive today.

HEIGHT 42 U

WIDTH **24**"

DEPTH **30**"



SATURN 30 Enclosure Cabinet

| Internal Equipment | Width: 19" | | |
|-------------------------------|---|---------------------------------------|--|
| Mounting Dimensions | Depth 30" : Up to 28" Deep Equipment Height: 42 U (73.5") | | |
| External Dimensions | 78.75" High* x 24" Wide x 30" I |)eep | |
| Static Weight Capacity | Up to 1,400 lbs. with Industria | Casters | |
| Construction | Base & Top: Enhanced in all 4 Corners by 11- Gauge Gussets Upright Support: A 4 bend 16-Gauge design for strong vertical support Side Panels: Removable and Lockable from within the Enclosure Standard Color: Black. Quality Powder Coat Finish - Environmentally Friendly | | |
| Baying | Connect 2 or more Enclosures a | nd eliminate the need for Side Panels | |
| *Overall Height | Plain Height With Gliders With 2.75" Industrial Casters | 78.75" 79.50" 81.50" | |

OPTIONS:

Frame, Mounting Rails, Screws & Cage Nuts





Side Panels, Front & Rear Doors



ITEM DESCRIPTION PART No. 01 Basic Standard Frame 24"Wide x 30" Deep 24-04302-300 02 Mounting Rails Square Cage knock-outs (1 ea.) 24-04312-000 03 Mounting Screws M6 x 16mm - Screws and-Cage Nuts, Bag of 25 55-01160-000 04 Mounting Screws M6 x 16mm - Screws and-Cage Nuts, Bag of 50 55-01162-000

| 05 | Side Panel | 30" Deep, Bottom Louvered - ea. | 24-04320-300 |
|----|------------------|--|--------------|
| 06 | Front Door | Vertically Louvered, Perforated Panel, w/Handle Lock | 24-04344-000 |
| 07 | Rear Door | Vertically Louvered, Perforated Panel, w/Handle Lock | 24-04345-000 |
| 08 | Front Door | Tempered Glass with Handle Lock | 24-04346-000 |
| 09 | Rear Door | Tempered Glass with Handle Lock | 24-04348-000 |
| 10 | Front Door | Solid with Handle Lock | 24-04357-000 |
| 11 | Rear Door | Solid with Handle Lock | 24-04358-000 |
| 12 | Combination Lock | Swing Handle with Master Cylinder Key | 24-04400-000 |
| | | | |

Fixed Shelves





All shelves require screws and cage-nuts for mounting in enclosure

Slide-Out Shelves



| 13 | Fixed Shelf | 24" Deep, Louvered, 350 lbs. | 24-09052-000 |
|----|-------------------------|------------------------------|--------------|
| 14 | Fixed Shelf | 27" Deep, Louvered, 350 lbs. | 24-09054-000 |
| 15 | Cantilever Shelf | 19" Wide, 12" Deep | 14-00710-000 |
| 16 | Cantilever Shelf | 19" Wide, 15" Deep | 14-00712-000 |
| | | | |

24"Deep, Louvered, 100 lbs.

27" Deep, Louvered, 135 lbs.

| 22 | Air Filter | For 30" Deep - Sold in single units. | 24-09414-000 |
|----|------------------|--------------------------------------|--------------|
| 23 | Top Fan Assembly | 1 Fan, 75 CFM | 24-09110-000 |
| 24 | Top Fan Assembly | 2 Fans, 150 CFM | 24-09112-000 |
| 25 | Top Fan Assembly | 4 Fans, 300 CFM | 24-09114-000 |
| 26 | Top Fan Assembly | 1 Fan, 606 CFM | 24-09110-006 |
| 27 | Cover Plate | Top, Perforated | 24-09006-000 |
| | | | |


Bottom, Solid

For Mini Keyboard (13"W) & Mouse Pad

Swivel-Out Full KB with Rear Mouse Area

Slide-Out Writing Desktop, 24" Deep

Air Filters, Fan Assemblies & Cover Plates



Specifications are subject to change without notice. Consult with a Hergo Account Executive today.

24-09062-100

24-09062-180

24-09080-000

24-09082-000

24-09084-000

24-09010-000

28 Cover Plate

Slide-Out Shelf

Slide-Out Shelf


Slide-Out Shelf

Slide-Out Shelf

Slide-Out Shelf

17

19



OPTIONS: Gliders, Casters, Stabilizers 29 32-33 32-33

| # | ITEM | DESCRIPTION | PART No. |
|----|-------------|--|--------------|
| 29 | Glider | Heavy Duty Glider | 28-00110-000 |
| 30 | Caster | Dual Width, Heavy Duty, 2.75" High | 28-00010-000 |
| 31 | Caster | Dual Width, Heavy Duty, 2.75" High, Lockable | 28-00012-000 |
| 32 | Stabilizers | Enclosure Tilt Stabilizers (2 ea.) for unit with Gliders | 24-09370-000 |
| 33 | Stabilizers | Enclosure Tilt Stabilizers (2 ea.) for unit with Casters | 24-09372-000 |
| | | | |

Cable & Power Management 34 35 36 37

| 34 | 60" L Power Strip | 12 Ports, 15 Amp, 6' Power Cord | 24-09270-000 |
|----|-------------------|---|--------------|
| 35 | 19" W Power Strip | 6 Ports, 15 Amp, 19" Rackmountable Panel | 24-09276-000 |
| 36 | D - Wire Loops | Wire Loops - (Set of 10) - Mount to Rails | 24-09250-000 |
| 37 | Wire Loop Panel | 19"W Horizontal Metal Wire Loop Panel (1 U) | 24-09260-000 |

Hood Cover, Grommets, Lifting Lugs







| 38 | Hood Cover | 24"Wide x 30" Deep | 24-09520-030 |
|----|-------------------|--|--------------|
| 39 | Small Grommet | 1.5" Dia. for cable protection - for sides | 24-09610-000 |
| 40 | Large Grommet | 2.5" Dia. for cable protection- for top | 24-09614-000 |
| 41 | Lifting Lugs | Set of 4 - Required for lifting enclosure | 24-09350-000 |
| | | | |

Fill-in Panels



| 42 | 1 U Panel | 1.75" High | 24-09510-100 |
|----|-----------|------------|--------------|
| 43 | 2 U Panel | 3.50" High | 24-09510-200 |
| 44 | 3 U Panel | 5.25" High | 24-09510-300 |
| 45 | 4 U Panel | 7.00" High | 24-09510-400 |
| 46 | 5 U Panel | 8.75" High | 24-09510-500 |

Lighting, Baying Kit, Mini-Keyboard



| 47 | Internal Lighting | In-Cabinet Lighting, Rackmountable | 24-09280-000 |
|----|-------------------|------------------------------------|--------------|
| 48 | Baying Kit | 4-Corner Assembly Kit | 24-09300-000 |
| 49 | Mini Keyboard | 84 Keys, 13" Wide Keyboard, Black | 24-09087-000 |
| 50 | Mini Keyboard | 84 Keys, 13"Wide Keyboard, Putty | 24-09087-002 |

HEIGHT 26 U

/IDTH **24**"

DEPTH 36"



MARS Enclosure Cabinet


With 4" Institutional Casters

| Internal Equipment | Width: 19" | |
|-------------------------------|---|----------------------------|
| Mounting Dimensions | Depth: Up to 34" Deep Equipment Height: 26 U (45.5") | |
| External Dimensions | 50.50" High* x 24" Wide x 36" | Deep |
| Static Weight Capacity | Up to 1,400 lbs. with Industrial Casters | |
| Construction | Base & Top: Enhanced in all 4 corners by 11- Gauge gussets Upright Support: A 4 bend 16-Gauge design for strong vertical support Side Panels: Removable and Lockable from within the Enclosure Standard Color: Black. Quality Powder Coat Finish - Environmentally Friendly | |
| Baying | Connect 2 or more Enclosures and eliminate the need for Side Panels | |
| *Overall Height | Plain Height With Gliders With 2.75" Industrial Casters | 50.50" 51.25" 53.25" |

55.50"

OPTIONS:

Frame, Mounting Rails, Screws & Cage Nuts



| # | ITEM | DESCRIPTION | PART No. |
|----|-----------------------------|---|--------------|
| | | | |
| 01 | Basic Standard Frame | 24" Wide x 36" Deep | 24-02602-360 |
| 02 | Mounting Rails | Square Cage knock-outs (1 ea.) | 24-02612-000 |
| 03 | Mounting Screws | M6 x 16mm - Screws and-Cage Nuts, Bag of 25 | 55-01160-000 |
| 04 | Mounting Screws | M6 x 16mm - Screws and-Cage Nuts, Bag of 50 | 55-01162-000 |
| | | | |

Side Panel, Front & Rear Doors









| 05 | Side Panel | 36" Deep, Bottom Louvered - ea. | 24-02620-360 |
|----|------------|------------------------------------|--------------|
| 06 | Front Door | Tempered Glass with Key-Lock | 24-02630-003 |
| 07 | Front Door | Fully Perforated with Key-Lock | 24-02632-000 |
| 80 | Rear Door | Tempered Glass with Key-Lock | 24-02652-000 |
| 09 | Rear Door | Fully Perforated with Key-Lock | 24-02654-000 |
| 10 | Rear Door | Solid, up to 3 Fans, with Key-Lock | 24-02656-000 |
| | | | |

Fixed Shelves





All shelves require screws and cage-nuts for mounting in enclosure.

Slide-Out Shelves



| 11 | Fixed Shelf | 24" Deep, Louvered, 350 lbs. | 24-09052-000 |
|----|-------------------------|---|--------------|
| 12 | Fixed Shelf | 27" Deep, Louvered, 350 lbs. | 24-09054-000 |
| 13 | Cantilever Shelf | 19" Wide, 12" Deep | 14-00710-000 |
| 14 | Cantilever Shelf | 19" Wide, 15" Deep | 14-00712-000 |
| | | | |
| 15 | Slide-Out Shelf | 24" Deep, Louvered, 100 lbs. | 24-09062-100 |
| 16 | Slide-Out Shelf | 27" Deep, Louvered, 135 lbs. | 24-09062-180 |
| 17 | Slide-Out Shelf | For Mini Keyboard (13"Wide) & Mouse Pad | 24-09080-000 |
| 18 | Slide-Out Shelf | Swivel-out Full KB with Rear Mouse Area | 24-09082-000 |
| | | | |


Air Filter







| 20 | Air Filter | For 36" Deep - Sold in single units. | 24-09424-000 |
|----|-------------|--|--------------|
| 21 | Cooling Fan | Quiet, 75 CFM (Use up to 3 in Rear Door) | 24-09200-001 |

Specifications are subject to change without notice. Consult with a Hergo Account Executive today.









| ה | Ŧ | \Box | c. |
|---|---|--------|----|

Gliders, Casters, Stabilizers 22 23 24 25-26

| # | ITEM | DESCRIPTION | PART No. |
|----|-------------|--|--------------|
| | | | |
| 22 | Glider | Heavy Duty Glider | 28-00110-000 |
| 23 | Caster | Dual Width, Heavy Duty, 2.75" High | 28-00010-000 |
| 24 | Caster | Dual Width, Heavy Duty, 2.75" High, Lockable | 28-00012-000 |
| 25 | Stabilizers | Enclosure Tilt Stabilizers (2 ea.) for unit with Gliders | 24-09370-000 |
| 26 | Stabilizers | Enclosure Tilt Stabilizers (2 ea.) for unit with Casters | 24-09372-000 |
| | | | |

Cable & Power Management



| 27 | 48" L Power Strip | 10 Ports, 15Amp, 6' Power Cord | 24-09270-010 |
|----|-------------------|---|--------------|
| 28 | 19" W Power Strip | 6 Ports, 15 Amp, 19" Rackmountable Panel | 24-09276-000 |
| 29 | D - Wire Loops | Wire Loops - (Set of 10) Mount to Rails | 24-09250-000 |
| 30 | Wire Loop Panel | 19"W Horizontal Metal Wire Loop Panel (1 U) | 24-09260-000 |

Grommets, Lifting Lugs





| 31 Small Grommet | 1.5" Dia. for cable protection - for sides | 24-09610-000 |
|------------------|--|--------------|
| 32 Large Grommet | 2.5" Dia. for cable protection- for top | 24-09614-000 |
| 33 Lifting Lugs | Set of 4 - Required for lifting enclosure | 24-09350-000 |

Fill-in Panels



| 34 | 1 U Panel | 1.75" High | 24-09510-100 |
|----|-----------|------------|--------------|
| 35 | 2 U Panel | 3.50" High | 24-09510-200 |
| 36 | 3 U Panel | 5.25" High | 24-09510-300 |
| 37 | 4 U Panel | 7.00" High | 24-09510-400 |
| 38 | 5 U Panel | 8.75" High | 24-09510-500 |
| | | | |

Lighting, Baying Kit, Mini-Keyboard



| 39 | Internal Lighting | In-Cabinet Lighting, Rackmountable | 24-09280-000 |
|----|-------------------|------------------------------------|--------------|
| 40 | Baying Kit | 4-Corner Assembly Kit | 24-09300-000 |
| 41 | Mini Keyboard | 84 Keys, 13"Wide Keyboard, Black | 24-09087-000 |
| 42 | Mini Keyboard | 84 Keys, 13"Wide Keyboard, Putty | 24-09087-002 |

HEIGHT 26 U

VIDTH 24''

DEPTH 30''

95-MARSO-030

MARS 30 Enclosure Cabinet

| Internal Equipment | Width: 19" | | | |
|-------------------------------|---|--------------------------------------|--|--|
| Mounting Dimensions | Depth: Up to 28" Deep Equipmer Height: 26 U (45.5") | nt | | |
| External Dimensions | 50.50" High* x 24" Wide x 30" Deep | | | |
| Static Weight Capacity | Up to 1,400 lbs. with Industrial Casters | | | |
| Construction | Base & Top: Enhanced in all 4 corners by 11- Gauge gussets Upright Support: A 4 bend 16-Gauge design for strong vertical support Side Panels: Removable and Lockable from within the Enclosure Standard Color: Black. Quality Powder Coat Finish - Environmentally Friendly | | | |
| | Connect 2 or more Enclosures and eliminate the need for Side Panels | | | |
| Baying | Connect 2 or more Enclosures an | d eliminate the need for Side Panels | | |

OPTIONS:

Frame, Mounting Rails, Screws & Cage Nuts



| # | ITEM | DESCRIPTION | PART No. |
|----|-----------------------------|---|--------------|
| | | | |
| 01 | Basic Standard Frame | 24" Wide x 30" Deep | 24-02602-300 |
| 02 | Mounting Rails | Square Cage knock-outs (1 ea.) | 24-02612-000 |
| 03 | Mounting Screws | M6 x 16mm - Screws and-Cage Nuts, Bag of 25 | 55-01160-000 |
| 04 | Mounting Screws | M6 x 16mm - Screws and-Cage Nuts, Bag of 50 | 55-01162-000 |
| | | | |

Side Panel, Front & Rear Doors









| 05 | Side Panel | 30" Deep, Bottom Louvered - ea. | 24-02620-300 |
|----|------------|------------------------------------|--------------|
| 06 | Front Door | Tempered Glass with Key-Lock | 24-02630-003 |
| 07 | Front Door | Fully Perforated with Key-Lock | 24-02632-000 |
| 08 | Rear Door | Tempered Glass with Key-Lock | 24-02652-000 |
| 09 | Rear Door | Fully Perforated with Key-Lock | 24-02654-000 |
| 10 | Rear Door | Solid, up to 3 Fans, with Key-Lock | 24-02656-000 |
| | | | |

Fixed Shelves





All shelves require screws and cage-nuts for mounting in enclosure.

Slide-Out Shelves



| 11 12 13 | Fixed Shelf Fixed Shelf Cantilever Shelf | 24" Deep, Louvered, 350 lbs. 27" Deep, Louvered, 350 lbs. 19" Wide, 12" Deep | 24-09052-000 24-09054-000 14-00710-000 |
|----------------|--|--|--|
| 14 | Cantilever Shelf | 19" Wide, 15" Deep | 14-00712-000 |
| | | | |
| 15 | Slide-Out Shelf | 24" Deep, Louvered, 100 lbs. | 24-09062-100 |
| 16 | Slide-Out Shelf | 27" Deep, Louvered, 135 lbs. | 24-09062-180 |
| 17 | Slide-Out Shelf | For Mini Keyboard (13"Wide) & Mouse Pad | 24-09080-000 |
| 18 | Slide-Out Shelf | Swivel-out Full KB with Rear Mouse Area | 24-09082-000 |
| 19 | Slide-Out Shelf | Slide-Out Writing Desktop, 24" Deep | 24-09084-000 |


Air Filter






| 20 | Air Filter | For 30" Deep - Sold in single units. | 24-09414-000 |
|----|-------------|--|--------------|
| 21 | Cooling Fan | Quiet, 75 CFM (Use up to 3 in Rear Door) | 24-09200-001 |

Specifications are subject to change without notice. Consult with a Hergo Account Executive today.









Front Elevation

Side Elevation

Floor Plan

OPTIONS:

Gliders, Casters, Stabilizers 22 23 24 25-26

| # | ITEM | DESCRIPTION | PART No. |
|----|-------------|--|--------------|
| | | | |
| 22 | Glider | Heavy Duty Glider | 28-00110-000 |
| 23 | Caster | Dual Width, Heavy Duty, 2.75" High | 28-00010-000 |
| 24 | Caster | Dual Width, Heavy Duty, 2.75" High, Lockable | 28-00012-000 |
| 25 | Stabilizers | Enclosure Tilt Stabilizers (2 ea.) for unit with Gliders | 24-09370-000 |
| 26 | Stabilizers | Enclosure Tilt Stabilizers (2 ea.) for unit with Casters | 24-09372-000 |
| | | | |

Cable & Power Management



| 27 | 48" L Power Strip | 10 Ports, 15Amp, 6' Power Cord | 24-09270-010 |
|----|-------------------|---|--------------|
| 28 | 19" W Power Strip | 6 Ports, 15 Amp, 19" Rackmountable Panel | 24-09276-000 |
| 29 | D - Wire Loops | Wire Loops - (Set of 10) Mount to Rails | 24-09250-000 |
| 30 | Wire Loop Panel | 19"W Horizontal Metal Wire Loop Panel (1 U) | 24-09260-000 |

Grommets, Lifting Lugs





| 31 Small Grommet | 1.5" Dia. for cable protection - for sides | 24-09610-000 |
|------------------|--|--------------|
| 32 Large Grommet | 2.5" Dia. for cable protection- for top | 24-09614-000 |
| 33 Lifting Lugs | Set of 4 - Required for lifting enclosure | 24-09350-000 |

Fill-in Panels



| 510-100 |
|---------|
| 510-200 |
| 510-300 |
| 510-400 |
| 510-500 |
| |

Lighting, Baying Kit, Mini-Keyboard



| 39 | Internal Lighting | In-Cabinet Lighting, Rackmountable | 24-09280-000 |
|----|-------------------|------------------------------------|--------------|
| 40 | Baying Kit | 4-Corner Assembly Kit | 24-09300-000 |
| 41 | Mini Keyboard | 84 Keys, 13"Wide Keyboard, Black | 24-09087-000 |
| 42 | Mini Keyboard | 84 Keys, 13"Wide Keyboard, Putty | 24-09087-002 |

95-MERCU-036

MERCURY Under-Desk Enclosure

With 2.75" Industrial Casters With 4" Institutional Casters

| Internal Equipment | Width: 19" | |
|------------------------|--|--|
| Mounting Dimensions | Depth: Up to 34" Dee Height: 12 U (21") | p Equipment |
| External Dimensions | 26.25" High* x 24" W | /ide x 36" Deep |
| Static Weight Capacity | Up to 1000 lbs. with | Industrial Casters |
| Construction | Upright Support: A Side Panels: Remov | ed in all 4 Corners by 11- Gauge Gussets 1 4 bend 16-Gauge design for strong vertical support vable and Lockable from within the Enclosure ack. Quality Powder Coat Finish - Environmentally Friendly |
| *Overall Height | Plain Height With Gliders | 26.25" 27.00" |

29.25"

30.25"

OPTIONS:

Side Panel,

Frame, Mounting Rails, Screws & Cage Nuts



| # | ITEM | DESCRIPTION | PART No. |
|----|-----------------------------|---|--------------|
| | | | |
| 01 | Basic Standard Frame | 24" Wide x 36" Deep | 24-01202-036 |
| 02 | Mounting Rails | Square Cage knock-outs (1 ea.) | 24-01214-000 |
| 03 | Mounting Screws | M6 x 16mm - Screws and-Cage Nuts, Bag of 25 | 55-01160-000 |
| 04 | Mounting Screws | M6 x 16mm - Screws and-Cage Nuts, Bag of 50 | 55-01162-000 |
| | | | |

05 06 07,08 09

Front & Rear Doors

| 05 | Side Panel | 36" Deep, Bottom Louvered - ea. | 24-01220-036 |
|----|------------|---------------------------------|--------------|
| 06 | Front Door | Glass with Key-Lock | 24-01230-000 |
| 07 | Front Door | Fully Perforated with Key-Lock | 24-01250-010 |
| 80 | Rear Door | Fully Perforated with Key-Lock | 24-01250-011 |
| 09 | Rear Door | Solid, Up to 3 Fans | 24-01250-000 |
| | | | |

24" Deep, Louvered, 350 lbs.

27" Deep, Louvered, 350 lbs.

19" Wide, 12" Deep

19" Wide, 15" Deep

Fixed Shelves





All shelves require screws and cage-nuts for mounting in enclosure.

Slide-Out Shelves



| 14 | Slide-Out Shelf | 24" Deep, Louvered, 100 lbs. | 24-09062-100 |
|----|-----------------|--|--------------|
| 15 | Slide-Out Shelf | 27" Deep, Louvered, 135 lbs. | 24-09062-180 |
| 16 | Slide-Out Shelf | For Mini-Keyboard (13" Wide) & Mouse Pad | 24-09080-000 |
| 17 | Slide-Out Shelf | Swivel-out Full KB with Rear Mouse Area | 24-09082-000 |
| 18 | Slide-Out Shelf | Slide-Out Writing Desktop, 24" Deep | 24-09084-000 |
| | | | |

Cooling Fans, Air Filters





| 19 | Air Filter | For 36" Deep - Sold in single units. | 24-09424-000 |
|----|-------------|--|--------------|
| 20 | Cooling Fan | Quiet, 75 CFM (Use up to 3 in Rear Door) | 24-09200-001 |

24-09052-000

24-09054-000

14-00710-000


14-00712-000

Fixed Shelf

Fixed Shelf

Cantilever Shelf

Cantilever Shelf



OPTIONS:

21

Gliders, Casters,







Cable & Power Management



| # | ITEM | DESCRIPTION | PART No. |
|----|-------------|---|--------------|
| 21 | Glider | Heavy Duty Glider | 28-00110-000 |
| 22 | Caster | Dual Width, Heavy Duty, 2.75" High | 28-00010-000 |
| 23 | Caster | Dual Width, Heavy Duty, 2.75" High, Lockable | 28-00012-000 |
| 24 | Stabilizers | Enclosure Tilt Stabilizers (2 ea) for unit with Gliders | 24-09370-000 |
| 25 | Stabilizers | Enclosure Tilt Stabilizers (2 ea) for unit with Casters | 24-09372-000 |

| 26 | 19" W Power Strip | 6 Ports, 19" Rackmountable Panel | 24-09276-000 |
|----|-------------------|--|--------------|
| 27 | D - Wire Loops | Wire Loops - (Set of 10) Mount to Rails | 24-09250-000 |
| 28 | Wire Loop Panel | 19" Wide Horizontal Metal Wire Loop Panel (1U) | 24-09260-000 |

Grommets, **Lifting Lugs**





| 29 | Small Grommet | 1.5" Dia. for cable protection - for sides | 24-09610-000 |
|----|---------------|--|--------------|
| 30 | Large Grommet | 2.5" Dia. for cable protection- for top | 24-09614-000 |
| 31 | Lifting Lugs | Set of 4 - Required for lifting enclosure | 24-09350-000 |

Fill-in Panels

| 32 | 1 U Panel | 1.75" High | 24-09510-100 |
|----|-----------|------------|--------------|
| 33 | 2 U Panel | 3.50″ High | 24-09510-200 |
| 34 | 3 U Panel | 5.25" High | 24-09510-300 |
| 35 | 4 U Panel | 7.00″ High | 24-09510-400 |
| 36 | 5 U Panel | 8.75" High | 24-09510-500 |
| | | | |

Lighting, Mini-Keyboard







| 37 | Internal Lighting | In-Cabinet Lighting, Rackmountable | 24-09280-000 |
|----|-------------------|------------------------------------|--------------|
| 38 | Mini Keyboard | 84 Keys, 13" Wide Keyboard, Black | 24-09087-000 |
| 39 | Mini Keyboard | 84 Keys, 13" Wide Keyboard, Putty | 24-09087-002 |

HEIGHT 12 U

NIDTH 24''

DEPTH 30"

95-DSKMT-030

DESKMATE 30 Enclosure

| Internal Equipment | Width: 19" | |
|----------------------------|---|--|
| Mounting Dimensions | Depth: Up to 28" Deep Equipment Height: 12 U (21") | |
| External Dimensions | 26.25" High* x 24" Wide x 30" Deep | |
| Static Weight Capacity | Up to 1000 lbs. with Industrial Casters | |
| Construction | Base & Top: Enhanced in all 4 Corners by 11- Gauge Gussets Upright Support: A 4 bend 16-Gauge design for strong vertical support Side Panels: Removable and Lockable from within the Enclosure Standard Color: Black. Quality Powder Coat Finish - Environmentally Friend | |
| *Overall Height | Plain Height 26.25" With Gliders 27.00" | |

29.25"

30.25

With 2.75" Industrial Casters

With 4" Institutional Casters

OPTIONS:

Frame, Mounting Rails, Screws & Cage Nuts



| # | ITEM | DESCRIPTION | PART No. |
|----|----------------------|---|--------------|
| 01 | Basic Standard Frame | 24" Wide x 30" Deep | 24-01202-030 |
| 02 | Mounting Rails | Square Cage knock-outs (1 ea.) | 24-01214-000 |
| 03 | Mounting Screws | M6 x 16mm - Screws and-Cage Nuts, Bag of 25 | 55-01160-000 |
| 04 | Mounting Screws | M6 x 16mm - Screws and-Cage Nuts, Bag of 50 | 55-01162-000 |
| | | | |

Side Panel, Front & Rear Doors



| 05 Side Panel 06 Front Door 07 Front Door | 30" Deep, Bottom Louvered - ea. Glass with Key-Lock Fully Perforated with Key-Lock | 24-01220-030 24-01230-000 24-01250-010 |
|---|--|--|
| 08 Rear Door 09 Rear Door | Fully Perforated with Key-Lock Solid, Up to 3 Fans | 24-01250-010 24-01250-011 24-01250-000 |

Fixed Shelves





All shelves require screws and cage-nuts for mounting in enclosure.

Slide-Out Shelves



| 11 | Fixed Shelf | 27" Deep, Louvered, 350 lbs. | 24-09054-000 |
|----|------------------|------------------------------|--------------|
| 12 | Cantilever Shelf | 19" Wide, 12" Deep | 14-00710-000 |
| 13 | Cantilever Shelf | 19" Wide, 15" Deep | 14-00712-000 |
| | | | |
| | | | |
| 14 | Slide-Out Shelf | 24"Deep, Louvered, 100 lbs. | 24-09062-100 |

For Mini-Keyboard (13"Wide) & Mouse Pad

Swivel-out Full KB with Rear Mouse Area

Slide-Out Writing Desktop, 24" Deep

24" Deep, Louvered, 350 lbs.

27" Deep, Louvered, 135 lbs.

Cooling Fans, Air Filters





| 19 | Air Filter | For 30" Deep - Sold in single units. | 24-09414-000 |
|----|-------------|--|--------------|
| 20 | Cooling Fan | Quiet, 75 CFM (Use up to 3 in Rear Door) | 24-09200-001 |

Specifications are subject to change without notice. Consult with a Hergo Account Executive today.

© Hergo Ergonomic Support Systems, Inc.

24-09052-000

24-09062-180

24-09080-000

24-09082-000

24-09084-000


Fixed Shelf

Slide-Out Shelf

Slide-Out Shelf

Slide-Out Shelf

Slide-Out Shelf



OPTIONS:

21

Gliders, Casters,





Stabilizers



| # | ITEM | DESCRIPTION | PART No. |
|----|-------------|---|--------------|
| | | | |
| 21 | Glider | Heavy Duty Glider | 28-00110-000 |
| 22 | Caster | Dual Width, Heavy Duty, 2.75" High | 28-00010-000 |
| 23 | Caster | Dual Width, Heavy Duty, 2.75" High, Lockable | 28-00012-000 |
| 24 | Stabilizers | Enclosure Tilt Stabilizers (2 ea) for unit with Gliders | 24-09370-000 |
| 25 | Stabilizers | Enclosure Tilt Stabilizers (2 ea) for unit with Casters | 24-09372-000 |

Cable & Power Management



| 26 | 19" W Power Strip | 6 Ports, 19" Rackmountable Panel | 24-09276-000 |
|----|-------------------|--|--------------|
| 27 | D - Wire Loops | Wire Loops - (Set of 10) Mount to Rails | 24-09250-000 |
| 28 | Wire Loop Panel | 19" Wide Horizontal Metal Wire Loop Panel (1U) | 24-09260-000 |

Grommets, **Lifting Lugs**





| 29 | Small Grommet | 1.5" Dia. for cable protection - for sides | 24-09610-000 |
|----|---------------|--|--------------|
| 30 | Large Grommet | 2.5" Dia. for cable protection- for top | 24-09614-000 |
| 31 | Lifting Lugs | Set of 4 - Required for lifting enclosure | 24-09350-000 |

Fill-in Panels



| 32 1 | U Panel | 1.75" High | 24-09510-100 |
|------|---------|------------|--------------|
| 33 2 | U Panel | 3.50" High | 24-09510-200 |
| 34 3 | U Panel | 5.25" High | 24-09510-300 |
| 35 4 | U Panel | 7.00" High | 24-09510-400 |
| 36 5 | U Panel | 8.75" High | 24-09510-500 |

Lighting, Mini-Keyboard







| 37 | Internal Lighting | In-Cabinet Lighting, Rackmountable | 24-09280-000 |
|----|--------------------------|------------------------------------|--------------|
| 38 | Mini Keyboard | 84 Keys, 13" Wide Keyboard, Black | 24-09087-000 |
| 39 | Mini Keyboard | 84 Keys, 13" Wide Keyboard, Putty | 24-09087-002 |

DEPTH 36"

ApxServer-12 Under-Desk Enclosure





| Internal Equipment | Width: 19" |
|------------------------|---|
| Mounting Dimensions | Depth: Up to 34" Deep Equipment Height: 12 U (21") |
| External Dimensions | 26.25" High* x 24" Wide x 36" Deep |
| Static Weight Capacity | Up to 1000 lbs. with Industrial Casters |
| Standard Color | Black |
| | |

Includes:

12 U Basic Frame 2 Side Panels-36" Deep Rear Locking Door with 3 Fans, 75 CFM Front Locking Door Noise Reduction Foam Class A -Class 1 Fire Rated - UL 94V0 4 Mounting Rails - Square Cage Knockout 2 Lockable and 2 Non-Lockable Casters

* Overall Enclosure Height: Plain Height 26.25" With Gliders 27.00" With Industrial Casters 29.25" With 4" Institutional Casters 30.25"





ApxServer-26 Mid-Size Enclosure



Internal Equipment Width: 19" **Mounting Dimensions** Depth: Up to 34" Deep Equipment Height: 26 U (45.5") **External Dimensions** 50.50" High* x 24" Wide x 36" Deep **Static Weight Capacity** Up to 1,000 lbs. with Industrial Casters Black


Standard Color

Includes: 26 U Basic Frame


2 Side Panels-36" Deep Rear Locking Door with 3 Fans, 75 CFM Front Locking Door Noise Reduction Foam Class A -


Class 1 Fire Rated - UL 94V0 4 Mounting Rails - Square Cage Knockout 2 Lockable and 2 Non-Lockable Casters

* Overall Enclosure Height: Plain Height 50.50" With Gliders 51.25" With 2.75" Industrial Casters 53.25" With 4" Institutional Casters 55.50"









Specifications are subject to change without notice. Consult with a Hergo Account Executive today.

ApxServer-42 Full-Size Enclosure

95-APXSE-042

 Internal Equipment
 Width: 19"

 Mounting Dimensions
 Depth: Up to 34" Deep Equipment Height: 42 U (73.5")

 External Dimensions
 77.5" High* x 23" Wide x 38" Deep

 Static Weight Capacity
 Up to 1400 lbs. with Industrial Casters

Standard Color

Black

1ncludes:

42 U Basic Frame
2 Side Panels - 38" Deep
Rear Locking Door
Front Locking Door
Top Fan Assembly with 4 Fans, 300 CFM
Noise Reduction Foam Class A Class 1 Fire Rated - UL 94V0
4 Mounting Rails - Square Cage Knockout


2 Lockable and 2 Non-Lockable Casters 8 Cable Management Loops Brush Insert Cable Thruway

* Overall Enclosure Height:

Plain Height 77.5" With Gliders 78.5"

With Industrial Casters 80.5"
With 4" Institutional Casters 82.5"





Hergo Ergonomic Support Systems, Inc., designs, manufactures and markets an extensive line of functionally engineered modular technical office furniture.



Hergo's products include:

- Open Computer Racking Systems
- **■** Computer Enclosures and Cabinets
- Relay Racks for Computers and Communications Equipment
- Personal Workstations & Computer Desks
- **■** Training/Studio Desks
- Flat Panel Monitor (LCD) Arms
- Mobile Hospital Carts
- PACS Workstations

We provide customers with free space design consultation, including CAD drawings and simulated environment renderings, to help maximize user space and productivity.

Save time and money. Visit our dynamic and resourceful website: www.hergo.com.

We are located at: 56-01 55th Avenue Maspeth, New York 11378.

Further assistance is just a phone call away.



TECHNICAL WORKSPACE SOLUTIONSApproved supplier to all branches of the U.S. Government



1-888-222-7270 www.hergo.com