

SAFETY DATA SHEET

Issue Date 16-Oct-2015

Revision Date 16-Oct-2015

Version 1

1. IDENTIFICATION		
Product identifier		
Product Name	Polycure 3443	
Other means of identification		
Product Code	MS-3443	
UN/ID no.	None	
Synonyms	None	
Recommended use of the chemica	al and restrictions on use	
Recommended Use	UV Anaerobic Adhesive.	
Uses advised against	None known	
Details of the supplier of the safet	y data sheet_	
Manufacturer Address		
Hernon Manufacturing Inc.		
121 Tech Drive		
Sanford, FL 32771		
800-527-0004		
Emergency telephone number		
Company Phone Number	407-322-4000	
Emergency Telephone	Chemtel 800-255-3924	

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 1
Skin sensitization	Category 1

Label elements

Emergency Overview

Warning

Hazard statements Causes skin irritation May cause an allergic skin reaction Causes eye irritation



Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves/eye protection/face protection

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor IF ON SKIN: Wash with plenty of water and soap Take off contaminated clothing and wash it before reuse If skin irritation or rash occurs: Get medical advice/attention

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed May be harmful in contact with skin Very toxic to aquatic life with long lasting effects Very toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
HYDROXYETHYL METHACRYLATE	868-77-9	10 - 30	*
ISOBORNYL ACRYLATE	5888-33-5	10 - 30	*
SILICONE DIOXIDE	112945-52-5	3 - 7	*
ACRYLIC ACID	79-10-7	1 - 5	*
T-BUTYL PERBENZOATE	614-45-9	1 - 5	*
SILANE	2530-85-0	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.

Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give artificial respiration. Get medical attention immediately.				
Ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.				
Most important symptoms and ef	fects, both acute and delayed				
Symptoms	No information available.				
Indication of any immediate medi	cal attention and special treatment needed				
Note to physicians	Treat symptomatically.				
	5. FIRE-FIGHTING MEASURES				
<u>Suitable extinguishing media</u> Use CO2, dry chemical, or foam. Unsuitable extinguishing med	lia CAUTION: Use of water spray when fighting fire may be inefficient.				
Specific hazards arising from the No information available.	<u>chemical</u>				
Explosion data Sensitivity to Mechanical Imp Sensitivity to Static Discharge					
Protective equipment and precau As in any fire, wear self-contained b protective gear.	tions for firefighters reathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full				
	6. ACCIDENTAL RELEASE MEASURES				

Personal precautions, protective equipment and emergency procedures			
Personal precautions	Ensure adequate ventilation, especially in confined areas.		
Environmental precautions			
Environmental precautions	See Section 12 for additional ecological information.		
Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Pick up and transfer to properly labeled containers.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			

Precautions for safe handling	
Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.
Conditions for safe storage, includ	ing any incompatibilities
Storage Conditions	Keep at temperatures between 7 and 29 °C.
Incompatible materials	Strong oxidizing agents. Reducing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines	This product, as supplie	ed, does not contain any hazardous m	aterials with occupational
		hed by the region specific regulatory b	
Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
ACRYLIC ACID	TWA: 2 ppm	(vacated) TWA: 10 ppm	TWA: 2 ppm
79-10-7	S*	(vacated) TWA: 30 mg/m ³ (vacated) S*	TWA: 6 mg/m ³
Appropriate engineering controls	3	· · · · · ·	
Engineering Controls	Showers Eyewash stations Ventilation systems.		
Individual protection measures,	such as personal protectiv	ve equipment	
Eye/face protection	Wear safety glasses with side shields (or goggles).		
Skin and body protection	Wear protective gloves and protective clothing.		
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be		

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

provided in accordance with current local regulations.

Information on basic physical and chemical properties

Physical state Appearance Color	liquid No information available clear	Odor Odor threshold	Slight No information available
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Lower flammability limit: Vapor pressure Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	ValuesDoes not applyNo information available> 150 °C / 300 °F> 95 °C / 200No information availableNo information available8% Acrylic Acid2% Acrylic Acid2% Acrylic Acid2% Acrylic Acid1.1148slightly solubleNo information availableNo information available	Remarks • Method Does not apply	

Other Information

Softening point Molecular weight VOC Content (%) Density Bulk density No information available No information available No information available No information available No information available

10. STABILITY AND REACTIVITY

Reactivity No data available

Chemical stability

Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Extremes of temperature and direct sunlight. <u>Incompatible materials</u> Strong oxidizing agents. Reducing agent. <u>Hazardous Decomposition Products</u> Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	May cause sensitization by inhalation.
Eye contact	Avoid contact with eyes. Moderately irritating to the eyes.
Skin contact	Substance may cause slight skin irritation.
Ingestion	May be harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
HYDROXYETHYL	= 5050 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	-
METHACRYLATE			
868-77-9			
ISOBORNYL ACRYLATE	= 4890 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
5888-33-5			
SILICONE DIOXIDE	= 3160 mg/kg (Rat)	-	-
112945-52-5			
ACRYLIC ACID	= 33500 µg/kg (Rat) = 193 mg/kg	= 295 mg/kg (Rabbit)= 280 µL/kg	= 11.1 mg/L (Rat) 1 h = 3.6 mg/L
79-10-7	(Rat)	(Rabbit)	(Rat) 4 h
T-BUTYL PERBENZOATE	= 1012 mg/kg (Rat)	-	-
614-45-9			
SILANE	= 22600 µL/kg (Rat)	-	-
2530-85-0			

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity Carcinogenicity	No informatio No informatio			
Chemical Name	ACGIH	IARC	NTP	OSHA
SILICONE DIOXIDE 112945-52-5	-	Group 3	-	-
ACRYLIC ACID 79-10-7	-	Group 3	-	-
Reproductive toxicity STOT - single exposure STOT - repeated exposur Aspiration hazard	No information e No information	No information available. No information available. No information available. No information available.		

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)	2,782.00 mg/kg
ATEmix (dermal)	3,614.00 mg/kg
ATEmix (inhalation-dust/mist)	21.59 mg/l

12. ECOLOGICAL INFORMATION

No.

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
HYDROXYETHYL	-	213 - 242: 96 h Pimephales	-
METHACRYLATE		promelas mg/L LC50 flow-through	
868-77-9		227: 96 h Pimephales promelas	
		mg/L LC50	
ACRYLIC ACID	0.17: 96 h Pseudokirchneriella	222: 96 h Brachydanio rerio mg/L	270: 24 h Daphnia magna mg/L
79-10-7	subcapitata mg/L EC50 0.04: 72 h	LC50 semi-static	LC50 Static 95: 48 h Daphnia
	Desmodesmus subspicatus mg/L		magna mg/L EC50
	EC50		

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
HYDROXYETHYL METHACRYLATE 868-77-9	0.47
ACRYLIC ACID 79-10-7	0.38 - 0.46

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ACRYLIC ACID	-	-	-	U008
79-10-7				

Chemica		California Hazardous Waste Status
T-BUTYL PERBENZOATE Ignitable		
614-45-9		Reactive
	14. TRANSPORT	INFORMATION
DOT	Not regulated	
UN/ID no.	None	
Proper shipping name	Not regulated	
Hazard Class	None	
	None	
Packing Group		
Marine pollutant	No.	
ICAO (air)	Not regulated	
UN/ID no.	None	
Proper shipping name	Not regulated	
Hazard Class	None	
Packing Group	None	
ΙΑΤΑ	Not regulated	
UN/ID no.		
Proper shipping name Not regulated		
Hazard Class None		
Packing Group None		
IMDG_	Not regulated	
UN/ID no.	None	
Proper shipping name	Not regulated	
Hazard Class	None	
Packing Group	None	
. asing Group		

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

All ingredients are on the inventory or are exempt from listing.

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List **EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances **IECSC** - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

Physical and Chemical

Personal protection X

Properties -

PICCS - Philippines Inventory of Chemicals and Chemical Substances **AICS** - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values % 1.0	
ACRYLIC ACID - 79-10-7		
SARA 311/312 Hazard Categories		
Acute health hazard	No	
Chronic Health Hazard	No	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	No	

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACRYLIC ACID	5000 lb	-	RQ 5000 lb final RQ
79-10-7			RQ 2270 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
ACRYLIC ACID 79-10-7	Х	X	Х
T-BUTYL PERBENZOATE 614-45-9	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Health hazards 0

Health hazards 2

SDS coordinator 16-Oct-2015 16-Oct-2015

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

Instability 0

Physical hazards 1

Flammability 0

Flammability 1

<u>NFPA</u>
HMIS
Prepared By Issue Date Revision Date Revision Note
No. informeration accel

No information available

Disclaimer

......

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The

information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.