

SAFETY DATA SHEET

Issue Date 04-May-2015 Revision Date 01-Oct-2015 Version 1

1. IDENTIFICATION

Product identifier

Product Name Ultrabond 787

Other means of identification

Product Code MS-787 UN/ID no. UN 2810 Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use UV Adhesive. Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 1
Specific target organ toxicity (single exposure)	Category 3
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview

Warning

Hazard statements

Harmful if swallowed

Causes skin irritation

Causes eye irritation

May cause respiratory irritation

May cause damage to organs through prolonged or repeated exposure

MS-787 - Ultrabond 787 Revision Date 01-Oct-2015



Appearance No information available

Physical state liquid

Odor mild

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection Wash face, hands and any exposed skin thoroughly after handling Do not eat, drink or smoke when using this product Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from flames and hot surfaces. - No smoking

Precautionary Statements - Response

Call a POISON CENTER or doctor/physician if you feel unwell

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing IF ON SKIN: Wash with plenty of water and soap

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

Rinse mouth

In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Harmful to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
Urethane acrylic oligomer	Proprietary	40-50	*
High Boiling Acrylate	Proprietary	20-30	*
N-VINYL-2- PYRROLIDINONE	88-12-0	20-30	*
Hydrophobic Amorphous Fumed Silic	67762-90-7	1 - 5	*
Substituted Silane	2530-83-8	1 - 5	*
Photoinitiator	1462881-26-7	0.1 - 1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

MS-787 - Ultrabond 787 Revision Date 01-Oct-2015

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. Flush skin with water for several minutes. Remove

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media None.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx).

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions Do not allow into any sewer, on the ground or into any body of water. Collect spillage. See

Section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containmentAbsorb with earth, sand or other non-combustible material and transfer to containers for

MS-787 - Ultrabond 787 Revision Date 01-Oct-2015

later disposal.

Methods for cleaning upSoak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

after handling. Ensure adequate ventilation, especially in confined areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep at temperatures between 7 and 29 °C.

Incompatible materials Strong acids. Strong bases. OXIDIZERS.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
N-VINYL-2- PYRROLIDINONE	TWA: 0.05 ppm	-	-
88-12-0			

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves and protective clothing. Use rubber or plastic gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance No information available Odor mild

Colorpale yellowOdor thresholdNo information available

Property Values Remarks • Method

pH Does not apply

Melting point / freezing point

No information available

Boiling point / boiling range> 149 °C / 300 °FFlash point> 93 °C / 200 °FEvaporation rateNo information available

Revision Date 01-Oct-2015

MS-787 - Ultrabond 787

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information available

Vapor density> 1Relative density1.25Water solubilityLow

Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous polymerization None under normal processing.

Conditions to avoid

Incompatible materials.

Incompatible materials

Strong acids. Strong bases. OXIDIZERS.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information No data available

Inhalation May cause irritation of respiratory tract.

Eye contact May cause irritation.

Skin contact Substance may cause slight skin irritation.

Ingestion Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
High Boiling Acrylate	= 4890 mg/kg (Rat)	> 5 g/kg (Rabbit)	-

N-VINYL-2- PYRROLIDINONE	= 830 mg/kg (Rat)	= 560 mg/kg (Rabbit)	= 3.07 mg/L (Rat) 4 h
88-12-0			
Silane	= 22600 μL/kg (Rat)	= 3970 μL/kg (Rabbit)	-
2530-83-8			

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
N-VINYL-2-	A3	Group 3	=	-
PYRROLIDINONE		•		
88-12-0				

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.

 ATEmix (oral)
 1,601.00 mg/kg

 ATEmix (dermal)
 1,986.00 mg/kg

 ATEmix (inhalation-dust/mist)
 3.53 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Harmful to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
N-VINYL-2- PYRROLIDINONE	780: 72 h Desmodesmus	-	45: 48 h Daphnia species mg/L
88-12-0	subspicatus mg/L EC50		EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Chemical Name	Partition coefficient
N-VINYL-2- PYRROLIDINONE	0.4
88-12-0	

<u>Other adverse effects</u> No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Revision Date 01-Oct-2015

MS-787 - Ultrabond 787

14. TRANSPORT INFORMATION

DOT Not regulated UN/ID no. **UN 2810**

Proper shipping name TOXIC LIQUID ORGANIC, N.O.S. (N-vinyl-2-pyrrolidone)

Hazard Class 6.1 **Packing Group** Ш

Special Provisions Consumer Commodity ORM-D up to 1 L

IATA

UN/ID no. UN 2810 **Hazard Class** 6.1 **Packing Group** Ш

Special Provisions Consumer Commodity ORM-D up to 2 L

IMDG

UN/ID no. **UN 2810 Hazard Class** 6.1 **Packing Group** Ш Marine pollutant None

RID

UN/ID no. **UN 2810**

Proper shipping name TOXIC LIQUID ORGANIC, N.O.S. (N-vinyl-2-pyrrolidone)

Hazard Class 6.1 **Packing Group**

Special Provisions Consumer Commodity ORM-D up to 1 L

ADR

UN/ID no. **UN 2810**

Proper shipping name TOXIC LIQUID ORGANIC, N.O.S. (N-vinyl-2-pyrrolidone)

Hazard Class 6.1 **Packing Group** Ш

International Inventories

15. REGULATORY INFORMATION

TSCA Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies

PICCS Complies **AICS** Complies

All ingredients are on the inventory or are exempt from listing.

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
N-VINYL-2- PYRROLIDINONE	X	=	-
88-12-0			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 0 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 0 Flammability 0 Physical hazards 0 Personal protection X

Prepared By SDS coordinator Issue Date 04-May-2015 Revision Date 01-Oct-2015 Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet