

External Ammo Sealant 59622

04/2015

1. PRODUCT AND COMPANY IDENTIFICATION

Company: Hernon Manufacturing, Inc. Contact Information: Telephone: 407-322-4000

121 Tech Drive Emergency Telephone: 800-255-3924

Sanford, FL 32771 Web Site: www.hernon.com

2. HAZARDS IDENTIFICATION

Liquid

Black

Mild

Physical state:

Color:

Odor:

EMERGENCY OVERVIEW

HMIS:
HEALTH: 2*
FLAMMABILITY: 1

PHYSICAL HAZARD: 1

Personal Protection: See Section 8

WARNING: MAY CAUSE EYE AND SKIN IRRITATION

MAY CAUSE ALLERGIC SKIN REACTION

MAY BE HARMFUL IF SWALLOWED OR INHALED

Primary Routes of Entry: Skin

Signs and Symptoms of Exposure:

Inhalation: May cause irritation to nose and throat.

Skin Contact: Irritating to skin. May cause allergic skin reaction.

Eye Contact: Vapors may irritate eyes. Contact with eyes will cause irritation.

Ingestion: May be harmful if swallowed.

Existing Conditions Aggravated by Exposure: Eye, Skin

3. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Ingredients</u>	%	ACGIH TLV	OSHA PEL	<u>OTHER</u>
2-phenoxyethyl Acrylate Esters	50-90	None	None	None
Isooctyl Acrylate Esters	20-30	None	None	None
Ethoxylated Trimethylolpropane Triacrylate	10-20	None	None	None
Ethylene Glycol Dimethatcrylate Esters	5-10	None	None	None
Acrylic Acid	1-5	2ppm TWA (skin)	10 ppm TWA 30 mg/m³	1 ppm TWA (skin) 3ppm STEL (skin)
Photoinitiator	1-5	None	None	None
Cumene Hydroperoxide	0.1-1	None	None	1 ppm (6 mg/m³) Skin (WEEL)

4. FIRST AID MEASURES

Ingestion: Do not induce vomiting. Keep individual calm. Obtain medical attention.

Inhalation: Does not apply.

Skin Contact: Wash with soap and water.

Eye Contact: Flush at least 15 minutes with water. Obtain medical attention.



External Ammo Sealant 59622

04/2015

5. FIRE FIGHTING MEASURES

Flash Point (TCC): >200°F

Recommended Extinguishing Agents: Carbon dioxide, foam, dry chemical

Special Firefighting Procedures: Not available

Hazardous Combustion Products: Irritating organic vapors

Unusual Fire or Explosion Hazards: None Flammable/Explosive Limits – lower %: NA Flammable/Explosive Limits – upper %: NA

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear proper protective equipment

Measures for Environmental Protection: Do not allow large quantities to enter drains or surface waters

Clean-up Measures: Soak up with an inert absorbent. Store in partly filled, closed container until

disposal.

7. HANDLING AND STORAGE

Handling: Avoid prolonged skin contact. Keep away from eyes.

Storage: Store between 46° and 82°F unless otherwise labeled to preserve shelf life.

Protect from light.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eye/Face Protection: Safety glasses or goggles with side shields

Skin Protection: Rubber or plastic gloves and protective clothing as necessary

Respiratory Protection:Use NIOSH approved respirator if there is a potential to exceed exposure limits

Engineering Controls: Forced ventilation may be required if concentrations exceed exposure limits

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid
Color: Black
Odor: Mild

Vapor Pressure: < 5 mm Hg at 80°C

Vapor Density: Not available

Solubility in Water: Slight
Specific Gravity: 1.03

Boiling Point: More than 300°F

Volatile Organic Compound Content

Evaporation Rate (Ether = 1)

PH:

Negligible

Not available

Does not apply

Page 2 of 4



External Ammo Sealant 59622

04/2015

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: May occur upon inhibitor depletion

Hazardous Decomposition Products: Irritating organic vapors

Incompatibility: Strong oxidizers, strong reducers, free radical initiators, inert gases.

11. TOXICOLOGICAL INFORMATION

Toxicity: Estimated oral LD50 > 10,000 mg/kg. Estimated dermal LD50 > 2,000 mg/kg

Literature Referenced Target Organ Carcinogen Status **OSHA** Ingredients: and Other Health Effects NTP IARC 2-phenoxyethyl Acrylate Esters ALG **IRR** NO NO NO **Isooctyl Acrylate Esters** ALG **IRR** NO NO NO **Ethoxylated Trimethylolpropane Triacrylate IRR** NO NO NO **Ethylene Glycol Dimethatcrylate Esters** ALG **IRR** NO NO NO **Acrylic Acid** ALG IRR COR **KID** LIV NO NO NO **Photoinitiator** NO NO NO No data ALG **CNS** COR **IRR** MUT NO NO NO **Cumene Hydroperoxide**

Abbreviations:

ALG Allergen COR Corrosive IRR Irritant KID Kidney

LIV Liver MUT Mutagen CNS Central Nervous System

12. ECOLOGICAL INFORMATION

Ecological Information: Not available

13. DISPOSAL CONSIDERATIONS

Recommended methods of disposal: Dispose of according to Federal, State and Local regulations.

EPA Hazardous Waste Number:Not an RCRA hazardous waste

14. TRANSPORTATION INFORMATION

U.S. Dept. of Transportation Ground (49 CFR):

Proper Shipping Name: Unrestricted

Hazard Class or Division:

Identification Number:

None
Packing group:

None

International Air Transportation (ICAO/IATA):

Proper Shipping Name: Unrestricted

Hazard Class or Division:

Identification Number:

None

Packing group:

None



External Ammo Sealant 59622

04/2015

Water Transportation (IMO/IMDG):

Proper Shipping Name: Unrestricted

Hazard Class or Division:

Identification Number:

None

Packing group:

None

Marine pollutant:

None

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances

Control Act Inventory

CERCLA/SARA 313: This product contains the following toxic chemicals subject to the reporting

requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372): Acrylic Acid, Cumene Hydroperoxide

California Proposition 65: This product contains, or may contain, trace quantities of a substance (s) known

to the state of California to cause cancer/or reproductive toxicity.

REACH regulation 1907/2006/EC This product contains the following chemicals subject to the reporting

requirements of REACH: Acrylic Acid, Cumene Hydroperoxide

16. OTHER INFORMATION

Prepared By: C. Alt

Title: Manager - Quality & Development

DISCLAIMER: Some of the information presented is from sources other than direct test data on the product itself. The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable. This MSDS has been prepared in accordance with the requirements of the OSHA Hazard Communication Standard (29 CFR 1910.1200).