

SAFETY DATA SHEET

Issue Date 21-May-2015 Revision Date 15-Sep-2015 Version 1

1. IDENTIFICATION

Product identifier

Product Name Dripstop 930

Other means of identification

Product Code MS-930 UN/ID no. None Synonyms None

Recommended use of the chemical and restrictions on use

Recommended Use Sealant.
Uses advised against None known

Details of the supplier of the safety data sheet

Manufacturer Address Hernon Manufacturing Inc. 121 Tech Drive Sanford, FL 32771 800-527-0004

Emergency telephone number

Company Phone Number 407-322-4000

Emergency Telephone Chemtel 800-255-3924

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2B
Carcinogenicity	Category 2
Specific target organ toxicity (repeated exposure)	Category 2

Label elements

Emergency Overview

Hazard statements Causes skin irritation Causes eye irritation

Appearance No information available Physical state paste Odor mild

Precautionary Statements - Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Wear protective gloves/protective clothing/eye protection/face protection

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF ON SKIN: Wash with plenty of water and soap

If skin irritation occurs: Get medical advice/attention

Take off contaminated clothing and wash it before reuse

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful if swallowed Toxic to aquatic life with long lasting effects Toxic to aquatic life

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
POLYETHYLENE GLYCOL DIMETHACRYLATE	25852-47-5	15 - 40	*
Unsaturated Polyester Resin	39382-25-7	10 - 30	*
Azelaic Acid, Propylene Glycol Polymer (Polymeric	29408-67-1	10 - 30	*
Plasticizer)			
TITANIUM DIOXIDE	13463-67-7	1 - 5	*
Polytetrafluoroethylene	9002-84-0	1 - 5	*
Poly(ethylene) Homopolymer	9002-88-4	1 - 5	*
Silicon Dioxide, Amorphous, Fumed, Crystalline	112945-52-5	1 - 5	*
Free			
Cumene Hydroperoxide	80-15-9	1 - 5	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin contact Wash with soap and water. Flush skin with water for several minutes. Remove

MS-930 - Dripstop 930

Revision Date 15-Sep-2015

contaminated clothing and shoes. If irritation develops, seek medical attention. Wash

clothing before reuse.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms May cause allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

Note to physiciansTreat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

Explosion data

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions Do not allow into any sewer, on the ground or into any body of water.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder,

sawdust). Take up mechanically, placing in appropriate containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly

MS-930 - Dripstop 930 Revision Date 15-Sep-2015

after handling. Ensure adequate ventilation, especially in confined areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep at

temperatures between 7 and 29 °C.

Incompatible materials Strong oxidizing agents. Reducing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m³ total dust (vacated) TWA: 10 mg/m³ total dust	IDLH: 5000 mg/m ³

Appropriate engineering controls

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Use rubber or plastic gloves.

Respiratory protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state paste

Appearance No information available Odor mild

Color white Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Does not apply

Melting point / freezing point No information available

Boiling point / boiling range > 149 °C / 300 °F
Flash point > 93 °C / 200 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information available

Vapor pressure < 5 mm at 80°F

Vapor density No information available

Relative density 1.18

Water solubility slightly soluble

Solubility in other solvents No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point No information available Molecular weight No information available

VOC Content (%) 2.09 %

DensityNo information availableBulk densityNo information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Storage near to reactive materials.

Incompatible materials

Strong oxidizing agents. Reducing agent.

Hazardous Decomposition Products

Carbon oxides. Nitrogen oxides (NOx). Irritating organic vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information Product does not present an acute toxicity hazard based on known or supplied information

Inhalation May cause irritation of respiratory tract.

Eye contact May cause irritation.

Skin contact May cause skin irritation and/or dermatitis.

Ingestion Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE 13463-67-7	> 10000 mg/kg (Rat)	-	-
Poly(ethylene) Homopolymer 9002-88-4	= 8 g/kg (Rat)	-	-
Silicon Dioxide, Amorphous, Fumed, Crystalline Free 112945-52-5	= 3160 mg/kg (Rat)	-	-
Cumene Hydroperoxide 80-15-9	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat)4 h

Information on toxicological effects

Symptoms No information available.

MS-930 - Dripstop 930 Revision Date 15-Sep-2015

Delayed and immediate effects as well as chronic effects from short and long-term exposure

SensitizationNo information available.Germ cell mutagenicityNo information available.CarcinogenicityNo information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
TITANIUM DIOXIDE 13463-67-7	-	Group 2B	-	Х
Polytetrafluoroethylene 9002-84-0	-	Group 3	-	-
Poly(ethylene) Homopolymer 9002-88-4	-	Group 3	-	-
Silicon Dioxide, Amorphous, Fumed, Crystalline Free 112945-52-5	-	Group 3	<u>-</u>	-

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 2,756.00 ATEmix (dermal) 11,816.00 ATEmix (inhalation-dust/mist) 5.38

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Cumene Hydroperoxide	-	3.9: 96 h Oncorhynchus mykiss	7: 24 h Daphnia magna mg/L EC50
80-15-9		mg/L LC50 static	

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Cumene Hydroperoxide	-	-	-	U096
80-15-9				

Chemical Name	California Hazardous Waste Status
Cumene Hydroperoxide	Toxic
80-15-9	Ignitable

14. TRANSPORT INFORMATION

DOT Not regulated

UN/ID no. None

Proper shipping name Not regulated

Hazard ClassNoneSubsidiary classNonePacking GroupNoneReportable Quantity (RQ)NoneSpecial ProvisionsNoneMarine pollutantNone

<u>IATA</u> Not regulated

UN/ID no. None

Proper shipping name Not regulated

Hazard Class None
Subsidiary hazard class None
Packing Group None
ERG Code None
Special Provisions None

IMDG Not regulated

UN/ID no. None

Proper shipping name Not regulated

Hazard ClassNoneSubsidiary hazard classNonePacking GroupNoneEmS-No.NoneSpecial ProvisionsNone

RID Not regulated

UN/ID no. None
Hazard Class None
Packing Group None
Classification code None
Special Provisions None

ADR Not regulated

UN/ID no. None

Proper shipping name Not regulated

Hazard Class None
Packing Group None
Classification code None
Tunnel restriction code
Special Provisions None

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
ENCS Complies

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

All ingredients are on the inventory or are exempt from listing.

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
Cumene Hydroperoxide - 80-15-9	1.0
SARA 311/312 Hazard Categories	
Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Cumene Hydroperoxide	10 lb	-	RQ 10 lb final RQ
80-15-9			RQ 4.54 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

Chemical Name	California Proposition 65
TITANIUM DIOXIDE - 13463-67-7	Carcinogen

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
TITANIUM DIOXIDE	X	X	X
13463-67-7			
Polytetrafluoroethylene	-	-	X
9002-84-0			
Cumene Hydroperoxide	X	X	X
80-15-9			

U.S. EPA Label Information

MS-930 - Dripstop 930 Revision Date 15-Sep-2015

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 0 Flammability 0 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 2 Flammability 1 Physical hazards 1 Personal protection B

Prepared By SDS coordinator Issue Date 21-May-2015 Revision Date 15-Sep-2015

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet