

# SAFETY DATA SHEET

Issue Date 17-Mar-2015

Revision Date 09-Mar-2016

Version 1

1. IDENTIFICATION		
Product identifier		
Product Name	Accelerator 58	
Other means of identification		
Product Code	MS-058	
UN/ID no.	UN 1206	
Synonyms	None	
Recommended use of the chemical	and restrictions on use	
Recommended Use	Primers.	
Uses advised against	None known	
Details of the supplier of the safety	data sheet	
Manufacturer Address		
Hernon Manufacturing Inc.		
121 Tech Drive		
Sanford, FL 32771		
800-527-0004		
Emergency telephone number		
Company Phone Number	800-527-0004	
Emergency Telephone	Chemtel 800-255-3924	

# 2. HAZARDS IDENTIFICATION

# **Classification**

Acute toxicity - Oral	Category 3
Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1


# Label elements

**Emergency Overview** 

# Danger

# Hazard statements

Toxic if swallowed May be fatal if swallowed and enters airways Causes skin irritation May cause respiratory irritation May cause drowsiness or dizziness Very toxic to aquatic life with long lasting effects



### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area

#### **Precautionary Statements - Response**

Specific treatment (see .? on this label) IF ON SKIN: Wash with plenty of water and soap If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash it before reuse IF INHALED: Remove person to fresh air and keep comfortable for breathing Call a POISON CENTER or doctor if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor Do NOT induce vomiting

# **Precautionary Statements - Storage**

Store locked up Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Not applicable

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
Heptane	142-82-5	95 - 100	*
*The exact percentage (concept	ration) of composition has	heen withheld as a trade s	ecret

The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
Skin contact	Wash with soap and water. Flush skin with water for several minutes. Remove contaminated clothing and shoes. If irritation develops, seek medical attention. Wash clothing before reuse.
Inhalation	Remove to fresh air. If breathing is difficult, give oxygen. If breathing has stopped, give

artificial respiration. Get medical attention immediately.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a POISON CENTER or doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Symptoms No information available.

Indication of any immediate medical attention and special treatment needed

Note to physicians

Aspiration may cause pulmonary edema or aspiration pneumonia.

# 5. FIRE-FIGHTING MEASURES

# Suitable extinguishing media

Use CO2, dry chemical, or foam.

Unsuitable extinguishing media No information available

# Specific hazards arising from the chemical

Vapors may accumulate in confined areas (basement, tanks, hopper/tank cars, etc.). Vapors may travel to source of ignition and flash back.

Hazardous combustion products Carbon oxides. Nitrogen oxides (NOx).

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Water should be used to cool closed containers to prevent pressure build-up or possible explosion when exposed to extreme heat.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks and open flame.	
For emergency responders	Use personal protection recommended in Section 8.	
Environmental precautions		
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional ecological information.	
Methods and material for containment and cleaning up		
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Soak up with inert absorbent material. Store in a closed container until ready for disposal.	

# 7. HANDLING AND STORAGE

# Precautions for safe handling

Advice on safe handling	Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists. Wash thoroughly after handling. Ensure adequate ventilation, especially in confined areas.	
Conditions for safe storage, including	ng any incompatibilities	
Storage Conditions	Store at temperatures not exceeding 49 °C/ 120 °F. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity).	
Incompatible materials	Acids. Oxidizing agents.	

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

#### **Exposure Guidelines**

**Engineering Controls** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Heptane	STEL: 500 ppm	TWA: 500 ppm	IDLH: 750 ppm
142-82-5	TWA: 400 ppm	TWA: 2000 mg/m <sup>3</sup>	Ceiling: 440 ppm 15 min
		(vacated) TWA: 400 ppm	Ceiling: 1800 mg/m <sup>3</sup> 15 min
		(vacated) TWA: 1600 mg/m <sup>3</sup>	TWA: 85 ppm
		(vacated) STEL: 500 ppm	TWA: 350 mg/m <sup>3</sup>
		(vacated) STEL: 2000 mg/m <sup>3</sup>	

Appropriate engineering controls

Showers Eyewash stations Ventilation systems.

# Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Color
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure

**Physical state** 

Appearance

Liquid No information available Clear colorless

Values Does not apply No information available 93-99 °C / 199-210 °F -9 °C / 15 °F 2.7 (Ether=1) No information available 6.7% 1.0% 35 mmHg at 68°F Odor Odor threshold Aliphatic No information available

Remarks • Method

Vapor density Relative density Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties

#### **Other Information**

Softening point Molecular weight VOC Content (%) Density Bulk density 3.45 (air =1) 0.7 @75°F Immiscible in water No information available No information available 246 °C / 475 °F No information available No information available No information available No information available No information available

No information available No information available 99.9%; 700 g/l No information available No information available

# **10. STABILITY AND REACTIVITY**

Reactivity

No data available <u>Chemical stability</u> Stable under recommended storage conditions. <u>Possibility of Hazardous Reactions</u> None under normal processing. <u>Conditions to avoid</u> Heat, flames and sparks. <u>Incompatible materials</u> Acids. Oxidizing agents. <u>Hazardous Decomposition Products</u> No information available.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

#### Product Information

Inhalation	Harmful by inhalation.
Eye contact	May cause irritation.
Skin contact	May cause irritation.
Ingestion	Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Heptane	-	= 3000 mg/kg (Rabbit)	= 103 g/m <sup>3</sup> (Rat)4 h
142-82-5			

# Information on toxicological effects

Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization

No information available.

Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.

# Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document.ATEmix (dermal)3,015.00mg/kgATEmix (inhalation-dust/mist)104.00mg/l

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

Very toxic to aquatic life with long lasting effects

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Heptane	-	375.0: 96 h Cichlid fish mg/L LC50	10: 24 h Daphnia magna mg/L
142-82-5			EC50

#### Persistence and degradability

No information available.

# **Bioaccumulation**

No information available.

Chemical Name	Partition coefficient
Heptane	4.66
142-82-5	

Other adverse effects

No information available

# 13. DISPOSAL CONSIDERATIONS

# Waste treatment methods

 Disposal of wastes
 Disposal should be in accordance with applicable regional, national and local laws and regulations.

 Contaminated packaging
 Do not reuse container.

US EPA Waste Number

D001

Chemical Name	California Hazardous Waste Status
Heptane	Toxic
142-82-5	Ignitable

# 14. TRANSPORT INFORMATION

DOT	
UN/ID no.	UN 1206
Proper shipping name	Heptanes
Hazard Class	3
Packing Group	II
Special Provisions	Consumer Commodity ORM-D (Not more than 1 Liter)

UN/ID no.	1206
Proper shipping name	Heptanes
Hazard Class	3
Packing Group	II
Special Provisions	Consumer Commodity not more than 500 ml
UN/ID no.	UN 1206
Proper shipping name	Heptanes
Hazard Class	3
Packing Group	
Special Provisions	Consumer Commodity not more than 500 ml
UN/ID no.	UN 1206
Proper shipping name	Heptanes
Hazard Class	3
Packing Group	5 II
Special Provisions	Limited Quantity not more than 1 L
opecial i rovisions	Linned Quantity not more than 1 E
UN/ID no.	UN 1206
Proper shipping name	Heptanes
Hazard Class	3
Packing Group	II
Special Provisions	Consumer Commodity ORM-D (Not more than 1 Liter)
UN/ID no.	UN 1206
Proper shipping name	Heptanes
Hazard Class	3
Packing Group	 Operations of the ODM D (Net many them 4 Liter)
Special Provisions	Consumer Commodity ORM-D (Not more than 1 Liter)

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

All ingredients are on the inventory or are exempt from listing.

Legend: TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List **EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances AICS - Australian Inventory of Chemical Substances

# US Federal Regulations

# SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

#### California Proposition 65

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm: Toluene, Benzene, or Ethylbenzene.

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Heptane	Х	X	Х
142-82-5			

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

<u>NFPA</u>	Health hazards 0	Flammability 0	Instability 0	Physical and Chemical Properties -
<u>HMIS</u>	Health hazards 1	Flammability 3	Physical hazards 0	Personal protection Graphic

Prepared By Issue Date Revision Date	SDS coordinator 17-Mar-2015 09-Mar-2016
Revision Note	
No information available	

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

### End of Safety Data Sheet