

01/2011

1. PRODUC	T AND COMPANY IDENTIFIC	ATION			
Product Name:	Nickel Based Anti-Seize 368	Product Type:	Anti-Seize Compound		
Company :	Hernon Manufacturing, Inc.	Contact Information:	Telephone: 407-322-400	0	
	121 Tech Drive		Emergency Telephone: 80	0-255-3924	
	Sanford, FL 32771		Web Site: www.hernon.com	n	
2. HAZARD	S IDENTIFICATION				
		EMERGENCY OVERVIE	w		
Physical state Color: Odor:	e: Semisolid paste Silver/Grey Paste Petroleum		<u>HMIS:</u> HEALTH: FLAMMABILITY: PHYSICAL HAZAR Personal Protectior	-	
	WARNING:	MAY CAUSE EYE, AN MAY BE HARMFUL IF			
Primary Routes	of Entry:	Skin, Eyes			
Signs and Symp	toms of Exposure:				
Inhalation:		Viscous nature may block breathing passages if inhaled.			
Skin contact:		May cause skin irritation with prolonged contact.			
Eye contact:		Contact with eyes may cause irritation.			
Ingestion:		May cause diarrhea.			
Existing Conditions Aggravated by Exposure:		Eye, skin, and respiratory disorders.			
3. COMPOS	SITION / INFORMATION ON IN	IGREDIENTS			
ngredients		<u>%</u> <u>ACG</u>	IH TLV OSHA PEL	<b>OTHER</b>	
Petroleum Oil		60-100 N	one 5 mg/m³ TWA oil mist	10 mg/m³ STEL	
Nickel Powder		20-30 1m	ıg/m³ 1mg/m³	NA	
Nonhazardous E	Blend	10-20 N	one None	None	
4. FIRST AI	D MEASURES				
ngestion:		Wash out mouth immediately. Obtain medical attention.			
Inhalation:		Remove to fresh air. If symptoms develop and persist, get medical attention.			
Skin Contact:		Wash with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if symptoms occur.			
Eye Contact: Flush with copious medical attention.			ounts of water, holding eyelid	ds open all the time. G	



01/2011

5. FIRE FIGHTING MEASURES			
Flash Point (TCC):	430°F (221°)		
Recommended Extinguishing Agents:	Carbon dioxide, foam, dry chemical, sand, earth, water mist		
Special Firefighting Procedures:	Wear self-contained breathing apparatus and full protective clothing.		
Hazardous Combustion Products:	Oxides of carbon, sulfur, and nitrogen.		
Unusual Fire or Explosion Hazards:	None		
Flammable/Explosive Limits – lower %:	0.9		
Flammable/Explosive Limits – upper %:	7.0		
6. ACCIDENTAL RELEASE MEASURES			
Personal Precautions:	Wear proper protective equipment		
Measures for Environmental Protection:	Do not allow entry into drains or surface waters		
Clean-up Measures:	Scrape up bulk, then wipe up remainder with cloth. To prevent walking hazard, pick up remaining residue with diatomaceous earth.		
7. HANDLING AND STORAGE			
Handling:	Avoid contact with eyes, skin and clothing. Wash thoroughly after handling.		
Storage:	Store between 46° and 82°F unless otherwise labeled to preserve shelf life.		
8. EXPOSURE CONTROLS, PERSONAL	_ PROTECTION		
Eye/Face Protection:	Safety glasses or goggles with side shields		
Skin Protection:	Use rubber or plastic gloves, and protective clothing as necessary		
Respiratory Protection:	Use NIOSH approved respirator if there is a potential to exceed exposure limits		
Engineering Controls:	Forced ventilation may be required if concentrations exceed exposure limits		
9. PHYSICAL AND CHEMICAL PROPER	RTIES		
Physical State:	Semisolid paste		
Color:	Silver/Grey		
Odor:	Petroleum		
Vapor Pressure:	< 0.01 kPa		
Vapor Density:	> 5		
Solubility in Water:	Nil		
Specific Gravity:	1.10		
Boiling Point:	> 300°F		
Volatile Organic Compound Content	Not available		
Evaporation Rate (Ether = 1)	< 0.01		
pH:	Neutral		



## Nickel Based Anti-Seize 368

01/2011

or 1 111	0.11						
Stability:	Stable						
Hazardous Polymerization:	Will not occur						
Hazardous Decomposition Products:	Burning generates smoke, airborne soot, hydrocar sulfur & nitrogen. Residue mainly comprised of so			irbon,			
Incompatibility:	Strong inorganic & organic acids, oxidizing agents	Strong inorganic & organic acids, oxidizing agents.					
11. TOXICOLOGICAL INFORMATION							
	Literature Referenced Target Organ Carcinogen Status						
Ingredients:	and Other Health Effects	NTP	IARC	OSHA			
Petroleum Oil	No data	NO	NO	NO			
Nickel Powder	No data	NO	NO	NO			
Nonhazardous Blend	No data	NO	NO	NO			
12. ECOLOGICAL INFORMATION							
Water Hazard:	Do not allow entry into drains or surface waters						
13. DISPOSAL CONSIDERATIONS							
Recommended methods of disposal:	Dispose of according to Federal, State and Local regulations.						
EPA Hazardous Waste Number:	Not an RCRA hazardous waste						
14. TRANSPORTATION INFORMATION							
U.S. Dept. of Transportation Ground (49 CFR):							
Proper Shipping Name	Unrestricted						
Hazard Class or Division:	None						
Identification Number	None						
Packing group:	None						
International Air Transportation (ICAO/IATA):							
Proper Shipping Name:	Unrestricted						
Hazard Class or Division:	None						
Identification Number	None						
Packing group:	None						
WaterTransportation (IMO/IMDG):							
Proper Shipping Name:	Unrestricted						
Hazard Class or Division:	None						
Identification Number	None						
	NOTE						
Packing group:	None						



## Nickel Based Anti-Seize 368

01/2011

TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372): Copper		
CERCLA/SARA 313:			
16. OTHER INFORMATION			
Prepared By:	C. Alt		
Title:	Manager - Quality & Development		
obtained from sources which we believe are reliable	s from sources other than direct test data on the product itself. The information in this MSDS was e. However, the information is provided without any warranty, express or implied, regarding its ng, storage, use and disposal of the product are beyond our control and may be beyond ou source responsibility and expressly disclaim liability for loss, damage or expense arising out of or in		

Page 4 of 4