

測試報生

M INTR D	號碼(No.): CE/2	2015/61776	日期(Date) : 2015/06/15	頁數(Page): 1 of 12
Test Report		2013/ 01110	1 # (Date) . 2015/00/10	$\mathcal{A} = \mathcal{A} \setminus [agc],  I \cup I \cup I $
鴻星電子股份有限公司 HOSONIC ELECTRONIC CO., LT 新北市樹林區俊英街84巷23-1 NO.23-1, LN.84, JUNYING ST	號	NEW TAIPEI	CITY 23863, TAIWAN	
以下測試樣品係由申請廠商所 behalf of the applicant a		e following	<pre>sample(s) was/were subm</pre>	itted and identified by/on
送樣廠商(Sample Submitted	By) : 鴻星	電子股份有限	公司 (HOSONIC ELECTRONIC	CO., LTD.)
樣品名稱(Sample Descriptio	n) : TUNI	NG FORK DT-2	6 AND DT-38	
收件日期(Sample Receiving Dat	e) : 2015	/06/09		
測試期間(Testing Period)	: 2015	/06/09 TO 20	15/06/15	

**測試結果(Test Results) :** 請見下一頁 (Please refer to next pages).





### 測試報告 號碼(No.): CE/2015/61776 **Test Report**

日期(Date): 2015/06/15

頁數(Page): 2 of 12

鴻星電子股份有限公司 HOSONIC ELECTRONIC CO., LTD. 新北市樹林區俊英街84巷23-1號 NO. 23-1, LN. 84, JUNYING ST., SHULIN DIST., NEW TAIPEI CITY 23863, TAIWAN

#### 測試結果(Test Results)

測試部位(PART NAME)No.1 : 整體混測(MIXED ALL PARTS)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果(Result) No.1
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n. d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n. d.
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法, 以感應 耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n. d.
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	參考IEC 62321: 2008方法, 以UV-VIS 檢測. / With reference to IEC 62321: 2008 and performed by UV- VIS.	2	n. d.
六溴環十二烷及所有主要被辨別出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ – HBCDD, $\beta$ – HBCDD, $\gamma$ – HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	參考IEC 62321: 2008方法, 以氣相層 析/質譜儀檢測. / With reference to IEC 62321: 2008 method. Analysis was performed by GC/MS.	5	n. d.
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	參考US EPA 3550C: 2007方法, 以液相 層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n. d.



號碼(No.): CE/2015/61776

日期(Date): 2015/06/15

頁數(Page): 3 of 12

### **Test Report** 鴻星電子股份有限公司

HOSONIC ELECTRONIC CO., LTD. 新北市樹林區俊英街84巷23-1號 NO. 23-1, LN. 84, JUNYING ST., SHULIN DIST., NEW TAIPEI CITY 23863, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result)	
				No. 1	
全氟辛酸 / PFOA (CAS No.: 335-67-1)	mg/kg	參考US EPA 3550C: 2007方法,以液相 層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n. d.	
鄰苯二甲酸丁苯甲酯 / BBP(Butyl Benzyl phthalate)(CAS No.: 85-68-7)	%	參考EN 14372,以氣相層析/質譜儀檢 測./ With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n. d.	
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	參考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n. d.	
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761- 40-0; 68515-49-1)	%	參考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n. d.	
鄰苯二甲酸二異壬酯 / DINP (Di- isononyl phthalate) (CAS No.: 28553- 12-0; 68515-48-0)	%	參考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n. d.	
鄰苯二甲酸二正辛酯 / DNOP (Di-n- octyl phthalate) (CAS No.: 117-84-0)	%	參考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n. d.	
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	參考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n. d.	
鄰苯二甲酸二異丁酯 / DIBP (Di- isobutyl phthalate) (CAS No.: 84-69- 5)	%	參考EN 14372,以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n. d.	



號碼(No.): CE/2015/61776

日期(Date): 2015/06/15

頁數(Page): 4 of 12

# **Test Report**

鴻星電子股份有限公司 HOSONIC ELECTRONIC CO., LTD. 新北市樹林區俊英街84巷23-1號 NO. 23-1, LN. 84, JUNYING ST., SHULIN DIST., NEW TAIPEI CITY 23863, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值	結果 (Result)
(lest lieus)		(Method)	(MDL)	No. 1
多溴聯苯總和 / Sum of PBBs	mg/kg		_	n. d.
一溴聯苯 / Monobromobiphenyl	mg/kg	] [	5	n. d.
二溴聯苯 / Dibromobiphenyl	mg/kg	]	5	n. d.
三溴聯苯 / Tribromobiphenyl	mg/kg	] [	5	n. d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg	] [	5	n. d.
五溴聯苯 / Pentabromobiphenyl	mg/kg	] [	5	n. d.
六溴聯苯 / Hexabromobiphenyl	mg/kg	] [	5	n. d.
七溴聯苯 / Heptabromobiphenyl	mg/kg	] [	5	n. d.
八溴聯苯 / Octabromobiphenyl	mg/kg	] [	5	n. d.
九溴聯苯 / Nonabromobiphenyl	mg/kg	參考IEC 62321:2008方法,以氣相層	5	n. d.
十溴聯苯 / Decabromobiphenyl	mg/kg	析/質譜儀檢測. / With reference to	5	n. d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	IEC 62321: 2008 and performed by	-	n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	GC/MS.	5	n. d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg	]	5	n. d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg	] [	5	n. d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg	]	5	n. d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg	] [	5	n. d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg	] [	5	n. d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg	] [	5	n. d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg	] [	5	n. d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg	] [	5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg	] [	5	n. d.



**Test Report** 

號碼(No.): CE/2015/61776

日期(Date): 2015/06/15

頁數(Page): 5 of 12

## 鴻星電子股份有限公司

HOSONIC ELECTRONIC CO., LTD. 新北市樹林區俊英街84巷23-1號 NO. 23-1, LN. 84, JUNYING ST., SHULIN DIST., NEW TAIPEI CITY 23863, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果(Result) No.1
鹵素 / Halogen				
鹵素(氟)/ Halogen-Fluorine(F) (CAS No.: 14762-94-8)	mg/kg		50	n. d.
鹵素(氯)/ Halogen-Chlorine(Cl) (CAS No.: 22537-15-1)	mg/kg	參考BS EN 14582:2007,以離子層析儀 分析./ With reference to BS EN	50	n. d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	0 0	14582:2007. Analysis was performed by IC.	50	n. d.
鹵素 (碑) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n. d.

#### 備註(Note):

- 1. mg/kg = ppm ; 0. 1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個別單一材質的含量. (The samples was/were analyzed on behalf of the applicant as mixing sample in one testing. The above results was/were only given as the informality value.)

#### PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品或塗 層材料中不得超過lug/m<sup>2</sup>。


(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above  $1\mu g/m^{2}$ .)



### 測試報告 號碼(No.): CE/2015/61776 日期(Date): 2015/06/15 頁數(Page): 6 of 12 為星電子股份有限公司 HOSONIC ELECTRONIC CO., LTD. 新北市樹林區俊英街84巷23-1號

NO. 23-1, LN. 84, JUNYING ST., SHULIN DIST., NEW TAIPEI CITY 23863, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr<sup>6+</sup> test method excl
- dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)
- 2) 测试人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang



#### Note\*\* (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.
- (2) 針對金屬材料加入純水,加熱至沸腾萃取. / For metallic material, add pure water and heat to boiling.



## 測試報告 Test Report

號碼(No.)

號碼(No.): CE/2015/61776


日期(Date) : 2015/06/15

頁數(Page): 7 of 12

鴻星電子股份有限公司 HOSONIC ELECTRONIC CO., LTD. 新北市樹林區俊英街84巷23-1號 NO.23-1, LN.84, JUNYING ST., SHULIN DIST., NEW TAIPEI CITY 23863, TAIWAN

#### 全氟辛酸/全氟辛烷磺酸分析流程圖 / PFOA/PFOS analytical flow chart

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 测試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



### 測試報告 Toot Poport<sup>號</sup>

**Test Report** 

號碼(No.): CE/2015/61776

日期(Date) : 2015/06/15


頁數(Page): 8 of 12

鴻星電子股份有限公司 HOSONIC ELECTRONIC CO., LTD. 新北市樹林區俊英街84巷23-1號 NO.23-1, LN.84, JUNYING ST., SHULIN DIST., NEW TAIPEI CITY 23863, TAIWAN

#### 六溴環十二烷分析流程圖 / HBCDD analytical flow chart

■ 测試人員:翁賜彬 / Name of the person who made measurement: Roman Wong

■ 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



## 測試報告 **Test Report**

號碼(No.): CE/2015/61776

日期(Date): 2015/06/15


頁數(Page): 9 of 12

鴻星電子股份有限公司 HOSONIC ELECTRONIC CO., LTD. 新北市樹林區俊英街84巷23-1號 NO. 23-1, LN. 84, JUNYING ST., SHULIN DIST., NEW TAIPEI CITY 23863, TAIWAN

#### 可塑劑分析流程圖 / Analytical flow chart of phthalate content

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang

#### 【测試方法/Test method: EN 14372】





### 测試報告 Tool Donort<sup>號</sup>

Test Report

號碼(No.): CE/2015/61776

日期(Date) : 2015/06/15


頁數(Page): 10 of 12

鴻星電子股份有限公司 HOSONIC ELECTRONIC CO., LTD. 新北市樹林區俊英街84巷23-1號 NO.23-1, LN.84, JUNYING ST., SHULIN DIST., NEW TAIPEI CITY 23863, TAIWAN

#### 鹵素分析流程圖 / Analytical flow chart of halogen content

■ 測試人員:陳恩臻 / Name of the person who made measurement: Rita Chen

■ 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang





**Test Report** 

號碼(No.): CE/2015/61776

日期(Date): 2015/06/15 頁數(Page): 11 of 12


鴻星電子股份有限公司 HOSONIC ELECTRONIC CO., LTD. 新北市樹林區俊英街84巷23-1號

NO. 23-1, LN. 84, JUNYING ST., SHULIN DIST., NEW TAIPEI CITY 23863, TAIWAN

#### 多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong 測試負責人:張啟興 / Name of the person in charge of measurement: Troy Chang 初次測試程序 / First testing process -

選擇性篩檢程序 / Optional screen process ••• 確認程序 / Confirmation process - - - →





## 測試報告 **Test Report**

號碼(No.): CE/2015/61776


日期(Date): 2015/06/15

頁數(Page): 12 of 12

鴻星電子股份有限公司 HOSONIC ELECTRONIC CO., LTD. 新北市樹林區俊英街84巷23-1號 NO. 23-1, LN. 84, JUNYING ST., SHULIN DIST., NEW TAIPEI CITY 23863, TAIWAN

> \* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

## CE/2015/61776



\*\* 報告結尾 (End of Report) \*\*