


**HUNT *Simplicity*<sup>®</sup> ID-30-DC Series Modular Dimming Systems**  
for incandescent lamps  
utilizing H-series DC slide controls  
120V



ID-30-DC Master  
ID-30-DC-S Slave

Hunt Control Systems Inc.  
200 Rome Court  
Fort Collins CO 80524

**Features:**

- Continuous, flicker-free dimming to 0%
- Manually operates 3kW (ID-30-DC Master & Slave)
- For applications utilizing H-series DC slide controls
- Limited one-year warranty

**Specifications:**

- Wall-mounted, convection-cooled
- 120V only

**For Use With:**

Incandescent Lamps

**Dimensions:**

ID-30-DC, ID-30-DC-S: 13"H x 8 1/2"W x 3 3/4" D

Tel: (970) 484-9048

Fax: (970) 493-4125


huntedimming.com

**Dimming.**

It's all we do.

Since 1960.

## HUNT *Simplicity*<sup>®</sup> PS-IFC-1 Series Controls for ID and FD Series Modular Systems 120V and 277V



PS-IFC-1  
PS-IFC-1-3W

Hunt Control Systems Inc.  
200 Rome Court  
Fort Collins CO 80524

Tel: (970) 484-9048  
Fax: (970) 493-4125  
[hunteddimming.com](http://hunteddimming.com)

### **Features:**

- Preset slide control – strap mount.
- Easy-to-operate, smooth-sliding linear control and switch.
- Available in single-pole or 3-way.
- Uses standard designer-style faceplate, included in box.
- Fits in any standard 2" deep single gang switchbox.
- Limited one-year warranty.
- Available in Ivory, White (standard colors), Brown, Black or Gray (custom colors).
- Rated for 120/277V applications.

### **Note:**


All 3-way controls require a standard 3-way toggle switch to complete the circuit.

### **Dimming.**


It's all we do.  
Since 1960.

**Wiring Diagram  
For HUNT *Simplicity*<sup>®</sup>  
PS-IFC-1, AIFC-1 and PS-IFC-3W-1  
Controls for ID and FD Series**

**Single Pole Wiring**



**Three Way Wiring**



**Hunt Control Systems, Inc.**  
200 Rome Court  
Fort Collins, CO 80524  
U.S.A  
Ph: (970) 484-9048  
Fax: (970) 493-4125  
[www.hunt Dimming.com](http://www.hunt Dimming.com)