INDUSTRIAL CONTROL COMMUNICATIONS, INC.

DNET-1000 Multiprotocol DeviceNet Gateway

Flexible, Powerful and Easy-to-Use DeviceNet Gateway

The DNET-1000 is a user-configurable multiprotocol DeviceNet / RS-485 communications gateway, which allows seamless bridging between DeviceNet networks and various popular RS-485 based industrial and commercial communication networks. As a member of the Millennium Series line of communication gateways, the DNET-1000 is able to leverage the common form factor, configuration and usage experience available to all of these products. Using the Microsoft Windows®-based *ICC Configuration Studio*, users can perform the following tasks:



- Configure protocols, network characteristics, and client/server object definitions
- Graphically interact with the internal database in real-time
- Automatically update device firmware
- Define autonomous internal elements such as database logic and object failsafe values
- Capture, display and save serial network traffic with microsecond-precision timestamps

The DNET-1000 incorporates a variety of leading-edge automation technology elements, such as:

- Power can be supplied via the USB cable (for configuration at a workstation) or as a 7-24VDC input on the main terminal block
- Simultaneously supports DeviceNet COS, cyclic, polled and bit-strobed I/O connections
- Explicit messaging access to entire internal database as 8-bit, 16-bit or 32-bit data types
- User-configurable network timeout behaviors
- USB connectivity with virtual COM port support
- 2-wire / 4-wire RS-485 network supports baud rates up to 115.2kbaud
- Desktop, panel/wall and DIN-rail mountable (all hardware included)
- Supports DeviceNet auto baud rate detection
- Controlled by a powerful 32-bit processor
- Supports up to 256 bytes of I/O data in each direction

| Comparison business Property | Comparison Comparison

Supported networks/protocols currently include:

- DeviceNet (group 2 server)
- Modbus RTU (master, slave & sniffer)
- BACnet MS/TP (client & server)
- Johnson Controls Metasys® N2 (master & slave)
- Toshiba ASD protocol (master)
- Sullair Supervisor protocol (master)
- DMX-512 (master & slave)

- M-Bus (master)
- Siemens FLN (master & slave)
- For a complete list of supported drivers, refer to the "Millennium Series Supported Drivers List"



For more information about this and other industrial & commercial communication interface products, visit us online at http://www.iccdesigns.com.