

**SPECIFICATION SHEET**

**JFW MODEL 50PD-379**

**2 WAY RESISTIVE POWER DIVIDER**

JFW Industries, Inc.  
Phone: 317-887-1340  
sales@jfwindustries.com  
www.jfwindustries.com

Frequency Range	DC-4000 MHz
Impedance	50 Ohms nominal
VSWR	1.35:1 maximum
Insertion Loss	6 dB ± 0.6 dB
Amplitude Tracking	± 0.5 dB
RF Input Power	2 Watts average @ 25°C 100 Watts peak (1 microsecond)
RF Connector*	BNC, N or TNC (male or female)
Physical Size	See outline drawing 092-2328-02 (N) 092-6646-02 (BNC) 092-5294 (NF/NM/SF) 092-5860 (N M/F/F)

\* Note: For SMA female use JFW model 50PD-016 SMA.  
It has a smaller enclosure and is a stocked model.

ECR/ECN #	DATE	REV	APPR / DATE	ECR/ECN #	DATE	REV	APPR / DATE
	02/06/2001			16317	09/17/2008	C	TRS 09/17/2008
9999	12/19/2002	A	SL 01/07/2003	18885	07/15/2010	D	TRS 07/15/2010
13792	01/23/2007	B	TRS 01/23/2007	22906	06/05/2013	E	TRS 06/05/2013