




# MAGNETIC LEVEL GAUGE SPEC. SHEET

## Side Mounted

Project:	
Customer:	
Location:	

Service Conditions	
Tag No.	
Vapor/Liquid, Interface, Both	
Fluid	
Lower Fluid (if interface)	
Fluid S.G.	
Lower Fluid S.G. (if interface)	
Min. Fluid S.G.	
Temp. Operating/Max.	
Minimum Design Metal Temp.	
Pressure Operating/Max.	
Special Conditions: High Vibration, Flashing, other	
Materials/Connections/Rating	
Chamber Material	
Flange Material	
Float Material	
Configuration (code # to right or sketch)	
Connection Size/Type/Rating	
Measuring Length / C-C	
Vent & Drain Connection	
Vent/Drain Valves (Size, Type, MFR)	
Indicator	
Type: Shuttle/Std Bargraph/Wide BG	
Bargraph Color: Yel./Blk., Red/White	
Ruler: Ft/Inch, Inch, m/cm, %, Special	
Location: 3, 6 (std), 9	
Transmitter	
Tag No.	
Mounting: Bottom or Top Elect.	
Area Classification:	
Location: 3, 6, 9 (std)	
Model #:	
Switches	
Quantity	
Tag Nos.	
Rating: Volts	
Amps (1,3,10):	
Form: SPDT, DPDT	
Terminal Housing: Yes, No	
Area Classification	
Model #:	

Other Options:	
Insulation: High Temp or Cryogenic	
Steam Trace Tubes	
Elect. Tracing: Freeze Prot. or Temp. Maint.	Required Maint. Temp.:
	Area Classification:
Other options:	
Model #:	



Sketch if different from above configurations:

Indicator and Transmitter Location

As viewed from above