_ AS		Material Compo © Copyright 2005. IPC, Banno ooth international and Pan-Amer	ckburn, Illinois.	All rights reserve	ion with lower	level p	arts, the	declaration	n encompas		r level mater	ials for	which the	item is an assembly manufacturer has eclaration.
		PC Web Site for Informanttp://www.ipc.org/IPC-		C-1752 Standard			Form Type * Declaration Class *							
Sup	pplier Information													
Cor	npany Name *	Company Unique ID)	Unique ID Au	thority	Respo	onse Date	*	Res	ponse Docu	ment ID			
Contact Name *		Title - Contact		Phone - Contact *		Email	Email - Contact *							
Authorized Representative *		e * Title - Representativ	е	Phone - Representative *		Email - Representative			* Sup	plier Comme	ents or URL	for Add	ditional Inf	ormation
	Requester Item Number	Mfr Item Number		Mfr Item Name		Effective Date Version		Version	Manufacturi	ng Site Weight *		UC	OM	Unit Type
	Alternate Recommendat	ion						Alternate	Item Comme	ents				
Ма	nufacturing Process	s Information												
Terminal Plating / Grid Array Material		laterial	Terminal Ba	se Alloy	J-STD-020 MSL Ra	ting	Peak Proc	ess Body	Temperature C	Max Time a	·	erature conds	Number o	f Reflow Cycles
Con	nments		1							•				

		Import fields from a file into this form			Locked
·					
		• • • • • • • • • • • • • • • • • • • •	· · · · · · · · · · · · · · · · · · ·		ted Biphenyls (PBB),
	. 1			0*	
RoHS Declarati	on *			Supplier Acceptance "	
•		ontain RoHS restricted substances per the d	lefinition above except for defined RoHS exemptions, then s	select the corresponding respons	e in the RoHS Declaration
Exemption List	/ersion				
Declaration S	Signature				
				wn. This will display the sign	ature area. Digitally sign

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

	Item/SubItem Name		Homogeneous Material	Woight	Unit of Measure		Level	Substance Category	Substance	CAS	Exempt	Weight	Unit of Measure	Tolerance		РРМ
			Material	vveignt			Level	Substance Category	Substance	CAS				-	+	PPIVI