_ AS		Material Compo © Copyright 2005. IPC, Banno ooth international and Pan-Amer	ckburn, Illinois.	All rights reserve	ion with lower	level p	arts, the	declaration	n encompas		r level mater	ials for	which the	item is an assembly manufacturer has eclaration.
	IPC Web Site for Information on IPC-1752 Standard http://www.ipc.org/IPC-175x						n Type * Declaration Class *							
Sup	pplier Information													
Company Name *		Company Unique ID)	Unique ID Authority		Response Date *		*	Response Document ID		ment ID			
Contact Name *		Title - Contact		Phone - Contact *		Email	Email - Contact *							
Aut	horized Representativ	e * Title - Representativ	е	Phone - Rep	resentative *	Email	- Represo	entative	* Sup	plier Comme	ents or URL	for Add	ditional Inf	ormation
Requester Item Number		Mfr Item Number		Mfr Item Name		Effective Date Versi		Version	Manufacturi	ring Site Weight *		UC	OM	Unit Type
	Alternate Recommendation						Alternate Ite		Item Comments					
Ма	nufacturing Process	s Information												
Terr	ninal Plating / Grid Array M	laterial	Terminal Ba	se Alloy	J-STD-020 MSL Ra	ting	Peak Proc	ess Body	Temperature C	Max Time a	·	erature conds	Number o	f Reflow Cycles
Con	nments		1							•				

Save the fields this form to a fil		Import fields from a file into this form			Locked
RoHS Materia	l Composition Decla	ration		Declaration Type *	
		• • • • • • • • • • • • • • • • • • • •	homogeneous material for: Lead (Pb), Mercury, Hexav 1% by mass (100 PPM) of homogeneous material for C		ted Biphenyls (PBB),
	. 1			0*	
RoHS Declarati	on *			Supplier Acceptance *	
•	e declared item does not co all applicable exemptions.	ontain RoHS restricted substances per the d	lefinition above except for defined RoHS exemptions, then s	select the corresponding respons	e in the RoHS Declaration
Exemption List	/ersion				
Declaration S	Signature				
		ed fields on all pages of this form. Sele ter) and click on Submit Form to have th	ct the "Accepted" on the Supplier Acceptance drop-doe form returned to the Requester.	wn. This will display the sign	ature area. Digitally sign

Supplier Digital Signature

Homogeneous Material Composition Declaration for Electronic Products

Subltem Instructions: The presence of any JIG Level A or B substances must be declared. [1] indicate the subpart in which the substance is located, [2] provide a description of the homogeneous material [3], enter the weight of the homogeneous material.

Substance Instructions: [A] select the Level (JIG A, JIG B, Requester or Supplier) [B] select the substance category (JIG or Requester) or enter a value (Supplier). [C] select the substance (JIG) or enter the substance and CAS (Other). [D] select a RoHS exemption, if applicable [E] enter the weight of the substance or the PPM concentration [F] Optionally enter the positive (+) and negative (-) tolerance in percent (Note: percent tolerance values are expected to cover a 3 sigma range of distribution unless otherwise noted).

Line Functions: +I Inserts a New Item /SubItem +M Inserts a new Material +C Inserts a new Substance Category +S Inserts a new Substance - Deletes the element line

Item/SubItem	Homoge		NA/a i aula 4	Unit of	Laural	Cubatanaa Catanami	Substance	CAC		\A/=:= =4	Unit of	Toler	ance	PPN
Name		Homogeneous Material	weight	Unit of Measure	Level	Substance Category	Substance	CAS	Exempt	weight	Unit of Measure	-	+	PPI
			1											
														_
														_
			T											_
														_
														_
														_
														╄
			I											_
														\vdash
														\vdash

					$\overline{}$