



MA-WB55-20

5 GHz Base Station Antenna, 30°

MARS 30° Broadband Sector Antenna provides a cost effective solution for large scale WLL, WLAN, H-LAN, ISM, UNII, Public Safety, Municipal MESH Networks and Point-to-Multi-Point applications.

Additional Features:

- Stable performance with 20 dBi of gain.
- Small size allowing easy blending with any environment.
- Tilt mount allowing quick and easy installation.
- UV protected radome suitable for harsh environment installations.



Specifications

Lightning Protection

Electrical				
Frequency range	4.9-6.1 GHz			
GAIN, typ.	20 dBi			
VSWR, max.	1.8:1			
Polarization	Linear, Vertical			
3 dB Beam-Width, H-Plane, typ.	30°			
3 dB Beam-Width, E-Plane, typ.	8°			
Side Lobes, min.	ETSI EN 302 085 V1.2.3 – CS1			
Cross Polarization, min.	ETSI EN 302 085 V1.2.3 – CS1			
Front to Back Ratio, min.	ETSI EN 302 085 V1.2.3 – CS1			
Input power, max.	50 Watt			
Input Impedance	50 Ohm			

Mechanical

DC Grounded

110011011110011				
Dimensions (HxWxL)	573 x 120 x 115 mm (22.6" x 4.7" x 4.5")			
Weight	1 kg.			
Connector	N-Type, Female			
Back Plane	Aluminum protected through chemical passivation			
Radome	UV Protected, Polycarbonate			
Mount	See ordering options			

Environmental

Operating Temperature Range	-40°C to +65°C
Vibration	According to IEC 60721-3-4
Wind Load	200 km/h (survival)
Flammability	UL94
Water Proofing	IP-67
Humidity	ETS 300 019-1-4, EN 302 085 (annex A.1.1)
Salt Fog	According to IEC 68-2-11
Ice and Snow	25mm radial (survival)

Standard Compliance

ETSI	ΕN	302	085	V1	.2.3 -	CS ₁
-------------	----	-----	-----	----	--------	-----------------

Ordering Options	
MA-WB55-20	Antenna Suited for MNT-22 (optional wall/pole adjustable mount)
MA-WB55-20B	Antenna with MNT-22 mount

Patterns are available on our website

MARS Antennas & RF Systems proprietary information

MARS reserves the right to make technical changes or modifications to any of its products and specifications without prior notice and without implementing such changes to prior supplied products. Product images are representative and indicative only. Warranty terms and general conditions of sale are applicable on any purchase of any product, available on MARS website.