
NOTES: UNLESS OTHERWISE SPECIFIED

- 1. CORNERS DRAWN SHARP TO BE R.005 MAXIMUM.
- 2. EXTERIOR SURFACE TEXTURE TO BE EDM FINISH. EQUIVALENT TO MT-11020. TEXTURE ON ENCLOSURE WILL VARY FROM TIME TO TIME AS THE TOOL WEARS AND IT BECOMES NESSESARY TO REAPPLY.
- 3. INTERIOR SURFACE TEXTURE TO BE: NONE.
- 4. ALL INSIDE RADII .010R. UNLESS OTHERWISE SPECIFIED.
- 5. ALL EXTERNAL DIMENSIONS AFFECTED BY THE DRAFT APPLY AT THE LARGE END OF THE FEATURE, AND ALL INTERNAL FEATURES AFFECTED BY THE DRAFT APPLY AT THE SMALL END OF THE FEATURE UNLESS OTHERWISE SPECIFIED.
- 6. 1 DEGREE DRAFT IN THE DIRECTION OF PULL IS PERMISSIBLE UNLESS OTHERWISED SPECIFIED.
- 7. MATERIAL / COLOR: ABS PLASTIC IS STANDARD IN BLACK OR WHITE. CUSTOM MATERIALS AND COLORS ARE AVAILABLE UPON REQUEST FOR QUOTE. ALTERNATE RESINS HAVE DIFFERENT SHRINK RATES, AND WILL EFFECT
- 8. PCB SIZES ARE RECOMMENDATIONS ONLY. FINAL SIZES AND VERIFICATION OF ITS FIT ARE THE SOLE RESPONSIBILITY OF EACH CUSTOMER.
- 9. ASSEMBLY SCREWS FOR THE ENCLOSURE INCLUDED. MOUNTING SCREWS FOR THE WALL SOLD SEPERATELY.
- 10. THIS DRAWING IS BASED ON A SOLID MODEL, AND IS FURTHER DEFINED BY THE SOLID MODEL FILE.
- 11. ALLOWABLE FLASH: 0.010 MAX.
- 12. ALL EJECTOR PIN MARKS TO BE WITHIN 0.010" OF FLUSH, PROTRUDING OR BELOW FLUSH.
- 13. TRIM GATE WITHIN 0.030" OF FLUSH.

472216(x) CONFIGURATIONS					
	[Blank]	-W			
472216 COVER	1				
472216 BASE	1				
472216 HATCH	1				
472216 WALL PLATE		1			
472216 PCB	1*				
#4 HiLo SCREW .375"	4				

REVISION						
REV.	DRAWN BY	ECO No	DESCRIPTION	DATE	APPROVED	
Α	M BOYER	DR XXX	PRELIMINARY RELEASE	2016-Mar-14		



SCALE 0.750

10	AA-SINGL-CONTACT-POS	ACC-AAPOS-5223	CODING STEEL	501 B 555551111	_
		ACC-AAPU3-3223	SPRING STEEL	SOLD SEPERATELY	3
9	AA-SINGL-CONTACT-NEG	ACC-AANEG-5201	SPRING STEEL	SOLD SEPERATELY	3
8	SCREW-DRYWALLX750	DRYWALL SCREW - REFERENCE	CUSTOMER SUPPLIED	DRYWALL SCREW	2
7	AA-BATTERY	"AA" SIZE BATTERY	REFERENCE	CUSTOMER SUPPLIED	3
6	472216-PCB	472216 PCB - REFERENCE	.062" THICK	CUSTOMER SUPPLIED	1
5	472216-WALL	472216 WALL - STANDARD	ABS	BLACK or WHITE	1
4	472216-HATCH	472216 HATCH - STANDARD	ABS	BLACK or WHITE	1
3	472216-COVER	472216 COVER - STANDARD	ABS	BLACK or WHITE	1
2	472216-BASE	472216 BASE - STANDARD	ABS	BLACK or WHITE	1
1	NO4_HI-LO	ASSEMBLY & PCB	No4 HiLo x 3/8"	4 INCLUDED	4
ITEM	FILE NAME	DESCRIPTION	MATERIAL	COLOR	QTY.
BILL OF MATERIALS					


THIRD ANGLE PROJECTION TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. INCHES. X.XXX = .010 X.X° = 1° DO NOT SCALE DRAWING NEW AGE ENCLOSURES NOTICE: THE INFORMATION AND DATA CONTAINED HEREIN IS CONSIDERED PROPRIETARY TO ALTICE INTEGRATION OF A SHALL REMAIN THE EXCLUSION MFG INC. A SHALL REMAIN THE EXCLUSION AND CONTROL THAT THE HOLDER WILL ASSUME CUSTODY AND CONTROL THAT THIS DOCUMENT WILL NOT BE COPIED, DEPRODUCED, OF DISCLOSED WITHOUT THE EXPRESS WRITTER CONSENT OF A LITTLE ON THE GRANT SET ON THE COPIED. Customer's Part No: APPROVAL BY DATE CHECK FNG SCALE AS NOTED CONSENT OF ALL TECHNIEGRATED MIPS I POSSESSION OF THIS DOCUMENT DOES NOT CONSTITUTE A GRANT TO MANUFACTURE ANY ITEMS. © 2016 DRAWN BY SIZE DRAWING NAME Α 472216_RA M BOYER 2016-Mar-14


4330 Santa Fe Road ph. (805) 595-1310 www.newageenclosures.com

MEDIUM 3 AA - STANDARD SXX-472216-XXX

SHEET REV.DOC

1 OF 8







X.XX = .015	ENCLESURES
NEW AGE ENCLOSURES	4330 Santa Fe Road San Luis Obispo, CA. 93401 ph. (805) 595-1310 fax (805) 595-1024
Customer's Part No: 472216	www.newageenclosures.com
APPROVAL BY DATE	MEDELINA O AA STANDARD


MEDIUM 3 AA - STANDARD SXX-472216-XXX AS NOTED


DRAWN BY		SIZE	DRAWING NAME	SHEET	REV.DOC
M BOYER	2016-Mar-14	Α	472216_RA	3 OF 8	Α


472216 BASE














TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. INCHES. X.XX = .015 X.XXXX = .001 X.XXX = .010 X.X° = 1°

NEW AGE ENCLOSURES

Customer's Part No: 472216


APPROVAL BY ENG. AS NOTED SCALE


4330 Santa Fe Road ph. (805) 595-1310 fax (805) 595-1024 www.newageenclosures.com MEDIUM 3 AA - STANDARD SXX-472216-XXX


DRAWN BY M BOYER 2016-Mar-14 SIZE DRAWING NAME 472216_RA


SHEET REV.DOC 4 OF 8


472216 HATCH















TOLERANCES: UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN U.S. INCHES.


NEW AGE ENCLOSURES


Customer's Part No: 472216

APPROVAL BY ENG. AS NOTED SCALE DRAWN BY

MEDIUM 3 AA - STANDARD SXX-472216-XXX

SIZE DRAWING NAME 472216_RA SHEET REV.DOC M BOYER 5 OF 8 2016-Mar-14







472216 2nd OPERATION


NEW AGE ENCLOSURES DELIVERS YOUR ENCLOSURE MARKET-READY WITH IN-HOUSE CNC MACHINING, PAD PRINTING, ASSEMBLY, AND FULFILLEMENT.


ALL SURFACES AND AREAS ARE AVAILABLE FOR CNC ALTERATION BY NEW AGE ENCLOSURES CALL (805) 595-1310 FOR PRICING AND SCHEDULE.

THE INSIDE RADIUS OF ANY MACHINED FEATURES SHOULD BE NO SMALLER THAN .031"









(

NEW AGE ENCL SURES 4330 Santa Fe Road ph. (805) 595-1310 San Luis Obispo, CA. 93401 fax (805) 595-1024

www.newageenclosures.com MEDIUM 3 AA - STANDARD SXX-472216-XXX

SHEET

8 OF 8

REV.DOC

NEW A	D C	ENSIONS ARE IN U.S. INCHES.	DIME		BS, BLACK	SXX-4722								
ENC		XXX = .015		X.XXX = .010 X.X° = 1° NEW AGE ENCLOSURES		PROGRAM	ORIENTATION	FIXTURE	CUTTER	SCRIPTION	DE:	STEP NO		
4330 Santa Fe ph. (805) 595-1						NEW AGE ENCLOSURES		o1001	-	XXX	T2 = .062" EM	-		1-C-C1
www.n						o1002	-	XXX	T2 = .062" EM	-		2-C-C2		
MEDTIM .	APPROVAL BY DATE MEDIUM				1	1	L		1					
] MEDIOM :					BS, BLACK	ED Λ	16-XXX COVE	SXX-4722						
- SXX-		NG.			DO, DLACK	<u> </u>	TO-YYY COAL	3///-4/22						
		AS NOTED	SCALE	CLICHE No.	CHE DESCRIPTION	CLIC	INK COLOR	FIXTURE	TYPE	STEP				
SIZE DRAWING NAME	SIZE		DRAWN BY											
▲ 472216_RA		2016-Mar-14	M BOYER	CL1010 R1	OGO AND LABELS	L	WHITE	XXX	PAD PRINT	4-C-P1				