

QRP INC.

Safety Data Sheet Qualatex XC Powder-Free Natural Latex Fingercots

SECTION 1: Identification

1.1 Product identifier

Product name	Qualatex XC Powder-Free Natural Latex Fingercots
Product number	5J
Brand	Qualatex

1.3 Recommended use of the chemical and restrictions on use

Qualatex XC Powder-Free Natural Latex Fingercots are recommended for general personal and/or product protection in controlled environents.

1.4 Supplier's details

Name Address	QRP Inc. 3781 N. Highway Drive Tucson, AZ 85705 USA
Telephone	520.790.3533
Fax	520.790.3530
email	info@qrpgloves.com

1.5 Emergency phone number(s)

520.790.3533 8-4pm MST English

SECTION 2: Hazard identification

2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

2.2 GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Other hazards which do not result in classification

Not a hazardous substance or mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Formula	Composite	
Hazardous components		
1. Centrifuged Natural Rubber Late		
Concentration	>= 97 %	
Other names / synonyms	Centrifuged Natural Rubber Latex	
CAS no.	9003-31-0	
2. TITANIUM DIOXIDE		
Concentration	< 0.73 %	
	TiO2	
Other names / synonyms EC no.	TiO2	
CAS no.	236-675-5 13463-67-7	
CAS IIU.	13403-07-7	
3. Sulfur		
Concentration	< 0.73 %	
Other names / synonyms	Sulfur	
EC no.	231-722-6	
CAS no.	7704-34-9	
Index no.	016-094-00-1	
4 Dhenel 4 method recetion wood	uste with disvelopentedione and ischutulane	
4. Phenoi, 4-methyl-, reaction prod Concentration	ucts with dicyclopentadiene and isobutylene < 0.7 %	
Concentration	< 0.1 /8	
Other names / synonyms	Phenol, 4-methyl-, reaction products with dicyclopentadiene and isobutylene	
EC no.	271-867-2	
CAS no.	68610-51-5	
5. Zinc oxide	0.05.04	
Concentration	< 0.35 %	
Other names / synonyms	C.I. 77947; C.I. Pigment White 4; Chinese white; Zinc oxide; Zinc oxide	
Other Hames / Synonyms	(ZnO); Zinc white	
EC no.	215-222-5	
CAS no.	1314-13-2	
Index no.	030-013-00-7	
6. TETRAMETHYLTHIURAM DISUL		
Concentration	< 0.16 %	
Other names / synonyms	тт	
EC no.	205-286-2	
CAS no.	137-26-8	
Index no.	006-005-00-4	
7. Carbamodithioic acid, N,N-dibutyl-, sodium salt (1:1)		
Concentration	< 0.15 %	

Other names / synonyms	TP
EC no.	205-238-0
CAS no.	136-30-1
8. Naphthalenesulfonic acid, polyn	ner with formaldehyde, sodium salt
Concentration	< 0.1 %
Other names / synonyms	Vultamol
CAS no.	9084-06-4
9. zinc bis(diethyldithiocarbamate) Concentration	< 0.08 %
Other names / synonyms	EZ
EC no.	238-270-9
CAS no.	14324-55-1
Index no.	006-082-00-4

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Users are advised against touching sensitive skin areas such as the eye, nose, lips and mouth after donning to minimize skin irritations on certain individuals. Because of its protective function, the product is unventilated except at the ring roll. Users should replace the product frequently, wash and clean their hands prior to donning the product again to reduce skin fatigue and roughening on the areas in frequent contact with the product.	
If inhaled	n/a	
In case of skin contact	Wash off with soap and plenty of water.	
In case of eye contact	Flush eyes with water as a precaution.	
If swallowed	n/a	
Demand protective equipment for first aid reasonders		

Personal protective equipment for first-aid responders none

4.2 Most important symptoms/effects, acute and delayed

Irritant contact dermatitis may result from prolonged contact with the product, the causative agents being residual surfactants, certain processing chemicals and inadequate post production processing. There are no evidence of any adverse effects from available information of sulfur, zinc oxide and titanium dioxide. However, presence of residual ZDEC, ZMBT and anti-oxidants on the product surface may cause delayed type IV hypersensitivity e.g. allergic contact dermatitis and chemical allergy. Reactions include itching, burning sensations, blistering, reddening and pain. In chronic cases, users may develop dry and thickened skin, cracks, peeling and crusting. Natural rubber latex contains a small quantity of natural proteins which may cause an immediate type I hypersensitive reactions such as urticaria and anaphylaxis in a small percentage of the population. However, the process of chlorination to make the gloves powder-free also reduces the extractable protein on the glove surface to below 50µg per gram glove. At such low protein level, sensitization is extremely rare. In any event, a user who cannot tolerate latex gloves is advised to consider alternative non-latex gloves. Type I hypersensitivity is often accompanied by symptoms such as itching, hives, swelling, runny nose, wheezing and breathing difficulty. Other

symptoms may involve nausea, abdominal cramps, increased heart palpitation, decreased blood pressure and anaphylactic shock.

4.3 Indication of immediate medical attention and special treatment needed, if necessary If allergic reaction occurs, discontinue use immediately and consult a physician.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- **5.2** Specific hazards arising from the chemical No fire or explosion hazards are associated with these products. They will melt at elevated temperatures.
- 5.3 Special protective actions for fire-fighters Use standard procedure for combustion material fires, including approved self-contained breathing apparatus.

Further information No data available.

SECTION 6: Accidental release measures

- 6.1 **Personal precautions, protective equipment and emergency procedures** These products are solid articles and are not subject to leak or spill.
- 6.2 Environmental precautions n/a
- 6.3 Methods and materials for containment and cleaning up n/a

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Do not store gloves/fingercots where temperatures may rise above 40°C / 140°F. Store them in a cool place. Open boxes of gloves/fingercots should be shielded from exposure to direct sun or florescent lighting to prevent discoloration. Gloves/fingercots should not be stored in damp or high humidity areas.

7.2 Conditions for safe storage, including any incompatibilities n/a

Specific end use(s) n/a

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1. Titanium dioxide - Total dust (CAS: 13463-67-7) PEL (Inhalation): 15 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

2. Titanium dioxide - Total dust (CAS: 13463-67-7)

PEL (Inhalation): See PNOR (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

3. Titanium dioxide - Total dust (CAS: 13463-67-7) REL (Inhalation): Ca, (ultrafine particles), 2.4 mg/m3Ęfine), 0.3 mg/m3(ultrafine), See Appendix A, See Appendix C (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

4. Zinc oxide fume (CAS: 1314-13-2) PEL (Inhalation): 5 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

5. Zinc oxide fume (CAS: 1314-13-2) PEL (Inhalation): 5 mg/m3, (ST) 10 mg/m3 (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

6. Zinc oxide fume (CAS: 1314-13-2) REL (Inhalation): 5 mg/m3, (ST) 10 mg/m3 (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

7. Zinc oxide (CAS: 1314-13-2)

PEL (Inhalation): See PNOR (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

8. Zinc oxide, Total dust (CAS: 1314-13-2) PEL (Inhalation): 15 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

9. Zinc oxide, Total dust (CAS: 1314-13-2) PEL (Inhalation): 10 mg/m3 (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

10. Zinc oxide, Total dust (CAS: 1314-13-2)

REL (Inhalation): 5 mg/m3, (C) 15 mg/m3 (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

11. Zinc oxide, Respirable fraction (CAS: 1314-13-2) PEL (Inhalation): 5 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

12. Zinc oxide, Respirable fraction (CAS: 1314-13-2) PEL (Inhalation): 5 mg/m3 (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

13. Thiram (CAS: 137-26-8)

PEL (Inhalation): 5 mg/m3 (OSHA) OSHA Annotated Table Z-1, www.osha.gov

14. Thiram (CAS: 137-26-8) PEL (Inhalation): 5 mg/m3 (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

15. Thiram (CAS: 137-26-8) REL (Inhalation): 5 mg/m3 (NIOSH) OSHA Annotated Table Z-1, www.osha.gov

8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Not necessary under conditions of intended use.

Skin protection

Not necessary under conditions of intended use.

Body protection

Not necessary under conditions of intended use.

Respiratory protection

Not necessary under conditions of intended use.

Thermal hazards n/a

Environmental exposure controls n/a

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Other safety information

Avoid contact with copper content material.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable.

10.2 Chemical stability

Stable.

- 10.3 Possibility of hazardous reactions n/a
- **10.4 Conditions to avoid** n/a
- **10.5 Incompatible materials** Gloves/fingercots can be contaminated if they come in contact with copper content material.
- **10.6 Hazardous decomposition products**

In a fire, these products may produce a black smoke.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

The program did not find any acute toxcity classifications for components present above relevant thresholds in the product.

Serious eye damage/irritation

None could be determined.

Germ cell mutagenicity

No components included this classification.

Reproductive toxicity

No components included this classification.

Summary of evaluation of the CMR properties

No components included this classification.

STOT-single exposure

No components were found exhibitin specific target organ toxicity, repeated/prolonged exposure, above the minimum cut-off values.

STOT-repeated exposure

No components were found exhibitin specific target organ toxicity, repeated/prolonged exposure, above the minimum cut-off values.

Aspiration hazard

No components included this classification.

SECTION 12: Ecological information

Toxicity No data available.

Persistence and degradability No data available.

Bioaccumulative potential

No data available.

Mobility in soil No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal of the product

Refer to applicable local, state, and federal regulations.

Disposal of contaminated packaging

Dispose of as unused product.

Waste treatment n/a

Sewage disposal n/a

Other disposal recommendations n/a

SECTION 14: Transport information

DOT (US) Not dangerous goods

IMDG Not dangerous goods

IATA Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16: Other information

Conformity:

- D 3772-92 ASTM Standard Specification for Rubber Finger Cots
- IES-RP-CC005.2 Gloves and Finger Cots Used in Cleanrooms and Other Controlled Environments
- D 573-88 (1984)e1 ASTM Standard Test Method for Rubber Deterioration in an Air Oven
- 21 CFR 170

16.1 Further information/disclaimer

The information presented herein, while not guaranteed, was prepared by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, is made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all-inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The user is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required. QRP, Inc does not warrant the results to be obtained in using any material, and disclaims all liability with respect to the use, handling or further processing of any such material. No suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent or to violate any federal, state or local law or regulation. User assumes all risks. In the interests of continual product improvement, specifications subject to change without notice. The information contained in this sheet relates only to the specific material designated herein and does not relate to use in combination with other material or in any process. The information presented is from sources deemed to be reliable, but the thoroughness or completeness is not guaranteed.

Note: Products sold by QRP are included in the Manufactured Article Exemption of the Hazard Communications Regulations in the Code of Federal Regulations (29 CFR 1910.1200). As a result, an SDS is not required. QRP endeavors to provide as much information as is possible about the product in its catalog and product information sheets. This SDS sheet is provided as an informational service to QRP's customers, to assist them in evaluation of QRP gloves and fingercots.