

# QRP INC.

# Safety Data Sheet Qualatrile Blue Nitrile 9" Powder Free Gloves

# **SECTION 1: Identification**

#### 1.1 Product identifier

Product name Qualatrile Blue Nitrile 9" Powder Free Gloves

Product number 4BQF09 Brand Qualatrile

#### 1.3 Recommended use of the chemical and restrictions on use

Qualatrile Blue Nitrile 9" Powder Free Gloves are recommended for general personal and/or product protection.

### 1.4 Supplier's details

Name QRP Inc.

Address 3781 N. Highway Drive

Tucson, AZ 85705

USA

 Telephone
 520.790.3533

 Fax
 520.790.3530

 email
 info@qrpgloves.com

## 1.5 Emergency phone number(s)

520.790.3533 8am-4pm MST English

# **SECTION 2: Hazard identification**

## 2.1 Classification of the substance or mixture

Not a hazardous substance or mixture.

## 2.2 GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

#### 2.3 Other hazards which do not result in classification

Not a hazardous substance or mixture.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Formula Compound

## **Hazardous components**

# 1. 2-Propenoic acid, 2-methyl-, polymer with 1,3-butadiene and 2-propenenitrile

Concentration >= 96.32 %

Other names / synonyms Nitrile Rubber Latex

CAS no. 9010-81-5

2. TITANIUM DIOXIDE

Concentration < 1.91 %

Other names / synonyms TiO2
EC no. 236-675-5
CAS no. 13463-67-7

3. Zinc oxide

Concentration < 0.5 %

 Other names / synonyms
 ZnO

 EC no.
 215-222-5

 CAS no.
 1314-13-2

 Index no.
 030-013-00-7

4. Sulfur

Concentration < 0.48 %

 Other names / synonyms
 Sulfur

 EC no.
 231-722-6

 CAS no.
 7704-34-9

 Index no.
 016-094-00-1

5. zinc bis(dibutyldithiocarbamate)

Concentration < 0.25 %

 Other names / synonyms
 ZDBC

 EC no.
 205-232-8

 CAS no.
 136-23-2

 Index no.
 006-081-00-9

6. BLUE 15 B

Concentration 0.25 %

Other names / synonyms Levanyl (Blue 15 B)

CAS no. 147-14-8

7. 2-Mercaptobenzothiazole zinc salt

Concentration < 0.24 %

Other names / synonyms ZMBT CAS no. 155-04-4

## 8. POTASSIUM HYDROXIDE liquid

Concentration < 0.05 %

Other names / synonyms KOH
EC no. 215-181-3
CAS no. 1310-58-3
Index no. 019-002-00-8

## **SECTION 4: First-aid measures**

#### 4.1 Description of necessary first-aid measures

General advice Users are advised against touching sensitive skin areas such as the eye,

nose, lips and mouth after donning to minimize skin irritations on certain individuals. Because of its protective function, the product is unventilated except at the cuff. Users should replace the product frequently, wash and clean their hands prior to donning the product again to reduce skin fatigue

and roughening on the areas in frequent contact with the product.

If inhaled n/a

In case of skin contact Wash off with soap and plenty of water.

In case of eye contact Flush eyes with water as a precaution.

If swallowed n/a

Personal protective equipment for first-aid responders

none

# 4.2 Most important symptoms/effects, acute and delayed

Irritant contact dermatitis may result from prolonged contact with the product, the causative agents being residual surfactants, certain processing chemicals and inadequate post production processing. There are no evidence of any adverse effects from available information of sulfur, zinc oxide and titanium dioxide. However, presence of residual ZDEC, ZMBT and anti-oxidants on the product surface may cause delayed type IV hypersensitivity e.g. allergic contact dermatitis and chemical allergy. Reactions include itching, burning sensations, blistering, reddening and pain. In chronic cases, users may develop dry and thickened skin, cracks, peeling and crusting.

# 4.3 Indication of immediate medical attention and special treatment needed, if necessary

If allergic reaction occurs, discontinue use immediately and consult a physician.

# **SECTION 5: Fire-fighting measures**

#### 5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Specific hazards arising from the chemical

No fire or explosion hazards are associated with these products. They will melt at elevated temperatures.

#### 5.3 Special protective actions for fire-fighters

Use standard procedure for combustion material fires, including approved self-contained breathing apparatus.

#### **Further information**

No data available.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

These products are solid articles and are not subject to leak or spill.

#### 6.2 Environmental precautions

n/a

#### 6.3 Methods and materials for containment and cleaning up

n/a

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Do not store gloves/fingercots where temperatures may rise above 40°C / 140°F. Store them in a cool place. Open boxes of gloves/fingercots should be shielded from exposure to direct sun or florescent lighting to prevent discoloration. Nitrile gloves/fingercots should not be stored in damp or high humidity areas.

## 7.2 Conditions for safe storage, including any incompatibilities

n/a

#### Specific end use(s)

n/a

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## 1. Titanium dioxide - Total dust (CAS: 13463-67-7)

PEL (Inhalation): 15 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

### 2. Titanium dioxide - Total dust (CAS: 13463-67-7)

PEL (Inhalation): See PNOR (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

OSTIA ATTIOLATED TABLE Z-1, www.ostia.gov

#### 3. Titanium dioxide - Total dust (CAS: 13463-67-7)

REL (Inhalation): Ca, (ultrafine particles), 2.4 mg/m3\(\xi\)fine), 0.3 mg/m3(ultrafine), See Appendix A, See Appendix C (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

## 4. Zinc oxide fume (CAS: 1314-13-2)

PEL (Inhalation): 5 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

## 5. Zinc oxide fume (CAS: 1314-13-2)

PEL (Inhalation): 5 mg/m3, (ST) 10 mg/m3 (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

## 6. Zinc oxide fume (CAS: 1314-13-2)

REL (Inhalation): 5 mg/m3, (ST) 10 mg/m3 (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

## 7. Zinc oxide (CAS: 1314-13-2)

PEL (Inhalation): See PNOR (Cal/OSHA) OSHA Annotated Table Z-1, www.osha.gov

#### 8. Zinc oxide, Total dust (CAS: 1314-13-2)

PEL (Inhalation): 15 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

# 9. Zinc oxide, Total dust (CAS: 1314-13-2)

PEL (Inhalation): 10 mg/m3 (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

#### 10. Zinc oxide, Total dust (CAS: 1314-13-2)

REL (Inhalation): 5 mg/m3, (C) 15 mg/m3 (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

### 11. Zinc oxide, Respirable fraction (CAS: 1314-13-2)

PEL (Inhalation): 5 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

# 12. Zinc oxide, Respirable fraction (CAS: 1314-13-2)

PEL (Inhalation): 5 mg/m3 (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

#### 13. Starch (CAS: 9005-25-8)

PEL (Inhalation): See PNOR (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

# 14. Starch, Total dust (CAS: 9005-25-8)

PEL (Inhalation): 15 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

### 15. Starch, Total dust (CAS: 9005-25-8)

PEL (Inhalation): 10 mg/m3 (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

#### 16. Starch, Total dust (CAS: 9005-25-8)

REL (Inhalation): 10 mg/m3 (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

## 17. Starch, Respirable fraction (CAS: 9005-25-8)

PEL (Inhalation): 5 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

#### 18. Starch, Respirable fraction (CAS: 9005-25-8)

PEL (Inhalation): 5 mg/m3 (Cal/OSHA)

OSHA Annotated Table Z-1, www.osha.gov

#### 19. Starch, Respirable fraction (CAS: 9005-25-8)

REL (Inhalation): 5 mg/m3 (NIOSH)

OSHA Annotated Table Z-1, www.osha.gov

#### 8.2 Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### 8.3 Individual protection measures, such as personal protective equipment (PPE)

# Eye/face protection

Not necessary under conditions of intended use.

## Skin protection

Not necessary under conditions of intended use.

### **Body protection**

Not necessary under conditions of intended use.

### Respiratory protection

Not necessary under conditions of intended use.

## Thermal hazards

n/a

#### **Environmental exposure controls**

n/a

# **SECTION 9: Physical and chemical properties**

# Information on basic physical and chemical properties

Appearance/form

nitrile gloves

Insoluble in water

Odor

Odor threshold

рΗ

Melting point/freezing point

Initial boiling point and boiling range

Flash point

Evaporation rate

Flammability (solid, gas)

Upper/lower flammability limits

Upper/lower explosive limits

Vapor pressure

Vapor density

Relative density

Solubility(ies)

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition temperature

Viscosity

Explosive properties

Oxidizing properties

## Other safety information

Avoid contact with copper content material.

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

Stable.

# 10.2 Chemical stability

Stable.

# 10.3 Possibility of hazardous reactions

n/a

# 10.4 Conditions to avoid

n/a

## 10.5 Incompatible materials

Gloves/fingercots can be contaminated if they come in contact with copper content material.

# 10.6 Hazardous decomposition products

In a fire, these products may produce a black smoke.

# **SECTION 11: Toxicological information**

# Information on toxicological effects

### **Acute toxicity**

The program did not find any acute toxicity classifictions for components present above relevant thresholds in the product.

#### Skin corrosion/irritation

Could not estimate (did not meet thresholds).

### Serious eye damage/irritation

None could be determined.

#### Respiratory or skin sensitization

No components included this classification.

#### Germ cell mutagenicity

No components included this classification.

# Carcinogenicity

IARC carcinogen

Result: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### NTP carcinogen

Result: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP.

#### OSHA carcinogen

Result: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by OSHA.

#### Reproductive toxicity

No components included this classification.

#### Summary of evaluation of the CMR properties

No components included this classification.

# STOT-single exposure

No components were found exhibiting specific target organ toxicity, single exposure, Cats. 1 or 2, above the minimum cut-off values.

### STOT-repeated exposure

No components included this classification.

# **Aspiration hazard**

No components included this classification.

# **SECTION 12: Ecological information**

### **Toxicity**

No data available.

# Persistence and degradability

No data available.

## Bioaccumulative potential

No data available.

# Mobility in soil

No data available.

#### Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### Other adverse effects

No data available.

# **SECTION 13: Disposal considerations**

## Disposal of the product

Refer to applicable local, state, and federal regulations.

## Disposal of contaminated packaging

Dispose of as unused product.

#### Waste treatment

n/a

# Sewage disposal

n/a

## Other disposal recommendations

n/a

# **SECTION 14: Transport information**

#### DOT (US)

Not dangerous goods

#### IMDG

Not dangerous goods

#### IATA

Not dangerous goods

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations specific for the product in question

# California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

# **SECTION 16: Other information**

## Conformity:

- FDA 1000ml Watertight Test
- EN 455 (1 & 2)
- ASTM D3578-95
- ASTM D3577-91
- ANSI ESD S 11.11-1993
- ESD STM11.12-2000
- Pyrogen Testing per US Pharmacopoeia Pass
- Intracutaneous Toxicity Test Pass
- Acute System Toxicity Test (ISO 10993)
- Primary Skin Irritatioon (ASTM F719-81, re-approved 1992)
- Dermal Sensitization Study (ASTM F201-81, re-approved 1986 Standard Practice for Testing Guinea Pig for Contact Allergans/aka/Guinea Pig Maximization Test

#### 16.1 Further information/disclaimer

The information presented herein, while not guaranteed, was prepared by technical personnel and, to the best of our knowledge and belief, is true and accurate as of the date hereof. No warranty, representation or guarantee, express or implied, is made regarding accuracy, performance, stability, reliability or use. This information is not intended to be all-inclusive, because the manner and conditions of use, handling, storage and other factors may involve other or additional safety or performance considerations. The user is responsible for determining the suitability of any material for a specific purpose and for adopting such safety precautions as may be required. QRP, Inc does not warrant the results to be obtained in using any material, and disclaims all liability with respect to the use, handling or further processing of any such material. No suggestion for use is intended as, and nothing herein shall be construed as, a recommendation to infringe any existing patent or to violate any federal, state or local law or regulation. User assumes all risks. In the interests of continual product improvement, specifications subject to change without notice. The information contained in this sheet relates only to the specific material designated herein and does not relate to use in combination with other material or in any process. The information presented is from sources deemed to be reliable, but the thoroughness or completeness is not quaranteed.

Note: Products sold by QRP are included in the Manufactured Article Exemption of the Hazard Communications Regulations in the Code of Federal Regulations (29 CFR 1910.1200). As a result, an SDS is not required. QRP endeavors to provide as much information as is possible about the product in its catalog and product information sheets. This SDS sheet is provided as an informational service to QRP's customers, to assist them in evaluation of QRP gloves and fingercots.