



PIPE TOOLS & VISES
SINCE 1896

The Line-Up

Gas Distribution Line Tools

FOR CONSTRUCTION, MAINTENANCE & UTILITY SERVICES

PIPE WRENCHES

- The most popular pipe wrench style.
- Parts are interchangeable with all major brands.
- High-tensile ductile iron handle and hardened, alloy steel parts are designed to withstand the heaviest demands.
- Offset wrenches have similar construction and provide longer swing in hard-to-reach places.
- Features solid steel pin in the heel jaw, an **Xtra Value!**



MODELS FIT
1/8" - 6" Straight Handle
1/8" - 2" Offset Handle



CHAIN WRENCHES

| Cat. No. | Item Code | Pipe Capacity | | Length | | Max. O.D. | | Chain Tensile Strength lbs | Weight | |
|----------|-----------|---------------|-------------|--------|------|-----------|-----|----------------------------|--------|------|
| | | in-nom. | Actual Ø mm | in | mm | in | mm | | lbs | kg |
| WA14 | 02040 | 1/8 - 2 | 10 - 60 | 14 | 362 | 4.6 | 117 | 6,500 | 3.2 | 1.5 |
| WA18A | 02050 | 1/4 - 2 1/2 | 14 - 75 | 18 | 445 | 5 | 127 | 12,100 | 6.0 | 2.7 |
| WA24A | 02060 | 1/4 - 3 | 14 - 90 | 24 | 610 | 5.8 | 147 | 12,100 | 8.4 | 3.8 |
| WA36 | 02070 | 1/2 - 4 1/2 | 21 - 127 | 33 | 832 | 7.1 | 180 | 17,750 | 16.4 | 7.5 |
| WA48* | 02080 | 1 - 6 | 33 - 168 | 44 | 1118 | 8.5 | 216 | 24,500 | 29.4 | 13.4 |
| WA60* | 02090 | 1 1/2 - 8 | 48 - 225 | 46 | 1175 | 11 | 279 | 27,000 | 47.0 | 21.4 |
| WA72* | 02092 | 2 1/2 - 12 | 73 - 324 | 46 | 1175 | 13 | 330 | 35,000 | 80.0 | 36.4 |
| WA84* | 02094 | 2 1/2 - 18 | 73 - 457 | 46 | 1175 | 18 | 457 | 35,000 | 90.0 | 40.9 |

*EXCLUSIVE SIZES



Reed chain wrenches offer by far the most sizes and are longer lasting because they have up to twice as many chain slots as any competitive tool, thus spreading the force across more chain slots.

TUBING CUTTERS FOR PE PIPE

| Cat. No. | Item Code | O.D. Capacity | | Wheel |
|----------|-----------|---------------|-------------|----------|
| | | Actual Inches | Actual Ø mm | |
| TC2QP | 04120 | 1/4 - 2 5/8 | 6 - 63 | OP2 |
| TC3QP | 04130 | 3/8 - 3 1/2 | 10 - 90 | 30 - 40P |
| TC4Q6QP | 04148 | 1 7/8 - 4 1/2 | 48 - 114 | 6QP |
| TC5QP | 04150 | 2 1/2 - 5 | 63 - 125 | 30 - 40P |
| TC6Q80P | 04123 | 4 - 6 5/8 | 102 - 168 | 80P |
| TC8QP* | 04170 | 6 1/4 - 10 | 159 - 254 | 80P |
| TC8QPL* | 04171 | 6 1/4 - 10 | 159 - 254 | 80P |

*EXCLUSIVE SIZES

- Reed cutters are the most recommended by plastic pipe companies and most imitated by other manufacturers.

- Cut clean with very little burr.

- Wide variety of wheels available for all types of plastic pipe.



TC406QP



EXCLUSIVE SIZES



H4S

HINGED CUTTERS™

- Hinged Cutters™ are a Reed invention! They are lighter, track better for square cuts, and require less clearance, yet provide better torque so the cut is made faster and with less effort.
- Can be used in close quarters anywhere – in the ditch, underwater, in noise-free zones, over head, in racks of pipes, etc.

| Cat. No. | Item Code | Pipe Capacity |
|----------|-----------|---------------|
| | | in-nom. |
| H2½S* | 03110 | 1 - 2 ½ |
| H2½I* | 03112 | 1 - 2 ½ |
| H2½X* | 03114 | 1 - 2 ½ |
| H4S | 03120 | 2 - 4 |
| H4I | 03122 | 2 - 4 |
| H4X | 03124 | 2 - 4 |
| H6S | 03130 | 4 - 6 |
| H6I | 03132 | 4 - 6 |
| H6X | 03134 | 4 - 6 |
| H8S | 03140 | 6 - 8 |
| H8I | 03142 | 6 - 8 |
| H8X | 03144 | 6 - 8 |
| H8XX | 03146 | 6 - 8 |
| H12S | 03150 | 8 - 12 |
| H12I | 03152 | 8 - 12 |
| H12X | 03154 | 8 - 12 |
| H12XX | 03156 | 8 - 12 |

*EXCLUSIVE SIZES



TC1.6Q

TC4Q

QUICK RELEASE™ TUBING CUTTERS

- Best tracking, easiest cutting tubing cutters available.
- Cutter Wheels "0" and "30-40" cut copper, aluminum, brass and steel tubing. Ask about Reed Cutter Wheels for other pipe applications.
- Feature a built-in reamer and spare cutter wheel in TC1Q, TC1.6Q and TC2Q.

| Cat. No. | Item Code | O.D. Capacity | | Length | | Wheel |
|----------|-----------|---------------|-------------|--------|-----|---------|
| | | Actual Inches | Actual Ø mm | in | mm | |
| TC1Q | 03410 | 1/8 - 1 5/16 | 3 - 33 | 6 | 152 | O |
| TC1.6Q | 03416 | 1/4 - 1 5/8 | 6 - 42 | 6.5 | 165 | O |
| TC2Q | 03420 | 1/4 - 2 5/8 | 6 - 63 | 8 | 203 | O |
| TC3Q | 03430 | 3/8 - 3 1/2 | 10 - 90 | 11 | 279 | 30 - 40 |
| TC4Q | 03440 | 1 7/8 - 4 1/2 | 48 - 114 | 12 | 305 | 30 - 40 |
| TC6Q | 03460 | 4 - 6 5/8 | 102 - 168 | 15 | 381 | 30 - 40 |



2-4WGA

STEEL PIPE CUTTERS

- Strong malleable iron frames and wide rollers ensure square cuts.
- Thinnest wheels of highest quality tool steel make cutting easy and fast.
- Sharp cutter wheels and short handles allow for work in small spaces.

| Catalog No. | Item Code | Pipe Cap. | Application |
|-------------|-----------|-----------|------------------------|
| | | in-nom. | |
| 2-1 | 03320 | 1/8 - 2 | Steel/Stainless Steel |
| 2-4 | 03335 | 1/2 - 2 | Steel/Stainless Steel |
| 2-4WGA | 03338 | 1/2 - 2 | Steel/Stainless Steel |
| 4-4WGA | 03441 | 2 - 4 | Steel/Stainless Steel |
| 4-4WGA CI | 03445 | 2 - 4 | Cast Iron/Ductile Iron |



DESIGNED FOR PERFORMANCE

Thickness of Reed Wheels

Thickness of All Other Wheels

REED CUTTER WHEELS

WHY REED CUTTER WHEELS ARE BETTER...


All Reed cutter wheels are made from shock-resistant tool steel, while competitive wheels are made from alloy steel or still lower quality tool steel. By using this higher quality raw material, Reed cutter wheels can be made thinner and can therefore cut pipe more easily and leave less burr. Also, because of their higher quality, certified material, Reed wheels can be heat treated for the perfect balance between hardness and toughness to make the wheels resist breakage and last longer. Reed pioneered the development of wheels for plastic pipe and today has the widest variety and highest quality wheels for various types and wall thicknesses of pipe and tubing. Reed offers a comprehensive and extensive cutter wheel line for all types of pipe, tubing and conduit. Reed wheels are the best value for use in Reed cutters, or in the cutters of any other manufacturer.

Find replacement wheels at www.reedmfgco.com.

PE SCRAPER

| Cat No. | Item Code | Capacity | | Weight | |
|-----------|-----------|----------|-----------|--------|-----|
| | | in-nom. | Actual mm | lbs | kg |
| PESCRAPER | 04630 | 2 - 6 | 63 - 168 | 2.4 | 1.1 |

- Prep (scrape) the outside diameter of PE pipe for electrofusion.
- Spring-loaded blade maintains consistent pressure for a smooth finished surface.
- Use scraper anywhere around the edge or body of the pipe with sufficient 6" (150 mm) clearance for turning the tool.



METER NUT WRENCHES

| Cat. No. | Item Code | Wrench Size | Use for Meter Nut | Length | | Weight | |
|----------|-----------|-------------|-------------------|--------|-----|--------|-----|
| | | | | in | mm | lbs | kg |
| MNH18 | 02880 | 1 7/8" hex | #1A | 15 | 280 | 2.8 | 1.3 |
| MHO20 | 02885 | 2" oct. | #20 Lt. | 15 | 280 | 3.0 | 1.4 |

- Meter Nut Wrenches are designed for installing and removing gas meter nuts.
- Laser-cut opening fits hex or octagon nuts. Head design grips maximum number of edges on the meter nut. This allows even rusted, frozen meter nuts to be removed without slipping or squeezing the nut.
- Meter nut wrenches are made with strong alloy steel to deliver 300 ft.-lbs. maximum torque.



TRIPOD VISES

| Catalog No. | Item Code | Vise Style | Pipe Capacity | | Folded Length | | Weight | |
|-------------|-----------|------------|---------------|-------------|---------------|------|--------|------|
| | | | in-nom. | Actual Ø mm | in. | mm | lbs | kg |
| R470+ | 09402 | Chain | 1/8 - 6 | 10 - 178 | 44 | 1118 | 42.0 | 19.1 |
| R450+ | 02306 | Chain | 1/8 - 6 | 10 - 178 | 44 | 1118 | 36.3 | 16.5 |
| R450P | 04457 | Chain | 1/8 - 6 | 10 - 178 | 44 | 1118 | 36.3 | 16.5 |
| R450C | 04458 | Chain | 1/8 - 6 | 10 - 178 | 44 | 1118 | 37.4 | 17.0 |
| R40+ | 02311 | Yoke | 1/8 - 2 1/2 | 10 - 75 | 51 | 1295 | 39.1 | 17.8 |

- Sturdiest design on the market with overlapping hinges.
- Double-sided jaws give user an extra set of jaws FREE.
- Tripods are lightweight and feature a padded handle for carrying ease, making them the most portable and best value Tripods available.



Traditional Chain Vises also available.

PE SQUEEZE-OFF TOOLS

| Catalog No. | Item Code | Capacity | | Pipe/SDR Stops | | Length | | Weight | |
|-------------|-----------|----------|-------------|----------------|---------------|--------|-----|--------|------|
| | | in-nom. | Actual Ø mm | # of Stops | Stop | in. | mm | lbs | kg |
| PES1IPS | 04290 | 1/2 - 1 | - | 3 | 94295 | 11 | 280 | 6.5 | 3.0 |
| PES1CTS | 04292 | 1/2 - 1 | - | 3 | 94296 | 11 | 280 | 6.5 | 3.0 |
| PES2IPS | 04302 | 1/2 - 2 | - | 6 | 98079 | 12 | 305 | 11.6 | 5.3 |
| PES2CTS | 04304 | 1/2 - 2 | - | 6 | 98078 | 12 | 305 | 11.6 | 5.3 |
| PES4 | 04306 | 2 - 4 | - | 7 | 98094 | 20 | 508 | 38.6 | 17.5 |
| PES8M | 04308 | 3 - 8 | 75 - 200 | 12 | 98319 | 28 | 711 | 130 | 59.1 |
| PES8H | 04309 | 3 - 8 | 75 - 200 | 12 | 98319 | 28 | 711 | 130 | 59.1 |
| PES8H | 04312 | 3 - 6 | 75 - 160 | 10 | 98356 & 98320 | 32 | 812 | 130 | 59.1 |
| PES8M | 04313 | 3 - 6 | 75 - 160 | 10 | 98356 & 98320 | 28 | 711 | 81 | 36.8 |
| PES2-2IPS | 04322 | 1/2 - 2 | - | 6 | 98079 | 12 | 305 | 11.6 | 5.3 |
| PES2-2CTS | 04324 | 1/2 - 2 | - | 6 | 98078 | 12 | 305 | 11.6 | 5.3 |
| PES2METRIC | 04703 | - | 20 - 63 | 6 | 98124 | 12 | 305 | 11.6 | 5.3 |
| PES4METRIC | 04705 | - | 75 - 110 | 6 | 98121 | 20 | 508 | 38.6 | 17.5 |

- Stop flow in 1/2" up to 8" PE pipe.
- Manual or hydraulic squeeze-off tools available for the largest pipe sizes.
- Sliding bar handles make work in tight places easier and increase leverage for tightening.
- Fine-pitched thread on feed screw allows for a controlled, low-effort squeeze.
- Grease fittings at friction points make operation smoother and extend tool life.
- Aluminum parts reduce tool weight for easier handling.
- Aluminum castings withstand varied climate and soil conditions.
- All PE Squeeze-Off tools use positive stops to prevent damage caused by over-clamping.
- Multiple size/SDR settings on one pair of stops provide quick, convenient over-squeeze protection for standard pipe sizes.



NOTE: Reed strongly recommends use of the PEGR Grounding Accessory #04619 with PE Squeeze-Off Tools. Use a grounding accessory as a precaution against static build-up. Dissipate the charge and minimize the possibility of ignition.

GUILLOTINE CUTTERS

| Catalog No. | Item Code | Vise Style | Capacity | | Length | | Weight | |
|-------------|-----------|------------|----------|-------------|--------|------|--------|------|
| | | | in-nom. | Actual Ø mm | in. | mm | lbs | kg |
| HPC4 | 04604 | Chain | 2 - 4 | 63 - 125 | 19 | 482 | 15.6 | 7.1 |
| HPC8 | 04608 | Chain | 3 - 8 | 90 - 225 | 30 | 750 | 35.0 | 15.9 |
| HPC12 | 04612 | Chain | 4 - 12 | 125 - 350 | 51 | 1295 | 100.0 | 45.5 |

- Twist the handle to slice smoothly through PE pipe.
- Durable, non-stick coated blade makes many square cuts with no chips to clog valves or small openings.
- Blades are easy to sharpen or replace.



UNIVERSAL DIES & R811 DIE HEAD



R811 Die Head

- Reed uses its 115+ years of die-making experience to select the best materials, methods, and CNC production for its Universal Dies.
- Choose from Reed's full line of dies made from Alloy and High Speed Steels in geometries for NPT, NPSM and BSPT.
- R811 die head uses Reed and other popular universal dies.

700PD POWER DRIVE

- Portable, electric, heavy-duty power drive that threads pipe and conduit up to 2" (50 mm) in diameter.
- 1/2 horsepower, double insulated, turns at 28 RPM (no load) and uses a forward/reverse switch.
- Includes free safety vise.



Uses Reed R12+ Segmental Dies and Dropheads.

700PD with R12+ Drophead and Oil Bucket on R450+ Tripod

5301PD POWER DRIVE

| Cat No. | Item Code | Capacity | | Weight | |
|----------------|-----------|----------|-----------|--------|------|
| | | in-nom. | Actual mm | lbs | kg |
| 5301PD | 05301 | 1/8 - 2 | 3 - 50 | 93.0 | 43.0 |
| 5301PD57RPM | 05302 | 1/8 - 2 | 3 - 50 | 93.0 | 43.0 |
| 5301PDCOMP | 05303 | 1/8 - 2 | 3 - 50 | 208.0 | 95.0 |
| 5301PD57RPMCMP | 05304 | 1/8 - 2 | 3 - 50 | 208.0 | 95.0 |
| 5301PD240V | 05325 | 1/8 - 2 | 3 - 50 | 93.0 | 43.0 |

- 5301PD Power Drive rotates the pipe for cutting, threading, or reaming.
- Reed offers both a basic 5301PD machine with foot pedal and the 5301PDCOMP complete kit.
- Models available in 38 RPM or 57 RPM.



Uses Reed Universal Dies.



5301PDCOMP

R12+ HSS SEGMENTAL DIES, DROPHEADS & THREADER SETS



R12+ DROPHEADS

| Cat. No. | Item Code | Size |
|----------------|-----------|------------|
| DHR12 1/2NPT | 05626 | 1/2" NPT |
| DHR12 3/4NPT | 05628 | 3/4" NPT |
| DHR12 1NPT | 05630 | 1" NPT |
| DHR12 1 1/4NPT | 05632 | 1 1/4" NPT |
| DHR12 1 1/2NPT | 05634 | 1 1/2" NPT |
| DHR12 2NPT | 05636 | 2" NPT |

Fits Reed Power Drives and interchangeable with Ridgid® dropheads: 00-R, 111-R, 12-R, 0-R, 11-R, 30A, and 31A.

R12+ SEGMENTAL DIES

| Cat. No. | Item Code | Size | Std. Pkg. |
|-------------|-----------|------------|-----------|
| R12DN 1/2 | 05606 | 1/2" NPT | 4 |
| R12DN 3/4 | 05608 | 3/4" NPT | 4 |
| R12DN 1 | 05610 | 1" NPT | 4 |
| R12DN 1 1/4 | 05612 | 1 1/4" NPT | 4 |
| R12DN 1 1/2 | 05614 | 1 1/2" NPT | 4 |
| R12DN 2 | 05616 | 2" NPT | 4 |

R12+ THREADER SETS

| Cat. No. | Item Code | Size |
|----------|-----------|--------------------|
| R12NPT-3 | 05712 | 1/2" to 1" NPT |
| R12NPT-4 | 05714 | 1/2" to 1 1/4" NPT |
| R12NPT-5 | 05716 | 1" to 2" NPT |
| R12NPT-6 | 05720 | 1/2" to 2" NPT |



R12NPT-6

5401TMSO THREADING MACHINES

| Cat No. | Item Code | Description | Capacity |
|--------------|-----------|---|-------------------|
| 5401TMSO | 05365 | 1/2 HP, 120 VAC single phase 60 Hz, NPT dies | 1/8" - 2" Pipe |
| 5401TMSOENPT | 05368 | 1/2 HP, 240 VAC single phase 60 Hz, NPT dies | 1/4" - 2" Bolt |
| 5401TMSOBSPT | 05369 | 1/2 HP, 240 VAC single phase 60 Hz, BSPT dies | Depending on dies |
| 5401CRT | 06670 | Machine cart for 5401TMSO, optional | |

- Self-priming pump on oil system floods the pipe with oil while threading.
- Open work space features an integral oil reservoir and easy-to-remove, metal chip collection trays.
- Optional 5401CRT machine cart available.



5401CRT

Uses Reed Universal Dies.



5401TMSO



PIPE TOOLS & VISES
SINCE 1896

Reed Manufacturing Company
Erie, PA 16502 USA
TEL: 800-666-3691 • 814-452-3691
www.reedmfgco.com