



94 JACKSON ROAD, SUITE 110, DEVENS, MA 01434

## Filters/Diplexers

Model RMDI.1990Sf



PCS Diplexer, SMA Female

### SPECIFICATIONS

| Model Number | Frequency 1 (MHz) | Frequency 2 (MHz) | Rejection (dB min) | VSWR (max) | Insertion Loss (dB max) |
|--------------|-------------------|-------------------|--------------------|------------|-------------------------|
| RMDI.1990Sf  | 1850-1910         | 1930-1990         | >70                | 1.20 : 1   | 1.0                     |

#### Notes:

- Input and output impedance: 50 Ohms
- Connector: SMA female (N available on request)
- Passband Power: 50 W
- Operation temperature: -45C to +85C deg



Telephone: 978-772-3767

Fax: 978-772-3768

[www.responsemicrowave.com](http://www.responsemicrowave.com)



94 JACKSON ROAD, SUITE 110, DEVENS, MA 01434



Telephone: 978-772-3767

Fax: 978-772-3768

[www.responsemicrowave.com](http://www.responsemicrowave.com)



94 JACKSON ROAD, SUITE 110, DEVENS, MA 01434



Telephone: 978-772-3767

Fax: 978-772-3768

[www.responsemicrowave.com](http://www.responsemicrowave.com)