



94 JACKSON ROAD, SUITE 110, DEVENS, MA 01434

Filters/Diplexers

Model RMDU.880-960Nf

DUPLEXER, N Female

SPECIFICATIONS

ITEM	Specification	
<i>Pass Band</i>	<i>Up Link</i>	<i>Down Link</i>
	880~915MHz	925~960MHz
<i>Pass Band Insertion Loss</i>	1.0dB Max.	
<i>Pass Band Ripple</i>	0.7dB Max.	
<i>Pass Band Return Loss</i>	15dB Min.	
<i>Rejection</i>	DC~845MHz 65dB Min. 925~2000MHz 75dB Min.	DC~915MHz 75dB Min. 1050~2000MHz 75dB Min.
	75dB Min.	
<i>Isolation (Up Link / Down Link)</i>	75dB Min.	
<i>Power Handling</i>	50W CW	
<i>Operating Temperature</i>	-20° to +70°C	
<i>Operating Humidity</i>	0 to 95%	
<i>Connector</i>	N(F)	
<i>Size</i>	239.5 x 201.4 x 63.0 mm	
<i>Finish</i>	Black	


Telephone: 978-772-3767

Fax: 978-772-3768

www.responsemicrowave.com



94 JACKSON ROAD, SUITE 110, DEVENS, MA 01434




Telephone: 978-772-3767

Fax: 978-772-3768

www.responsemicrowave.com



94 JACKSON ROAD, SUITE 110, DEVENS, MA 01434



Telephone: 978-772-3767

Fax: 978-772-3768

www.responsemicrowave.com