

Page 1/7

Safety Data Sheet acc. to OSHA HCS

Printing Date 10/06/2015

*

*

*

Revision Number 2

Revision Date 10/06/2015

Finning Date 10/00/2015	Kevision Number 2	<i>Revision Date 10/00/2015</i>
1 Identification		
· Product identifier		
· Trade name: <u>Fusion Series 4500</u>		
 Article number: 701697 Relevant identified uses of the substance 	ance or mixture. Adhesive	
• Details of the supplier of the safety a • Manufacturer/Supplier: Royal Adhesives & Sealants, LLC 863 South East Main Street Simpsonville, SC 29681 (864) 967-7691	lata sheet	
• Information department: Environme • Emergency telephone number: ChemTrec: Day or Night within USA Outside USA and Canada: +1 703-52	and Canada: 1-800-424-9300.	
2 Hazard(s) identification • Classification of the substance or mi The product does not meet the criteri	i xture a for classification as hazardous under a	the GHS and 29 CFR 1910.1200
 Label elements GHS label elements Void Hazard pictograms Void Signal word Void Hazard statements Void Classification system: NFPA ratings (scale 0 - 4) 		
$\begin{array}{c} \textbf{Health} = 1\\ \textbf{Fire} = 0\\ \textbf{Reactivity} = 0 \end{array}$		
• HMIS-ratings (scale 0 - 4) HEALTH 1 HEALTH 1 FIRE 0 FIRE 0 PHYSICAL HAZARD 0 Physical Hazard	l = 0	
• Other hazards • Results of PBT and vPvB assessmen • PBT: Not applicable. • vPvB: Not applicable.	t	
3 Composition/information on i	naradiants	
 Chemical characterization: Mixtures Description: Mixture 	S	
		(Contd. on page 2)

Revision Number 2

Printing Date 10/06/2015

Revision Date 10/06/2015

Trade name: Fusion Series 4500

(Contd. of page 1)

25280-35-7 vinyl acrylic copolymer 2.5-1	
	10%
14808-60-7 Quartz (SiO2) ≤2	5%

4 First-aid measures

- · Description of first aid measures
- After inhalation: Overexposure, remove to fresh air and seek medical attention.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.
- *After swallowing:* Do not induce vomiting; immediately call for medical help.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment: Protective clothing and respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Avoid prolonged or repeated contact with skin.

Avoid contact with eyes.

Wash thoroughly after handling.

Open containers in a well ventilated area and avoid breathing headspace vapors.

(Contd. on page 3)

USA

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing Date 10/06/2015

Revision Number 2

Revision Date 10/06/2015

Trade name: Fusion Series 4500

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store above 40F.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Protect product from freezing.

Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

14808-60-7 Quartz (SiO2)

PEL see Quartz listing

- REL Long-term value: 0.05* mg/m³ *respirable dust; See Pocket Guide App. A
- *TLV* Long-term value: 0.025* mg/m³ *as respirable fraction

• Additional information:

This product contains crystalline silica (Quartz) which is not hazardous in a wet or encapsulated state. However, if a formula containing hazardous fillers is reduced to a respirable fraction by grinding or putting into an airborne powder, the powder is considered a hazardous material. The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment (see listings below)

• General protective and hygienic measures:

- The usual precautionary measures for handling chemicals should be followed.
- · Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing Date 10/06/2015

Revision Number 2

Revision Date 10/06/2015

Trade name: Fusion Series 4500

· Eye protection:

Safety glasses with side shields.



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Pasty Color: Tan · Odor: *Characteristic* · Odour threshold: Not determined. • *pH-value at 20* •*C* (68 •*F*): 9.4 · Change in condition Undetermined. Melting point: 100 °C (212 °F) **Boiling point:** · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable. · Ignition temperature: **Decomposition temperature:** Not determined. Product is not selfigniting. · Auto igniting: · Danger of explosion: Product does not present an explosion hazard. • Vapor pressure at 20 $\bullet C$ (68 $\bullet F$): 23 hPa (17 mm Hg) • Specific gravity at 20 $\bullet C$ (68 $\bullet F$): 1.11 g/cm³ (9.263 lbs/gal) · Relative density Not determined. · Vapour density Not determined. · Evaporation rate Not determined. · Solubility in / Miscibility with Not miscible or difficult to mix. Water: · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Not determined. Dynamic: Not determined. Kinematic: · Solvent content: 58.8 % Solids content: (Contd. on page 5) USA

(Contd. of page 3)

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing Date 10/06/2015

Revision Number 2

Revision Date 10/06/2015

Trade name: Fusion Series 4500

• Other information

VOC Compliance: VOC's <11 grams/liter Meets Rule 1168

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid Temperatures below 40F (4.4C)
- · Incompatible materials: Reacts with oxidizing agents.
- Hazardous decomposition products: Carbon monoxide and carbon dioxide Nitrogen oxides Hydrocarbons

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- \cdot on the skin: May irritate the skin.
- on the eye: May irritate the eye.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
14808-60-7 Quartz (SiO2)	1
108-05-4 vinyl acetate	2B
· NTP (National Toxicology Program)	
14808-60-7 Quartz (SiO2)	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed	

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 6)

Printing Date 10/06/2015

Revision Number 2

Revision Date 10/06/2015

Trade name: Fusion Series 4500

· Additional ecological information:

- General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- \cdot Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.

· Uncleaned packagings:

· Recommendation: Disposal must be made according to official regulations.

14 Transport information

2 i 2 i anop o i o ingor i i ano i	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, ADR, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	of Not applicable.
· UN "Model Regulation":	-

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

108-05-4 vinyl acetate

· Section 313 (Specific toxic chemical listings):

108-05-4 vinyl acetate

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

(Contd. on page 7)

USA

(Contd. of page 5)

Printing Date 10/06/2015

· Proposition 65

Revision Number 2

Revision Date 10/06/2015

Trade name: Fusion Series 4500

(Contd. of page 6)

A2 A3

1

3A

· Chemicals k	known to	cause	cancer:
---------------	----------	-------	---------

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

• (DSL) Canada Dosmestic Substance List All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

14808-60-7 Quartz (SiO2)

108-05-4 vinyl acetate

· MAK (German Maximum Workplace Concentration)

14808-60-7 Quartz (SiO2) 108-05-4 vinyl acetate

· NIOSH-Ca (National Institute for Occupational Safety and Health)

14808-60-7 Quartz (SiO2)

· National regulations:

• Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· Department issuing SDS: Environment protection department.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association
- ACGIH: American Conference of Governmental Industrial Hygienists
- EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA)
- PBT: Persistent, Bioaccumulative and Toxic

[·] Creation Date: 03/11/2015

[·] Date of preparation / last revision 10/06/2015 / 1

vPvB: very Persistent and very Bioaccumulative