



Printing Date 09/17/2013 Revision Number 1 Revision Date 09/17/2013

I Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Millennium Series 2001Floating Wood Floor Adhesive
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Royal Adhesives And Sealants, LLC

2001 W. Washington Street

South Bend IN 46628-2023

Information Phone Number: 574-246-5000

- · Information department: Environment protection department.
- · Emergency telephone number: ChemTrec: UNITED STATES 1(800)424-9300 INTERNATIONAL 703-527-3887

2 Hazards identification

· Classification of the substance or mixture

H320 Causes eye irritation.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

Causes eye irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wash thoroughly after handling.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.

(Contd. on page 2)

Printing Date 09/17/2013 Revision Number 1 Revision Date 09/17/2013

Trade name: Millennium Series 2001Floating Wood Floor Adhesive

· vPvB: Not applicable.

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Water Base Adhesive
- · Dangerous components:

No hazardous/reportable components.

7732-18-5 water, distilled, conductivity or of similar purity

25-50%

4 First aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.

· After swallowing:

Rinse out mouth with water. Drink 1 - 2 glasses of water but DO NOT induce vomiting. Do not give liquids to a drowsy, convulsing or unconscious person. If vomiting occurs spontaneously, keep head below hips to prevent aspiration.

Seek medical treatment.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Protective clothing and respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste in accordance with federal state and local regulations.

Ensure adequate ventilation.

(Contd. on page 3)

Printing Date 09/17/2013 Revision Number 1 Revision Date 09/17/2013

Trade name: Millennium Series 2001Floating Wood Floor Adhesive

(Contd. of page 2)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid prolonged or repeated contact with skin.

Avoid contact with eyes.

Wash thoroughly after handling.

Prevent formation of aerosols.

Open containers in a well ventilated area and avoid breathing headspace vapors.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store above 40F.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Protect product from freezing.

Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment (see listings below)
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- Breathing equipment: Not necessary if room is well-ventilated.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Nitrile rubber, NBR

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing Date 09/17/2013 Revision Number 1 Revision Date 09/17/2013

Trade name: Millennium Series 2001Floating Wood Floor Adhesive

· Eye protection:



Tightly sealed goggles

Safety glasses with side shields.

· Body protection: Protective work clothing

9 Physical and chemical properties

· Information on	basic ph	ysical and	chemical	properties
------------------	----------	------------	----------	------------

· General Information

· Appearance:

Form: Liquid Yellow Color: · Odor: Characteristic · Odour threshold: Not determined.

 \cdot pH-value at 20 °C (68 °F): 5

· Change in condition

Undetermined. Melting point: Boiling point: 100 °C (212 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

Product is not selfigniting. · Auto igniting:

· Danger of explosion: Product does not present an explosion hazard.

· Flammable limits:

Lower: Not determined. Upper: Not determined.

· Vapor pressure at 20 $^{\circ}C$ (68 $^{\circ}F$): 23 hPa (17 mm Hg)

· Specific gravity at 20 °C (68 °F): 1.13 g/cm³ (9.43 lbs/gal)

· Relative density Not determined. Not determined. · Vapour density Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

 $\cdot \textit{Partition coefficient (n-octanol/water):} \ \textit{Not determined}.$

· Viscosity:

Dynamic: Not determined. Kinematic: Not determined.

· Solvent content:

· Evaporation rate

0.0 % Organic solvents: 49.0 % Water:

(Contd. on page 5)

Printing Date 09/17/2013 Revision Number 1 Revision Date 09/17/2013

Trade name: Millennium Series 2001Floating Wood Floor Adhesive

(Contd. of page 4)

VOC (Per EPA 24)
Other information

not available GMS/L California VOC Compliant

SCAOMD Rule 1168: VOC Compliant

SCAQMD Rule 443.1: Grams per Liter of Material 0 grams/liter

Grams per Liter of Coating 0 grams/liter

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Temperatures below 40F (4.4C)
- · Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Nitrogen oxides

Hydrocarbons

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: May irritate the skin.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot Additional\ toxicological\ information:$
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

Printing Date 09/17/2013 Revision Number 1 Revision Date 09/17/2013

Trade name: Millennium Series 2001Floating Wood Floor Adhesive

· Other adverse effects No further relevant information available.

(Contd. of page 5)

13 Disposal considerations

- · Waste treatment methods
- **Recommendation:** Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- · **Recommendation:** Disposal must be made according to official regulations.

:	14 Transport	at info	um ation
	14 Transpo	ori injoi	rmauor

· UN-Number	_

· DOT, ADR, IMDG, IATA

Void

· UN proper shipping name

· DOT, ADR, IMDG, IATA

Void

· Transport hazard class(es)

· DOT, ADR, IMDG, IATA

· Class

Void

· Packing group

· DOT, ADR, IMDG, IATA

Void

· Environmental hazards:

Not applicable.

· Special precautions for user

Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code

Not applicable.

· UN ''Model Regulation'':

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity:

None of the ingredients is listed.

(Contd. on page 7)

Printing Date 09/17/2013 Revision Number 1 Revision Date 09/17/2013

Trade name: Millennium Series 2001Floating Wood Floor Adhesive

(Contd. of page 6)

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- · National regulations:
- · Water hazard class: Generally not hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Although the information and recommendations set forth in this MSDS are presented in good faith and are believed to be correct as of the date of this MSDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the MSDS.

- · Department issuing MSDS: Environment protection department.
- · Creation Date: 09/17/2013
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

USA